Day 04: Scraping Part 1

Erin Rossiter

13 February, 2023

- PS02 graded

- » grades in Canvas; comments on Rmd files
- » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

- PS02 graded
 - » grades in Canvas; comments on Rmd files
 - » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

- PS02 graded
 - » grades in Canvas; comments on Rmd files
 - » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

- PS02 graded
 - » grades in Canvas; comments on Rmd files
 - » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

- PS02 graded
 - » grades in Canvas; comments on Rmd files
 - » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

- PS02 graded
 - » grades in Canvas; comments on Rmd files
 - » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

- PS02 graded
 - » grades in Canvas; comments on Rmd files
 - » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

- PS02 graded
 - » grades in Canvas; comments on Rmd files
 - » please review any comments
- PS03 due tomorrow
 - » includes a question on final projects
- Project discussion
 - » questions for class?
 - » remember a big part of the project is sharing code, building community, let's start by sharing our ideas
 - 30 section description to class

Last time

- » if else
- » for loops
- » advanced functions
- » we've covered the basic ingredients!

- » big picture for next two classes
- » scraping!
- our first "non-basics" session
- » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

Last time

- » if else
- » for loops
- » advanced functions
- » we've covered the basic ingredients!

- » big picture for next two classes
- » scraping!
- our first "non-basics" session
- » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!

- » big picture for next two classes
- » scraping!
- our first "non-basics" session!
- » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!
- Today
 - » big picture for next two classes
 - » scraping!
 - our first "non-basics" session
 - » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!
- Today
 - » big picture for next two classes
 - » scraping!
 - our first "non-basics" session!
 - » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!

- » big picture for next two classes
- » scraping!
- our first "non-basics" session!
- » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!
- Today
 - » big picture for next two classes
 - » scraping!
 - our first "non-basics" session!
 - » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!
- Today
 - » big picture for next two classes
 - » scraping!
 - our first "non-basics" session
 - » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!
- Today
 - » big picture for next two classes
 - » scraping!
 - » our first "non-basics" session!
 - » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!
- Today
 - » big picture for next two classes
 - » scraping!
 - » our first "non-basics" session!
 - » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- Last time
 - » if else
 - » for loops
 - » advanced functions
 - » we've covered the basic ingredients!
- Today
 - » big picture for next two classes
 - » scraping!
 - » our first "non-basics" session!
 - » don't worry, we will always be honing these skills (loops, ifelse logic, functions, etc.)
- Save 15 minutes for PS03 questions/hints

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- You have incredible opportunity for easy access to tons of untapped data!
 - » More now than ever with...
 - increasing storage and computational power, even on your personal laptop
 - increasing digitization of... everything
- The goal is to be able to size-up any scraping-related data collection you run into
- But is this legal?
 - » Saving this topic for when we discuss APIs
- Today, legal scraping of publicly available info

- Three sessions on "webscraping"

- » Writing and reading data from R
- » Understanding the web! (navigating URLs)
- » Understanding HTML content of a page
- » Selenium
- » APIs (and JSON-format and http requests)
- » web-crawlers (if time)

Caveat

- » I'm not a computer scientist or web developer
- » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web developer
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web develope
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web develope
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web develope
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web develope
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web develope
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web develope
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web developer
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- Three sessions on "webscraping"
 - » Writing and reading data from R
 - » Understanding the web! (navigating URLs)
 - » Understanding HTML content of a page
 - » Selenium
 - » APIs (and JSON-format and http requests)
 - » web-crawlers (if time)
- Caveat
 - » I'm not a computer scientist or web developer
 - » We're covering the basics so we can know what is possible and overcome roadblocks

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags"
 - › <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags"
 - > <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags"
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags"
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags":
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags":
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags":
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms


- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags":
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags":
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags":
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms


- HTML is the technical representation of that webpage and tells your browser which elements to display and how to display them
 - » basic building blocks of the web
 - » like how Rmd has its own syntax, so does HTML in order to render "pretty"
 - » Ex: we use the ## to make headings in Rmd, we use <h1> to make headings in HTML
- Some examples of "tags":
 - » <h1>, <h2>, ..., <h6> Headings
 - » Paragraph elements
 - » ul> Unordered List
 - » <div> Division / Section
 - » Tables
 - » <form> Web forms

"tags"




- An HTML "tag" is a piece of markup language used to indicate the beginning and end of an "element"
- Help web browsers convert HTML documents into web pages

"tags"



- An HTML "tag" is a piece of markup language used to indicate the beginning and end of an "element"
- Help web browsers convert HTML documents into web pages

"tags"



- An HTML "tag" is a piece of markup language used to indicate the beginning and end of an "element"
- Help web browsers convert HTML documents into web pages

- Attributes are additional information for how the element should be displayed
- Examples:
 - » Blue text</>
 - » Notre Dame
 Website

- Attributes are additional information for how the element should be displayed
- Examples:
 - » Blue text</>
 - » Notre Dame
 Website

- Attributes are additional information for how the element should be displayed
- Examples:
 - » Blue text</>
 - » Notre Dame
 Website

- Attributes are additional information for how the element should be displayed
- Examples:
 - » Blue text</>
 - » Notre Dame
 Website

HTML document basic structure

- Not always consistent across websites, but often consistent across pages on the same website.
 - » This is good news for us lots of structure!!

Running example 1

ND Political Science faculty

 Today we're going to understand how this website is structured and scrape it

Open an "un-rendered" version of the website in a new tab:

- View > Developer tools > View Source
- Right click > View Page Source

Inspect the HTML of a specific element on the page:

Open an "un-rendered" version of the website in a new tab:

- View > Developer tools > View Source
- Right click > View Page Source

Inspect the HTML of a specific element on the page:

Open an "un-rendered" version of the website in a new tab:

- View > Developer tools > View Source
- Right click > View Page Source

Inspect the HTML of a specific element on the page:

Open an "un-rendered" version of the website in a new tab:

- View > Developer tools > View Source
- Right click > View Page Source

Inspect the HTML of a specific element on the page:

Open an "un-rendered" version of the website in a new tab:

- View > Developer tools > View Source
- Right click > View Page Source

Inspect the HTML of a specific element on the page:

Try it out

- What type of tag is the "Core Faculty" element?
- What type of tag is each professor's name?
- what type of tag is each professor's field?

Try it out

- What type of tag is the "Core Faculty" element?
- What type of tag is each professor's name?
- what type of tag is each professor's field?

Try it out

- What type of tag is the "Core Faculty" element?
- What type of tag is each professor's name?
- what type of tag is each professor's field?

Urls

- So far we've seen the pages have great structure.
- Why? Websites aren't usually written by people, but by algorithms.
- For the same reason, urls have great structure, so easy to navigate across pages
- What's happening here?
 - » https://politicalscience.nd.edu/people/core-faculty/
 - » https://politicalscience.nd.edu/people/affiliated-faculty-andvisiting-researchers/
 - » https://politicalscience.nd.edu/people/emeritus/
 -)> . . .

Urls

- So far we've seen the pages have great structure.
- Why? Websites aren't usually written by people, but by algorithms.
- For the same reason, urls have great structure, so easy to navigate across pages
- What's happening here?
 - » https://politicalscience.nd.edu/people/core-faculty/
 - » https://politicalscience.nd.edu/people/affiliated-faculty-andvisiting-researchers/
 - » https://politicalscience.nd.edu/people/emeritus/
 - >> ____

Urls

- So far we've seen the pages have great structure.
- Why? Websites aren't usually written by people, but by algorithms.
- For the same reason, urls have great structure, so easy to navigate across pages
- What's happening here?
 - » https://politicalscience.nd.edu/people/core-faculty/
 - » https://politicalscience.nd.edu/people/affiliated-faculty-andvisiting-researchers/
 - » https://politicalscience.nd.edu/people/emeritus/
 -)> . . .

Urls

- So far we've seen the pages have great structure.
- Why? Websites aren't usually written by people, but by algorithms.
- For the same reason, urls have great structure, so easy to navigate across pages
- What's happening here?
 - » https://politicalscience.nd.edu/people/core-faculty/
 - » https://politicalscience.nd.edu/people/affiliated-faculty-andvisiting-researchers/
 - » https://politicalscience.nd.edu/people/emeritus/
 - >> ...

Urls

- So far we've seen the pages have great structure.
- Why? Websites aren't usually written by people, but by algorithms.
- For the same reason, urls have great structure, so easy to navigate across pages
- What's happening here?
 - » https://politicalscience.nd.edu/people/core-faculty/
 - » https://politicalscience.nd.edu/people/affiliated-faculty-andvisiting-researchers/
 - » https://politicalscience.nd.edu/people/emeritus/
 - **»**

Url example 2

https://www.cnn.com/election/2018/results/nevada/senate https://www.cnn.com/election/2018/results/tennessee/senate https://www.cnn.com/election/2018/results/tennessee/house

Main point: the structure of the URLs allows me to simply substitute each state to navigate to the state results, makes scraping info *across* pages easy

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API

If we:

- know the basic structure of the html content of a page . . .
- and understand how the urls are set up to navigate . . .
- we can pretty easily write a script to tear down large parts of a website.

This can be shockingly easy for the simplest websites!

Complexity is introduced if:

- you do not have a pre-defined set of urls
- what you want is burried not in the html but in javascript (or something else)
- they only want you (or allow you) to pull data from their API