ZeroToBlockchain Chapter 12: Creating, monitoring and consuming events

Return to Table of Contents

In this chapter, we will update the code from Chapter 11 to include event creation and monitoring on the server and event subscription and notification in the browser.

```
Chapter 12
  4 controller
     4restapi
       router.js
        4 features
           4composer
             autoLoad.js
             hlcAdmin.js
             hlcClient.js
                                     <== Updated
             queryBlockChain.js
             Z2B_Services.js
                                     <== Updated
             Z2B_Utilities.js
           4 text
               multi-lingual.is
                resources.js
  L HTML
    index.html
    admin.html
    buyer.html
                                     <== Updated
    ceateConnectionProfile.html
    createMember.html
    createOrder.html
    deleteConnectionProfile.html
    financeCo.html
                                     <== Updated
```

```
getMemberSecret.html
  removeMember.html
                                   <== Updated
  provider.html
                                   <== Updated
  seller.html
                                   <== Updated
  shipper.html
  singleUX.html
   LCSS
     pageStyles.css
   4js
     z2b-admin.js
     z2b-buyer.js
                                   <== Updated
     z2b-events.js
                                   <== Updated
                                   <== Updated
     z2b-financeCo.is
     z2b-initiate.js
     z2b-provider.js
                                  <== Updated
     z2b-seller.js
                                  <== Updated
     z2b-shipper.js
                                   <== Updated
     z2b-utilities.js
4 network
 permissions.acl
 queries.qry
  4lib
    sample.js
                                   <== Updated
  ₄models
    base.cto
    events.cto
    sample.cto
                                   <== Updated
```

No new files are created. Fifteen existing files are updated:

Files used in this chapter

Web Server Code Unique to this Chapter

hlcClient.jss

- o add event monitoring to client routines
- add event notification to browser via web socket.

it should be noted that this is a rough implementation for notifying the user of asynchronous events and is appropriate for a lightweight demo but inappropriate for a PoC or a production system.

Defining the business network

- /models/sample.CTO
 - o add events to sample.CTO file
- /lib/sample.js
 - add event notification to transactions

Web Browser Code

- all UX files
 - Add placeholder for notification icon and add placeholder for notification counter.
- all UX javascript files
 - use subscribe, unsubscribe and notifyMe routines
- z2b-events.js
 - o add event support for alert subscription, notification
- CSS/pageStyles.css
 - o add support for notification icon and text