sql test 1 set b

que 2

mysql> create table doctor(

-> doctor_id int primary key,

-> first_name varchar(100),

-> last_name varchar(100),

-> specialty varchar(100)

->);



que 1

mysql> create table patient(

-> patient_id int primary key,

-> first_name varchar(100),

-> last_name varchar(100),

-> date_of_birth date,

-> doctor_id int,

-> foreign key (doctor_id) references doctor(doctor_id)

->);



que 3

mysql> create table appointments(

-> appointment_id int primary key,

-> patient_id int,

-> foreign key (patient_id) references patient(patient_id),

-> appointment_date datetime,

-> reason varchar(100)

->);



que 4

mysql> alter table patient

-> add column phone_number varchar(15);



Random doctor values in doctor table

mysql> insert into doctor(doctor_id,first_name,last_name)

-> values

-> (101, "Rajesh","Sharma"),

-> (102, "Priya","Verma"),

-> (103, "Sangeeta","Rao");

que 5

mysql> insert into patient(patient_id,first_name,last_name,date_of_birth,doctor_id,phone_number)

-> values

-> (1, "John", "Doe", "1980-07-15", 101, "+1(555)123-4567"),

-> (2, "Jane", "Smith","1992-03-25", 102, "+1(555)987-6543"),

-> (3, "Robert", "Johnson","1975-11-02", 103, "+1(555)555-5555");

```
sql> select * from patient;
+----------+------------+-----------+---------------+------------+-----------------+
| patient_id | first_name | last_name | date_of_birth | doctor_id | phone_number    |
+----------+------------+-----------+---------------+------------+-----------------+
         1 | John       | Doe       | 1980-07-15    |        101 | +1(555)123-4567 |
         2 | Jane       | Smith     | 1992-03-25    |        102 | +1(555)987-6543 |
         3 | Robert     | Johnson   | 1975-11-02    |        103 | +1(555)555-5555 |
+----------+------------+-----------+---------------+------------+-----------------+
```

que 6

mysql> update patient

-> set phone_number = "+1(555)987-3456"

-> where patient_id = 2;

```
mysql> select * from patient;
+------------+------------+-----------+---------------+------------+-----------------+
| patient_id | first_name | last_name | date_of_birth | doctor_id | phone_number    |
+------------+------------+-----------+---------------+------------+-----------------+
          1 | John       | Doe       | 1980-07-15    |        101 | +1(555)123-4567 |
          2 | Jane       | Smith     | 1992-03-25    |        102 | +1(555)987-3456 |
          3 | Robert     | Johnson   | 1975-11-02    |        103 | +1(555)555-5555 |
+------------+------------+-----------+---------------+------------+-----------------+
```

que 7

mysql> alter table doctor

-> add email varchar(100);

mysql> insert into doctor(doctor_id,first_name,last_name,specialty,email)

-> values

-> (104, "Emily","Smith","Dermatology","emily@example.com");

```
mysql> select * from doctor;
+------------+------------+-----------+--------------+--------------------+
| doctor_id | first_name | last_name | specialty    | email              |
+------------+------------+-----------+--------------+--------------------+
        101 | Rajesh     | Sharma    | NULL         | NULL               |
        102 | Priya      | Verma     | NULL         | NULL               |
        103 | Sangeeta   | Rao       | NULL         | NULL               |
        104 | Emily      | Smith     | Dermatology  | emily@example.com  |
+------------+------------+-----------+--------------+--------------------+
```

que 8

mysql> alter table patient

-> add constraint chk_dob check (date_of_birth < "2020-01-01");

```
mysql> select * from patient;
+------------+------------+-----------+---------------+------------+-----------------+
| patient_id | first_name | last_name | date_of_birth | doctor_id | phone_number    |
+------------+------------+-----------+---------------+------------+-----------------+
          1 | John       | Doe       | 1980-07-15    |        101 | +1(555)123-4567 |
          2 | Jane       | Smith     | 1992-03-25    |        102 | +1(555)987-3456 |
          3 | Robert     | Johnson   | 1975-11-02    |        103 | +1(555)555-5555 |
+------------+------------+-----------+---------------+------------+-----------------+
```

que 9

mysql> alter table doctor

-> drop column doctor_id;

ERROR 1829 (HY000): Cannot drop column 'doctor_id': needed in a foreign key constraint 'patient_ibfk_1' of table 'patient'

que 10

mysql> update doctor

-> set specialty = "NOT NULL"

-> where specialty is null;