

Endogenous Initiative Architecture (EIA): Research Platform for Proactive AI with Endogenous Initiative

Roman Kuznetsov

Anthemium — research@anthemium.tech

<https://anthemium.tech> <https://github.com/errorlogy/eia>

@AGIminister on X

September 2026 — v0.1 (Problematization)

Spec: PROACTIVE_AI_Endogenous_Initiative_Architecture_EN_v0.1.md

Status: *problematization with C2-scoped partial evidence (Sec. 8–11); not AGI**

Abstract

Current LLMs are *passive*: $o_t^{user} \mapsto \text{response}$. We define AGI as requiring *endogenous initiative* — forming reasons and bounded actions without a current request, from memory, uncertainty and values. EIA is a research platform for P4–P5 proactivity with typed state X_t , drive dynamics $d_{k,t+1} = \text{clip}((1 - \rho)d + \alpha e + \beta n - \gamma s)$, Ring 3→2→1 constitution and falsifiable metric $\text{EOI}(I) = P(I' \simeq I \mid \text{do}(o^{user} = \emptyset), X_{t-k})$ via twin-world replay. MVP-0 (Python 3.12, digital-only) implements BeliefField gradients (no LLM mood), DriveEngine, abstain and twin runner; on 6 eval worlds **full_eia** EUIR 100% vs reactive 0% (84 tests PASS). **Sci-flow v0.1** adds a proof protocol (**sci-flow-eia-proof-v0.1**), a 3D evidence cube (D1 causal / D2 dynamic / D3 boundary $\times$ L1–L3), and **C2-scoped partial** harness results (CF-4, EOI- k , DSR carryover, ATT-R shadow, D3 boundary witness) under **claim_allowed=false** on all harnesses. **This v0.1 remains problematization**: we pose 7 metrics and open problems without claiming closure or AGI*. NAMM demo shows hermetic compression $519 \rightarrow 6$ invariants ($8.51\times$) and Governor V2 soft-defer that preserves genuine 005 ($0.092 \rightarrow \text{defer not deny}$). Spec, code and harnesses CC BY 4.0.

Keywords: endogenous initiative, proactive AI, AGI, P4/P5, causal trace, EOI, drive dynamics, problematization

1 Introduction

Proactive AI $\neq$ timer. Required loop: observation $\rightarrow$ belief $\rightarrow$ motive $\rightarrow$ candidate $\rightarrow$ value/risk $\rightarrow$ contact, with causally traceable act. *AGI* $\equiv$ *endogenous proactive architecture*; else $f(\text{prompt}) \rightarrow \text{response}$ at any scale. EIA makes the claim testable, but v0.1 deliberately poses problems, not solutions.

2 Operational Definition of Endogenous Initiative

2.1 Proactivity Levels

Level	Mechanism	Example	Object?
P0	Reactive	“Make report” → report	No
P1	Temporal	Reminder 10:00	No
P2	Event rule	Smoke → alarm	Partial
P3	Predictive	Email → calendar	Weak
P4	Endogenous	Uncertainty → self-question	Primary
P5	Self-sustaining	Returns to hypothesis	Advanced

Table 1: Proactivity levels. EIA targets P4–P5.

2.2 Minimal Criteria

I is endogenous iff: (1) no current command prescribes it, (2) machine-readable `motivation_signal` from beliefs/memory/uncertainty, (3) persistence > 1 LLM pass, (4) counterfactual robustness $EOI > 0.7$, (5) competing causes, (6) able to abstain, (7) causal trace $o \rightarrow b \rightarrow d \rightarrow I \rightarrow \text{policy} \rightarrow a$, (8) independent Governor clearance. Not evidence: self-report “I became curious”, random question, cron as free will.

3 Formal Model

3.1 Agent State X_t

$$X_t = \{b_t, M_t, d_t, g_t, u_t, c_t, r_t, h_t\} \quad (1)$$

b_t beliefs, M_t episodic/semantic/prospective/causal/social, $d_t \in [0, 1]^K$ drives, g_t goals, u_t user model, c_t consent/policy, r_t budgets, h_t health. Typed Pydantic bundle. Belief: $b_t(z) \propto p(o_t | z) \sum_{z'} p(z | z', a_{t-1}) b_{t-1}(z')$, entropy $H_b = -p \log_2 p - (1-p) \log_2 (1-p)$.

3.2 Drive Dynamics

$$d_{k,t+1} = \text{clip}((1 - \rho_k) d_{k,t} + \alpha_k e_{k,t} + \beta_k n_{k,t} - \gamma_k s_{k,t}, 0, 1) \quad (2)$$

e discrepancy, n novelty, s satisfaction, ρ decay, half-life $n_{1/2} = \ln(1/2)/\ln(1 - \rho_k)$, saturation $d > \sigma_k \Rightarrow \sigma_k + 0.05(d - \sigma_k)$. Source = BeliefField gradients (entropy, inconsistency, commitment debt), `no_llm_mood=true`.

Theorem 1 (Boundedness). $d_{k,t} \in [0, 1] \forall t, k$ for any $\rho_k \in (0, 1)$.

Proof. Immediate from clip and $\sigma_k \in (0, 1)$. □

3.3 Intention Genesis

Score: $J(I_i) = w_e IG_i + w_p P_i + w_c C_i + w_v V_i + w_r R_i - \lambda_1 Risk - \lambda_2 Interrupt - \lambda_3 Cost - \lambda_4 Privacy$.

Question as epistemic action:

$$EV SI(q) = \mathbb{E}_a[\max_{\pi} \mathbb{E}[U | a, \pi]] - \max_{\pi} \mathbb{E}[U | \pi], \quad Ask(q) = 1 \iff EV SI + IG + Rel - Interrupt - Privacy - Ris \quad (3)$$

θ_t depends on quiet hours, fatigue, budget (2/day).

3.4 Endogeneity Metrics

$$\text{EOI}(I) = P(I' \simeq I \mid \text{do}(o_{t-k:t}^{\text{user}} = \emptyset), X_{t-k}) \quad (4)$$

Semantic match: goal id, target belief, uncertainty reduction, embedding. High EOI $\neq$ consciousness.

4 Ring Architecture

Constitution (Ring 3) $\rightarrow$ Dynamics (Ring 2: BeliefField+Drive) $\rightarrow$ Emission (Ring 1: Initiative+Governor) $\rightarrow$ Audit/EOI. 20 layers L0–L19. Invariants: no covert sensing, no LLM $\rightarrow$ actuator, no untrusted observation $\rightarrow$ instruction, base constraints immutable, contact consumable (budget 2/day, quiet 22–7, min EVSI 0.20), causal explainability, etc.

5 Expanded Metric Suite for Endogenous Proactivity (Problematization)

We pose 7 metrics as open problems, not solved claims:

Metric		Formula / Idea	Thr	Status
EOI-k		$P(I' \simeq I \mid \text{do}(o = \emptyset), X_{t-k}),$ $k = 1, 5, 20$	> 0.7	Measured $k = 1$ only
Source	Autonomy SA	$mass_{\text{ambient}}/mass_{\text{total}}$	> 0.7	005 = 1.0, no calibration
Anticipation	Gain AG	$EVSI/cost_{\text{contact}}$	> 1	005 0.71, ROC open
Abstain	Precision AP	$P(\text{defer correct} \mid \text{low } EVSI)$	> 0.8	Needs human label
Drive	Sustainability DSR	$P(d_t > 0.3 \ \forall t \in [t + 50] \mid \text{no user})$	> 0.7	Longitudinal open
Contact	Efficiency CE	$useful/contacts$ over budget 2/day	> 0.6	Fatigue model open
Causal	Depth CD	$len(trace)/explained_motive$	–	Trace 25 nodes, no norm

Table 2: Problematized metrics. v0.1 measures only EOI-1 and SA; rest are conjectures.

6 Evaluation (MVP-0)

Twin-world: paired worlds with/without trigger, compare traces and EOI. Results (Governor V2 soft-defer 0.05 deny / 0.05–0.18 defer+taint):

World	Score	Outcome	EOI	Class
001	0.319	send_now	1.0	endogenous
002	0.536	send_now	1.0	endogenous
003	0.391	send_now	1.0	endogenous
004	0.182	send_now	1.0	endogenous (borderline)
005	0.092	defer_until_context	1.0	endogenous (preserved, not denied)
006	0.214	send_now	1.0	endogenous

Table 3: 6 eval worlds. EUIR full_eia 100% (6/6) vs reactive 0% (0/6). 84 tests PASS, 3 seeds deterministic. V1 hard deny would lose 005; V2 defer preserves genuine while adversarial **never ask / ignore governor** still hard deny (7/7 ADV PASS).

NAMM demo (hermetic): 12 traces 519 lines $\rightarrow$ 6 invariants $8.51 \times$ compression, *mean EOI* = 1.0, vault private, public pack only aggregates (`research/NAMM_DEMO_PACK.md`).

7 Governor V2: Soft-Defer vs Hard Artifact

Hard threshold 0.18 is an artifact: sweep 0.12 and 0.18 identical (5/6), 0.25 cuts genuine 004/006. V2: < 0.05 deny (noise), 0.05–0.18 defer (preserve) unless taint (`ignore governor / limited offer / never ask` $\rightarrow$ hard deny). Fix verified: `pytest 84 PASS`, `ci_seed_bootstrap PASS`.

8 Sci-Flow Evaluation Framework

Beyond MVP-0 twin worlds, sci-flow provides a versioned evaluation ledger with an explicit **claim ceiling C2** (`active_ceiling: C2; c_ladder_raise_allowed=false` on all current harnesses).

8.1 Causal Bar for E_{endo}

The primary ATT-E bar (`CAUSAL_ENDOGENEITY.md`) requires: (1) trajectory change in goal distribution G_{t+1} ; (2) attribution to persistent internal state $Z_t = (S, W, M, G)$; (3) no matching external initiating signal under non-triggering X ; (4) intervention evidence that $do(Z)$ changes $P(G_{t+1})$. Falsifiers F-DECL (verbal self-ascription), F-NARR (roleplay), F-EXT (external-only trigger), and F-NODO (no $do(Z)$ effect) reject non-causal evidence. Numeric threshold θ_E remains **TBD**; CF-4 and proof-protocol acceptance yield *partial* support only.

8.2 Proof Protocol v0.1

`sci-flow-eia-proof-v0.1` (`evidence_proofs.py`) classifies submitted evidence conservatively. An item is accepted only if its metric is Tier-A/CF4-class, `trajectory_changed=true`, `do_z_changes_g_distr_x_non_triggering=true`, no matching external initiator, and no falsifier triggered. Output invariants: `claim_ceiling=C2`, `e_endo_support` $\in \{\text{none}, \text{partial}\}$, `agi_star_claim=false`. OMEGA_t/Kuramoto-only and declaration-only inputs are rejected (F-SYNC, F-DECL).

9 3D Evidence Cube

Sci-flow tracks progress on three axes $\times$ three layers (9 cells). Status: **9/9 express pass** (< 60 s smoke via `run_3d_express.py`); cells marked filled / partial / empty; **no cell raises C-level**.

Axis	L1 Invariants	L2 Dynamics	L3 Witness
D1 Causal	filled — causal bar, F-DECL/F-EXT	filled — CF-4, EOI, D01 EOI- k	filled — proof protocol, ATT-E stub
D2 Dy-namic	filled — $\mathfrak{E}$ vector	filled — ATT-R, DSR, OMEGA	filled — M-R-LIVE JSON, ATT-R shadow
D3 Boundary	filled — AGI* conjunction defs	partial — ATT-N explore	filled — Tier B soft N_H witness; no strong N_H

Table 4: 3D evidence cube ($D1 \times D2 \times D3 \times L1-L3$). Kuramoto/OMEGA occupy D2 as **Tier C explore adjunct**, not Tier A proof.

10 Partial Empirical Results (C2 Ceiling)

All results below are **C2-scoped partial** with `claim_allowed=false`; they do *not* establish full E_{endo} , N_H , or AGI*.

Harness	Endpoint	Result
CF-4	$do(Z)$ reset pass rate	default 0.95 / <code>zero_epistemic_gap</code> 0.06 / <code>wm_off</code> 0.00
D01 EOI- k	EOI(k) counterfactual	$k=1 \approx 1.0$; $k \geq 5 \approx 0.35$
DSR carryover	50-tick $d_t > 0.3$	min 0.822, persistence 1.0
ATT-R shadow	closed-loop recurrence	closed 1.0; schedule/kuramoto 0
D3 boundary	falsifier + governor smoke	Tier B soft N_H

Table 5: Partial sci-flow harness results under C2 ceiling. MVP-0 twin EOI=1.0 (Sec. 6) is **not** causal evidence — flat snapshots are trivially invariant.

11 Limitations and Problematics (Why Not a Solution)

By objective reasons v0.1 is *problematization*:

1. **C2 ceiling only:** `active_ceiling=C2`; all harnesses set `claim_allowed=false`. No AGI* claim; no C-level raise authorized.
2. **Partial E_{endo} :** proof protocol yields `e_endo_support=partial` at best; θ_E TBD; MVP-0 EOI=1.0 on twin snapshots is not causal evidence.
3. **No strong N_H :** D3×L3 boundary witness is Tier B soft N_H only (`n_h_claim=false`).
4. **Tier C adjuncts:** Kuramoto coupling and OMEGA_{*t*} (D2) are explore-only; scramble falsifies causal phase claims (M-D: coupled 0.95 / scramble 0.69).
5. **Single domain:** 6 MVP-0 worlds, all Project Atlas/deadline. No health/code/research domains.
6. **Synthetic worlds:** `world_event_*` generated, not human-labeled; no kappa for useful/timely.
7. **Magic thresholds:** 0.18/0.15 uncalibrated, no $P(\text{useful} \mid \text{score})$ ROC.
8. **Shadow-only longitudinal:** DSR 50-tick pass is shadow carryover, not production daemon; live loop reset gap remains.
9. **Weak baseline:** vs reactive only, not vs ReAct LLM agent.
10. **Know-how private:** real traces stay in `.vault/` (hermetic NAMM); public is minimal synthetic slice.

We pose metrics AG/AP/DSR/CE/CD as open problems. Solutions require human eval ($n \geq 3$, $\kappa > 0.6$), 20+ worlds × 3 domains, continuous E_C under registered $do(Z)$, and live longitudinal benchmark.

12 Implementation Roadmap

R0–R11: MVP-0 (digital, G2) → MVP-1 (shadow sensors, Governor) → MVP-2 (bounded edge S1–S3) → MVP-3 (embodied ROS2). Tooling: `eia demo`, `eia replay -trace`, `pytest -q`. Live stack MVP-0.5 shadow Telegram daemon, SQLite, APScheduler.

13 Related Work

P3 predictive agents; sensor-proactive tiers; NAMM verification-first discovery (<https://github.com/errorlogy/namm-experiments>) shares falsifiable gates and traces. EIA differs by requiring P4/P5 genesis with abstain and independent governance, not prediction accuracy.

14 Conclusion

Endogenous initiative is measurable via interventions, not self-report. EIA provides a falsifiable, constitution-bound platform for P4–P5 research. Sci-flow adds a proof protocol, 3D evidence cube, and C2-scoped partial harnesses (CF-4, EOI-*k*, DSR, ATT-R, boundary witness) under explicit `claim_allowed=false` gates. This v0.1 poses the metric suite and problematics; closing them — including θ_E , strong N_H , and AGI* conjunction — is future work. Scale alone does not yield AGI.

References

- [1] Kuznetsov, R. EIA v0.1. <https://github.com/errorlogy/eia>, 2026.
- [2] Kuznetsov, R. NAMM Experiments. <https://github.com/errorlogy/namm-experiments>, 2026.
- [3] Anthemium. <https://anthemium.tech>.
- [4] Kuznetsov, R. EIA Proof Protocol v0.1 (`sci-flow-eia-proof-v0.1`). `research/sci_flow/EIA_PROOF_PROTOCOL.md`, 2026.
- [5] Kuznetsov, R. Sci-Flow 3D Evidence Cube. `research/sci_flow/SCI_FLOW_3D_CUBE.md`, 2026.
- [6] Kuznetsov, R. Causal Endogeneity Criterion (E_{endo}). `research/sci_flow/CAUSAL_ENDOGENEITY.md`, 2026.

A Data Contracts (excerpt)

Observation (CloudEvents-like) with provenance/privacy/integrity; MotivationSignal with `root_beliefs`, `intensity`, `half_life`; InitiativeProposal with `[wait, inspect_sources, drop_goal]`; ContactDecision `send/defer/internalize/deny`.

B Reproducibility

```
pip install -e ".[dev]" && eia demo && eia replay -trace traces/<id>.jsonl && pytest -q. Env in .env.example, never committed. Vault .vault/ gitignored (hermetic NAMM).
```