

The EIA 3D Evidence Cube: A Causal-Dynamic-Boundary Framework for Endogenous Initiative Evaluation

Roman Kuznetsov

Anthemium — research@anthemium.tech

<https://anthemium.tech> <https://github.com/errorlogy/eia>

@AGIminister on X

September 2026 — Theory Paper (3D Cube)

Companion to EIA framework v0.2

*Status: C2-scoped evaluation ontology; not AGI**

Abstract

Evaluating whether an AI system exhibits *endogenous initiative*—forming goals and trajectories from persistent internal dynamics rather than external prompts—requires more than scalar benchmarks or narrative plausibility. We introduce the **EIA 3D Evidence Cube**, a 3×3 evaluation ontology for sci-flow research: three axes (**D1** causal endogeneity E_{endo} , **D2** dynamical stability $\mathfrak{E}$, **D3** trans-anthropropic boundary N_H) crossed with three evidentiary layers (**L1** invariants, **L2** dynamics, **L3** witness). Each of nine cells tracks theory documentation, harness instrumentation, and trace receipts independently, preventing partial progress on one axis from masquerading as closure on another. The cube bridges EIA’s multi-loop stack ($W \rightarrow M \rightarrow d \rightarrow G \rightarrow A$), the ATT evaluation battery, and the proof-protocol ledger (**sci-flow-eia-proof-v0.1**). All claims operate under claim ceiling **C2**: scoped partial support for E_{endo} at best; no AGI* authorization. OMEGA, Kuramoto synchrony, DSR carryover, and EOI- k alone never imply AGI* or τ_{AGI} . Empirical cell statuses and harness results are reported in a companion empirical section.

Keywords: endogenous initiative, evidence ontology, causal evaluation, sci-flow, falsifiable metrics, intervention cube, claim ladder

1 Introduction

Contemporary language agents excel at *reactive* competence: given an observation o_t^{user} , they produce a fluent response. Timers, event rules, and retrieval triggers extend this pattern with *scheduled* or *rule-bound* proactivity, but the initiating signal remains external. We distinguish this from **endogenous initiative**: the system forms candidate goals, motives, and contact decisions from persistent internal state when no matching external initiator is present [1].

This distinction is not rhetorical. Without causal evidence that internal dynamics generate trajectories under non-triggering environments, fluent self-ascription of agency is indistinguishable from roleplay [10]. Pearl’s intervention calculus [7] supplies the methodological anchor: endogeneity must be established by *do*($\cdot$) experiments on internal state Z , not by narrative labels.

Why three axes $\times$ three layers? Endogenous initiative is not a single scalar. Causal origin (E_{endo}), dynamical sustainability ($\mathfrak{E}$, recurrence, OMEGA adjuncts), and trans-anthropropic non-embeddability (N_H , governor clearance, falsifiers) are *orthogonal conjuncts* in the full AGI* criterion; elevating one without the others invites overclaim. Within each axis, evidence stratifies

naturally: **L1** invariants (definitions, falsifier taxonomy, hard bans), **L2** dynamics (harnesses, interventions, longitudinal metrics), and **L3** witness (trace receipts, JSON metrics, external certificates). Mapping work onto a 3×3 matrix makes gaps visible: a filled L1 cell does not license L3 claims; a partial L2 harness does not raise the C-ladder.

Reactive vs. endogenous. At scale, $f(\text{prompt}) \rightarrow \text{response}$ does not become endogenous initiative; it becomes faster reaction. Endogenous initiative requires a closed cognitive loop—world model, self-model, drive field, goal genesis, action, memory update—that sustains bounded non-zero activity when $X_t^{\text{trigger}} = 0$ [5, 8]. Intrinsic-motivation RL optimizes scalar rewards derived from prediction error or information gain [6]; EIA targets *multi-loop genesis* with abstention, independent governance, and causal traceability.

Contributions. This theory paper:

1. Formalizes the three evaluation axes (D1 causal, D2 dynamic, D3 boundary) and three evidentiary layers (L1–L3).
2. Defines the nine-cell matrix with cell semantics and status taxonomy (filled / partial / empty).
3. Bridges the cube to EIA’s multi-loop stack, the proof-protocol ledger, and the C-ladder claim ceiling.
4. States epistemic discipline: active ceiling **C2**, no AGI* claim; partial cells do not raise C-level.

Epistemic ceiling. Active claim ladder ceiling is **C2**; all harnesses set `claim_allowed=false`. No AGI* claim; numeric θ_E and strong N_H remain TBD.

2 Related Work

Causal inference in ML evaluation. Counterfactual and interventional criteria address spurious correlates in ML evaluation [10, 7]. Sci-flow’s ATT-E bar and proof protocol apply this discipline to endogeneity: trajectory change under $do(Z)$ with X non-triggering, rejecting declaration-only evidence [1, 2]. The 3D cube generalizes this into a multi-axis evidence ontology rather than a single causal gate.

Intrinsic motivation and curiosity. Schmidhuber’s formal theory frames intrinsic reward as compression progress and curiosity [8]. ICM and related agents instantiate prediction-error proxies [6]. These approaches optimize *scalar* intrinsic signals; stable endogeneity in EIA requires coupled multi-loop genesis with falsifiable causal gates [5]. The D2 axis tracks whether dynamical stability indicators ($\mathfrak{C}$) remain in a bounded non-zero band, not merely whether curiosity spikes.

Proactive and language agents. CoALA surveys cognitive architectures for language agents—memory, planning, grounding—but notes weak causal evaluation of “agency” claims [9]. EIA differs by requiring P4/P5 genesis with abstain, independent Ring 3 constitution, and pre-registered ATT falsifiers rather than narrative plausibility. The cube’s L1 layer encodes these falsifiers explicitly; L3 requires trace receipts, not demo scripts.

Evidence hierarchies. Clinical and safety research stratify evidence (definitions $\rightarrow$ trials $\rightarrow$ audits). Sci-flow adapts this pattern: L1 invariants precede L2 harness dynamics and L3 witness artifacts. The intervention cube registry (`intervention_cube.py`) types $do(Z)$, $do(O)$, and $do(X)$ interventions per axis, preventing conflation of causal resets with oscillatory explore adjuncts.

3 Formal Framework: Three Axes

Let $Z_t = (S_t, W_t, M_t, G_t)$ denote persistent internal state, X_t the external environment, and G_{t+1} the goal/trajectory distribution at the next tick. The cube partitions evaluation along three axes [4].

3.1 D1: Causal Axis ($E_{\text{endo}}, do(Z)$)

Scope. Axis D1 tracks causal endogeneity—whether new cognitive trajectories are generated by persistent internal dynamics in the absence of a corresponding external initiating signal [1].

Definition 1 (Causal bar for E_{endo}). Pass *scoped* support only if **all** hold:

1. **Trajectory change:** goal distribution G_{t+1} differs from baseline in a pre-registered metric.
2. **Internal dynamics:** change attributable to persistent state evolution, not one-shot external instruction.
3. **No matching external initiator:** under non-triggering X , the trajectory class still arises.
4. **Intervention:** $do(Z)$ changes $P(G_{t+1})$ while X remains non-triggering.

The causal endogeneity index is

$$E_C = \frac{C_{\text{int}}}{C_{\text{int}} + C_{\text{ext}}}, \quad (1)$$

where C_{int} counts trajectory changes causally attributed to internal dynamics under intervention; declaration-only labels contribute zero to C_{int} [5]. D1 instruments include CF-4 named $do(Z)$ resets, EOI- k twin counterfactuals ($do(X)$ via `remove_last_n`), and ATT-E witness stubs. Numeric threshold θ_E remains **TBD**; CF-4 and proof-protocol acceptance yield *partial* support only.

D1 falsifiers (L1). F-DECL (verbal self-ascription without trajectory change), F-NARR (prompt-induced agency narrative), F-EXT (trajectory changes only with matching external trigger), F-NODO (no $do(Z)$ effect on G under non-triggering X).

3.2 D2: Dynamic Axis ($\mathfrak{E}$, OMEGA, Recurrence)

Scope. Axis D2 tracks whether endogenous activity is *stable*—a sustained dynamical regime rather than a single intrinsic-reward spike or noisy-TV trap [5, 3].

Definition 2 (Stability vector $\mathfrak{E}$).

$$\mathfrak{E} = (E_C, \lambda_G, P_G, Q_L, H_G, B_D), \quad (2)$$

with goal birth rate λ_G , persistence P_G under non-triggering X , learning productivity Q_L , goal diversity H_G , and bounded drives B_D .

Stable endogenous causal recurrence requires $\mathfrak{E}$ jointly in a bounded non-zero band over horizon ΔT , avoiding the noisy-TV trap and $d \rightarrow 0$ freeze. D2 instruments include ATT-R/M-R-LIVE closed-loop recurrence, DSR 50-tick carryover, and OMEGA wave metrics (Tier C explore adjunct—not Tier A proof). Interventions $do(O)$ (CF-5 scramble, OMEGA decor) probe whether dynamical claims survive causal scrambling.

D2 falsifiers (L1). F-TV (noisy-TV trap dominates), F-ZERO (sustained $d \rightarrow 0$), F-LOOP (no closed recurrence), F-SYNC (OMEGA/Kuramoto-only evidence).

3.3 D3: Boundary Axis (N_H , Governor, Falsifiers)

Scope. Axis D3 tracks trans-anthropic non-embeddability N_H , governor clearance, and boundary falsifiers. Full AGI^* requires N_H as an orthogonal conjunct to E_{endo} ; endogeneity priority does not lower the N_H bar.

D3 instruments include ATT-N budget probes ($do(X)$), governor scaffold, and Tier B soft N_H boundary witness (falsifier + governor + NAMM corpus smoke). Strong N_H claims remain unauthorized; D3×L3 witness is soft N_H only (`n_h_claim=false`).

D3 falsifiers (L1). Opacity $\neq N_H$; structural growth or high synchrony alone do not establish non-embeddability (F-STRUCT $\neq$ E, F-KURAMOTO-AS-E).

4 Three Layers

Each axis stratifies evidence across three layers [4].

4.1 L1: Invariants

Role. Definitions, falsifier taxonomy, hard bans, and epistemic tags (DEFINITION, OPERATIONAL, CONJECTURE). L1 cells document what *would* falsify a claim before any harness runs.

Content per axis.

- **D1×L1:** Causal endogeneity criterion, F-DECL/F-EXT/F-NARR/F-NODO registry [1].
- **D2×L1:** Stability vector $\mathfrak{E}$ definitions, metastability band, multi-loop stack topology [5].
- **D3×L1:** AGI^* conjunction definitions; governor constitution; opacity $\neq$ causation $\neq N_H$.

A filled L1 cell means theory and falsifiers are documented; it does *not* constitute empirical evidence.

4.2 L2: Dynamics

Role. Harnesses, typed interventions, longitudinal metrics, and explore-only adjuncts. L2 is where $do(\cdot)$ experiments execute.

Content per axis.

- **D1×L2:** CF-4 named resets, EOI- k counterfactual suite (D01), `e_endo_partial` proxies.
- **D2×L2:** ATT-R/M-R-LIVE recurrence, DSR smoke, OMEGA wave metrics (Tier C).
- **D3×L2:** ATT-N explore under budget B ; governor scaffold.

Status **partial** indicates a harness exists but thresholds are TBD or explore-only; **empty** means not instrumented.

4.3 L3: Witness

Role. Trace receipts, JSON metrics, external certificates, and proof-protocol outputs. L3 is the audit layer: what a third party can verify without re-running theory.

Content per axis.

- **D1×L3:** Proof-protocol ledger (`sci-flow-eia-proof-v0.1`), ATT-E witness stubs [2].
- **D2×L3:** M-R-LIVE JSON artifacts, ATT-R shadow witness files.
- **D3×L3:** Boundary witness harness (Tier B soft N_H); falsifier + governor smoke receipts.

L3 receipts are classified by the proof protocol; OMEGA-only or declaration-only inputs are rejected.

5 The 9-Cell Matrix

The cube is the Cartesian product $D1 \times D2 \times D3$ crossed with $L1 \times L2 \times L3$, yielding nine primary cells (one per axis-layer pair). Table 1 defines each cell’s semantic scope and current scaffold status. Status placeholders are updated by the empirical assembly agent; this theory paper fixes *definitions*, not empirical closure.

Axis	L1 Invariants	L2 Dynamics	L3 Witness
D1 Causal	Causal bar E_{endo} ; F-DECL, F-EXT, F-NARR, F-NODO <i>status: filled</i>	CF-4 $do(Z)$; EOI- k twin $do(X)$; D01 counterfactual suite <i>status: filled</i>	Proof protocol v0.1; ATT-E witness stub <i>status: filled</i>
D2 Dy-namic	$\mathfrak{E}$ vector; metastability; multi-loop defs <i>status: filled</i>	ATT-R/M-R-LIVE; DSR carryover; OMEGA (Tier C) <i>status: filled</i>	M-R-LIVE JSON; ATT-R shadow witness <i>status: filled</i>
D3 Boundary	AGI^* conjunction; governor constitution <i>status: filled</i>	ATT-N explore; governor scaffold <i>status: partial</i>	Tier B soft N_H boundary witness <i>status: filled</i>

Table 1: 9-cell evidence matrix. **filled** = theory + falsifiers documented (L1) or harness + witness instrumented (L2/L3); **partial** = harness exists, thresholds TBD; **empty** = not instrumented. Status placeholders updated by empirical agent.

Legend. No single cell raises the C-ladder. Kuramoto/OMEGA occupy D2 as **Tier C explore adjunct**, not Tier A proof. $AGI^* = E_{\text{endo}} \wedge C_{\text{non-emb}}(H) \wedge \dots$; active ceiling **C2**; partial cells do not authorize C-level raises.

Intervention registry. Typed interventions in `intervention_cube.py` map to axes:

- $do(Z)$: CF-4 named resets (`zero_epistemic_gap`, `wm_off`, ...) $\rightarrow$ D1.
- $do(O)$: CF-5 scramble, OMEGA decor $\rightarrow$ D2 explore.
- $do(X)$: Twin `remove_last_n` (EOI- k), ATT-N budget probes $\rightarrow$ D1 / D3.

API: `get_intervention(id), list_by_axis("D1"|"D2"|"D3"), eoi_k_interventions()`.

Express smoke. `run_3d_express.py` provides a <60s nine-cell smoke pass; express success does not imply empirical closure.

6 Bridge to EIA Theory

The cube is not an independent ontology; it indexes evidence against EIA’s operational stack and claim machinery.

6.1 Multi-Loop Stack $W \rightarrow M \rightarrow d \rightarrow G \rightarrow A$

One tick of the EIA cognitive stack [5, 3]:

$$W_t \rightarrow M_t \rightarrow d_t \rightarrow G_t \rightarrow \Pi_t \rightarrow A_t \rightarrow \text{Memory/Update} \rightarrow W_{t+1}, M_{t+1}, d_{t+1}, G_{t+1}, \quad (3)$$

where W_t is world model, M_t self-model, d_t the bounded drive field, G_t goals, Π_t policy, A_t action. Causal endogeneity (D1) asks whether G_{t+1} is generated when $X_t^{\text{trigger}} = 0$. Dynamical stability (D2) asks whether $\mathfrak{E}$ remains in a bounded non-zero band over ΔT . Boundary clearance

(D3) asks whether governor and N_H gates are exercised without conflating opacity with non-embeddability.

Operational state compact:

$$S_t^{\text{op}} = (z_t, W_t, M_t, d_t, G_t). \quad (4)$$

Significance test: interventions on internal components change $P(G_{t+1} \mid do(\cdot))$ with $X_t^{\text{trigger}} = 0$.

6.2 Proof Protocol Ledger

`sci-flow-eia-proof-v0.1` (`evidence_proofs.py`) classifies submitted evidence conservatively [2].

An `EvidenceItem` is accepted only if: metric is Tier-A/CF4-class; `trajectory_changed=true`; `do_z_changes_g_distribution=true`; `x_non_triggering=true`; no matching external initiator; no falsifier triggered; agency label admissible.

Output `EIAProofVersion` invariants:

- `claim_ceiling = C2`
- `e_endo_support` $\in \{\text{none}, \text{partial}\}$ only
- `c_ladder_raise_allowed = false`
- `agi_star_claim = false`

The protocol maps primarily to D1×L3; rejection reasons (F-DECL, F-SYNC, F-EXT, F-NODO) cross-cut L1 falsifiers. OMEGA_t /Kuramoto-only inputs are rejected (F-SYNC); they occupy D2×L2 as explore adjuncts, not proof ledger entries.

6.3 C-Ladder Claim Ceiling

The claim ladder enforces epistemic discipline across all nine cells:

- **Active ceiling: C2** — scoped partial on E_{endo} at best.
- **No cell raises C-level** — filled L1 theory or partial L2 harnesses do not authorize promotion.
- **No AGI* claim** — AGI^* is a conjunction requiring E_{endo} , N_H , and additional order parameters; the cube tracks progress without authorizing horizon claims.
- **OMEGA / Kuramoto / DSR / EOI- k alone** never imply AGI^* or τ_{AGI} .

Cross-axis milestones (M-EMP pool, `config.yaml` registry) link metrics to cells without collapsing axes. Theory (invariants) and implementation annex (WoE v0.2, CLI adapters) remain separable per `THEORY_TZ` [3].

7 Conclusion

The EIA 3D Evidence Cube provides a falsifiable evaluation ontology for endogenous initiative research: three orthogonal axes (causal, dynamic, boundary) stratified across invariant definitions, dynamical harnesses, and witness receipts. By requiring independent progress on each cell before claims escalate, the cube prevents narrative agency, oscillatory synchrony, or partial causal proxies from masquerading as closure. All evaluation operates under C2 ceiling with explicit `claim_allowed=false` gates; the proof-protocol ledger and ATT falsifier registry supply the audit backbone. Closing θ_E , strong N_H , cross-domain ATT-D, and the full AGI^* conjunction remains future work—tracked cell-by-cell, not asserted by rhetoric.

References

- [1] Roman Kuznetsov. Causal endogeneity criterion (e_{endo}), 2026. re-search/sci_flow/CAUSAL_ENDOGENEITY.md.
- [2] Roman Kuznetsov. Eia proof protocol v0.1 (sci-flow-eia-proof-v0.1), 2026. re-search/sci_flow/EIA_PROOF_PROTOCOL.md.
- [3] Roman Kuznetsov. Eia theory tz — stable endogeneity and multi-loop stack, 2026. re-search/sci_flow/THEORY_TZ_STABLE_ENDOGENEITY.md.
- [4] Roman Kuznetsov. Sci-flow 3d evidence cube, 2026. re-search/sci_flow/SCI_FLOW_3D_CUBE.md.
- [5] Roman Kuznetsov. Stable endogeneity — multi-loop operational theory, 2026. re-search/sci_flow/STABLE_ENDOGENEITY.md.
- [6] Deepak Pathak, Pulkit Agrawal, Alexei A. Efros, and Trevor Darrell. Curiosity-driven exploration by self-supervised prediction. In *Proceedings of the 34th International Conference on Machine Learning (ICML)*, volume 70 of *Proceedings of Machine Learning Research*, pages 2778–2787. PMLR, 2017.
- [7] Judea Pearl. *Causality: Models, Reasoning, and Inference*. Cambridge University Press, 2nd edition, 2009.
- [8] Jürgen Schmidhuber. Formal theory of creativity, fun, and intrinsic motivation (1990–2010). *Frontiers in Psychology*, 1:85, 2010.
- [9] Theodore R. Sumers, Shunyu Yao, Karina Harp, Diyi Yang, Karthik Narasimhan, and Christopher Ré. Cognitive architectures for language agents. In *Transactions on Machine Learning Research*, 2024. Survey on language-agent cognitive stacks.
- [10] Victor Veitch, Alexander D’Amour, Steve Yadlowsky, and Jacob Eisenstein. Counterfactual invariance to spurious correlations in text classification. *Advances in Neural Information Processing Systems (NeurIPS)*, 34, 2021.