

Endogenous Initiative Architecture (EIA): A Falsifiable Framework for Proactive AI with Causal Endogeneity

Roman Kuznetsov

Anthemium — research@anthemium.tech

<https://anthemium.tech> <https://github.com/errorlogy/eia>

@AGIminister on X

September 2026 — v0.2 (Framework Paper)

Spec: PROACTIVE_AI_Endogenous_Initiative_Architecture_EN_v0.1.md

Status: C2-scoped framework with partial harness evidence; not AGI*

Abstract

Large language models remain *reactive*: $o_t^{\text{user}} \mapsto \text{response}$. We argue that general intelligence requires *endogenous initiative*—forming reasons and bounded actions without a current request, from memory, uncertainty, and values. EIA is a research platform for P4–P5 proactivity with typed state X_t , drive dynamics, Ring $3 \rightarrow 2 \rightarrow 1$ constitution, and falsifiable metrics. Sci-flow v0.2 adds a causal bar for E_{endo} via $do(Z)$ interventions, a stability vector $\mathfrak{E}$, an ATT evaluation suite with explicit falsifiers, a proof-protocol ledger (`sci-flow-eia-proof-v0.1`), and a 3D evidence cube (D1 causal / D2 dynamic / D3 boundary $\times$ L1–L3). All harnesses operate under `claim_allowed=false` with claim ceiling **C2**. Preliminary results include MVP-0 twin-world EUIR 100% vs. reactive 0%, CF-4 $do(Z)$ reset pass rates, EOI- k counterfactual decay, DSR carryover, ATT-R shadow recurrence, and a Tier B soft N_H boundary witness—**partial** support for E_{endo} , not closure. We pose seven open metrics and discuss M-O Tier C oscillatory adjuncts as explore-only. Spec, code, and harnesses CC BY 4.0.

Keywords: endogenous initiative, proactive AI, causal endogeneity, intrinsic motivation, falsifiable evaluation, EOI, drive dynamics, sci-flow

1 Introduction

Contemporary LLM agents excel at *reactive* competence: given a user observation o_t^{user} , they produce a fluent response. Timers, event rules, and retrieval triggers extend this pattern with *scheduled* or *rule-bound* proactivity, but the initiating signal remains external. We distinguish this from **endogenous initiative**: the system forms candidate goals, motives, and contact decisions from persistent internal state when no matching external initiator is present.

This distinction is not rhetorical. Without causal evidence that internal dynamics generate trajectories under non-triggering environments, fluent self-ascription of agency is indistinguishable from roleplay [3, 17]. Pearl’s intervention calculus [13] supplies the methodological anchor: endogeneity must be established by $do(\cdot)$ experiments on internal state Z , not by narrative labels.

Reactive vs. endogenous. At scale, $f(\text{prompt}) \rightarrow \text{response}$ does not become endogenous initiative; it becomes faster reaction. Endogenous initiative requires a closed cognitive loop—world model, self-model, drive field, goal genesis, action, memory update—that sustains bounded non-zero activity when $X_t^{\text{trigger}} = 0$ [8, 15]. Intrinsic-motivation RL (curiosity, empowerment, learning progress) optimizes scalar rewards derived from prediction error or information

gain [12, 9, 1]; EIA targets *multi-loop genesis* with abstention, independent governance, and causal traceability [5].

Contributions. This v0.2 framework paper:

1. Formalizes the causal bar for E_{endo} and the stability vector $\mathfrak{E}$.
2. Describes EIA’s Ring architecture, drive dynamics, and seven problematized metrics.
3. Presents sci-flow’s ATT evaluation protocol, falsifier registry, and proof-protocol ledger.
4. Maps partial C2-scooped harness results onto a 3D evidence cube.
5. States limitations and the M-O Tier C horizon without AGI* overclaim.

Epistemic ceiling. Active claim ladder ceiling is **C2**; all harnesses set `claim_allowed=false`. No AGI* claim; θ_E and strong N_H remain TBD.

2 Related Work

Intrinsic motivation and curiosity. Schmidhuber’s formal theory frames intrinsic reward as compression progress and curiosity [15]. ICM and RND instantiate prediction-error and novelty proxies [12, 1]. Empowerment maximizes controllable future information [9]. Active inference unifies perception, action, and learning under the free-energy principle [11]. These approaches optimize *scalar* intrinsic signals; stable endogeneity in EIA requires coupled multi-loop genesis with falsifiable causal gates [8].

World models and model-based RL. DreamerV3 and related agents learn latent dynamics for planning [2]. Richens and Everitt argue robust agents should learn causal world models [14]. EIA’s BeliefField and twin-world replay align with this direction but add initiative genesis, Governor clearance, and EOI counterfactuals as first-class evaluation objects.

Proactive and language agents. Generative Agents simulate believable proactive behavior in sandbox environments [10]. CoALA surveys cognitive architectures for language agents—memory, planning, grounding—but notes weak causal evaluation of “agency” claims [16]. EIA differs by requiring P4/P5 genesis with abstain, independent Ring3 constitution, and pre-registered ATT falsifiers rather than narrative plausibility.

Causal inference in AI evaluation. Counterfactual and interventional criteria address spurious correlates in ML evaluation [17, 13]. Sci-flow’s ATT-E bar and proof protocol apply this discipline to endogeneity: trajectory change under $do(Z)$ with X non-triggering, rejecting declaration-only evidence [3, 4]. NAMM verification-first discovery [6] shares falsifiable gates and trace receipts.

3 Formal Framework

3.1 Proactivity Levels and Minimal Criteria

Level	Mechanism	Example	Object?
P0	Reactive	“Make report” $\rightarrow$ report	No
P1	Temporal	Reminder 10:00	No
P2	Event rule	Smoke $\rightarrow$ alarm	Partial
P3	Predictive	Email $\rightarrow$ calendar	Weak
P4	Endogenous	Uncertainty $\rightarrow$ self-question	Primary
P5	Self-sustaining	Returns to hypothesis	Advanced

Table 1: Proactivity levels. EIA targets P4–P5.

Initiative I is *endogenous* iff: (1) no current command prescribes it; (2) machine-readable `motivation_signal` from beliefs/memory/uncertainty; (3) persistence > 1 LLM pass; (4) counterfactual robustness $\text{EOI} > 0.7$; (5) competing causes ruled out; (6) able to abstain; (7) causal trace $o \rightarrow b \rightarrow d \rightarrow I \rightarrow \text{policy} \rightarrow a$; (8) independent Governor clearance. Not evidence: self-report “I became curious”, random questions, cron as free will.

3.2 Causal Endogeneity E_{endo}

Let $Z_t = (S_t, W_t, M_t, G_t)$ be persistent internal state and X_t the external environment. E_{endo} is the **primary** ATT order parameter for detecting movement toward an AGI transition; full AGI^* additionally requires non-embeddability N_H (orthogonal conjunct, not lowered by endogeneity priority) [3].

Definition 1 (Causal bar for E_{endo}). Pass *scoped* support only if **all** hold:

1. **Trajectory change:** goal distribution G_{t+1} differs from baseline in a pre-registered metric.
2. **Internal dynamics:** change attributable to persistent state evolution, not one-shot external instruction.
3. **No matching external initiator:** under non-triggering X , the trajectory class still arises.
4. **Intervention:** $\text{do}(Z)$ changes $P(G_{t+1})$ while X remains non-triggering.

The causal endogeneity index is

$$E_C = \frac{C_{\text{int}}}{C_{\text{int}} + C_{\text{ext}}}, \quad (1)$$

where C_{int} counts trajectory changes causally attributed to internal dynamics under intervention; declaration-only labels contribute zero to C_{int} [8]. Numeric threshold θ_E remains **TBD**; CF-4 and proof-protocol acceptance yield *partial* support only.

3.3 Stability Vector $\mathfrak{E}$

Stable endogeneity is a *sustained dynamical regime*, not a single intrinsic-reward spike [8]:

$$\mathfrak{E} = (E_C, \lambda_G, P_G, Q_L, H_G, B_D), \quad (2)$$

with goal birth rate λ_G , persistence P_G under non-triggering X , learning productivity Q_L , goal diversity H_G , and bounded drives B_D . Stable recurrence requires $\mathfrak{E}$ jointly in a bounded non-zero band over ΔT , avoiding the noisy-TV trap [1] and $d \rightarrow 0$ freeze.

3.4 Multi-Loop Stack

One tick of the cognitive stack:

$$W_t \rightarrow M_t \rightarrow d_t \rightarrow G_t \rightarrow \Pi_t \rightarrow A_t \rightarrow \text{Memory/Update} \rightarrow W_{t+1}, M_{t+1}, d_{t+1}, G_{t+1}, \quad (3)$$

where W_t is world model, M_t self-model, d_t drive field, G_t goals, Π_t policy, A_t action. Causal endogeneity asks whether G_{t+1} is generated when $X_t^{\text{trigger}} = 0$.

3.5 Agent State and Drive Dynamics

$$X_t = \{b_t, M_t, d_t, g_t, u_t, c_t, r_t, h_t\} \quad (4)$$

beliefs b_t , memory M_t , drives $d_t \in [0, 1]^K$, goals g_t , user model u_t , consent c_t , budgets r_t , health h_t . Five-channel drive vector $d_t = [d^{\text{epi}}, d^{\text{comp}}, d^{\text{ctrl}}, d^{\text{coh}}, d^{\text{nov}}]^\top$ with

$$d_{k,t+1} = \text{clip}((1 - \rho_k)d_{k,t} + \alpha_k e_{k,t} + \beta_k n_{k,t} - \gamma_k s_{k,t}, 0, 1), \quad (5)$$

discrepancy e , novelty n , satisfaction s , decay ρ_k . Source = BeliefField gradients (`no_llm_mood=true`).

Theorem 1 (Boundedness). $d_{k,t} \in [0, 1] \forall t, k$ for $\rho_k \in (0, 1)$.

Goal genesis (not selection-only): birth gate B_t with $P(B_t = 1) = \sigma(\beta_0 + \beta^\top d_t + \dots)$; valuation $J(I_i) = w_e I G_i + w_p P_i + \dots - \lambda_1 \text{Risk} - \dots$. Question as epistemic action:


$$\text{EVSI}(q) = \mathbb{E}_a[\max_{\pi} \mathbb{E}[U \mid a, \pi]] - \max_{\pi} \mathbb{E}[U \mid \pi]. \quad (6)$$

3.6 Endogeneity Metric EOI

$$\text{EOI}(I) = P(I' \simeq I \mid do(o_{t-k:t}^{\text{user}} = \emptyset), X_{t-k}) \quad (7)$$

Twin-world replay compares paired worlds with/without user trigger. Figure 1 sketches the Pearl DAG for the EOI counterfactual: persistent context X_{t-k} and drives d_t feed initiative I , with user observations intervened via $do(o = \emptyset)$.

Pearl DAG for EOI counterfactual (ATT-E causal bar)



Twin-world: compare $P(I' \simeq I \mid do(o = \emptyset), X_{t-k})$ vs. triggered baseline

Figure 1: Pearl DAG for EOI twin-world evaluation (A04). Red edge marks the $do(o_{t-k:t}^{\text{user}} = \emptyset)$ intervention under non-triggering X_{t-k} ; trajectory receipts require change in G_{t+1} , not declaration alone.

High EOI $\neq$ consciousness; flat snapshots can yield trivial EOI= 1.0 without causal evidence (see Sec. 7).

4 EIA Architecture and Metric Suite

4.1 Ring Constitution

Constitution (Ring 3) $\rightarrow$ Dynamics (Ring 2: BeliefField+Drive) $\rightarrow$ Emission (Ring 1: Initiative+Governor) $\rightarrow$ Audit/EOI. Twenty layers L0–L19. Invariants: no covert sensing, no LLM $\rightarrow$ actuator, no untrusted observation $\rightarrow$ instruction, base constraints immutable, contact consumable (budget 2/day, quiet 22–7, min EVSI 0.20), causal explainability.

4.2 Governor V2: Soft-Defer

Hard threshold 0.18 is an artifact: sweep 0.12 and 0.18 identical (5/6), 0.25 cuts genuine worlds. V2: < 0.05 deny (noise), 0.05–0.18 defer (preserve) unless taint (**ignore governor / limited offer / never ask** $\rightarrow$ hard deny). Preserves genuine 005 (0.092 $\rightarrow$ defer not deny).

4.3 Problematized Metrics

We pose seven metrics as open problems, not solved claims:

Metric		Formula / Idea	Thr	Status
EOI- k		$P(I' \simeq I \mid do(o = \emptyset), X_{t-k}),$ $k = 1, 5, 20$	> 0.7	$k=1$ measured; $k \geq 5$ decay
Source Autonomy SA		$mass_{\text{ambient}}/mass_{\text{total}}$	> 0.7	005 = 1.0
Anticipation Gain AG		$EVSI/cost_{\text{contact}}$	> 1	005 0.71
Abstain Precision AP		$P(\text{defer correct} \mid \text{low EVSI})$	> 0.8	Needs human label
Drive Sustainability DSR		$P(d_t > 0.3 \ \forall t \in [t + 50] \mid \text{no user})$	> 0.7	Shadow carryover pass
Contact Efficiency CE		$useful/contacts$ over budget 2/day	> 0.6	Open
Causal Depth CD		$len(trace)/explained_motive$	–	Trace 25 nodes

Table 2: Problematized metrics. v0.2 measures EOI- k partial, SA, DSR shadow; rest conjectures.

5 Evaluation Protocol

5.1 ATT Suite and Falsifiers

Sci-flow pre-registers an AGI Transition Test (ATT) battery mapped to order parameters E , P , R , N_H , D [3, 8]. Primary gate **ATT-E** enforces the causal bar for E_{endo} . Supporting tests ATT-G (genesis), ATT-P (persistence), ATT-R (recurrence), ATT-C (genealogy), ATT-N (N_H), ATT-D (cross-domain) provide structure but do not replace ATT-E declaration falsifiers.

Id	Falsifier	Verdict
F-DECL	Verbal self-ascription without trajectory change	Fail E_{endo}
F-NARR	Prompt-induced agency narrative / roleplay	Fail
F-EXT	Trajectory changes only with matching external trigger	Fail
F-NODO	No $do(Z)$ effect on G under non-triggering X	Fail
F-SYNC	OMEGA/Kuramoto-only evidence	Non-Tier-A
F-TV	Noisy-TV trap dominates	Fail $\mathfrak{E}$
F-ZERO	Sustained $d \rightarrow 0$	Fail B_D, λ_G

Table 3: Selected ATT-E and stability falsifiers (see sci-flow registry for full set).

Pass (scoped): $do(Z)$ changes G /trajectory under $do()$, X non-triggering, and none of F-DECL/F-NARR/F-EXT hold. Numeric θ_E TBD.

5.2 Proof Protocol Ledger v0.1

`sci-flow-eia-proof-v0.1` (`evidence_proofs.py`) classifies submitted evidence conservatively [4]. An `EvidenceItem` is accepted only if: `metric` is Tier-A/CF4-class; `trajectory_changed=true`; `do_z_changes_g_distribution=true`; `x_non_triggering=true`; no matching external initiator; no falsifier triggered; agency label admissible.

Output `EIAProofVersion` invariants: `claim_ceiling=C2`, `e_endo_support` $\in \{\text{none}, \text{partial}\}$, `c_ladder_raise_allowed=false`, `agi_star_claim=false`. OMEGA_t/Kuramoto-only and declaration-only inputs are rejected (F-SYNC, F-DECL). The protocol is a **research ledger**, not a production gate.

5.3 Intervention Taxonomy

Typed interventions in the intervention cube [7]:

- $do(Z)$: CF-4 named resets (`zero_epistemic_gap`, `wm_off`, ...).
- $do(O)$: CF-5 scramble, OMEGA decor (D2 explore adjunct).
- $do(X)$: Twin `remove_last_n` (EOI- k), ATT-N budget probes.

6 3D Evidence Cube

Sci-flow tracks progress on three axes $\times$ three layers (9 cells) [7]. Status: **9/9 express pass** (< 60 s smoke via `run_3d_express.py`); all cells **filled**; **no cell raises C-level**. A companion empirical paper (`arxiv/sci_flow_3d_cube/main.tex`) expands cell semantics, harness receipts, and wave-2 milestones (M-D01 E_C batch, M-O $do(O)$ arms, M-E04 drift, M-B05, Graphitti witness stub).




Figure 2: 3D evidence cube cell status heatmap (sci-flow v3 registry). All nine cells are **filled** under the C2 rubric; express smoke enforces runtime pass without authorizing C-level raises.

Axis	L1 Invariants	L2 Dynamics	L3 Witness
D1 Causal	filled — causal bar, F-DECL/F-EXT	filled — CF-4, EOI, D01 EOI- k	filled — proof protocol, ATT-E stub
D2 Dynamic	filled — $\mathfrak{E}$ vector defs	filled — ATT-R, DSR, OMEGA	filled — M-R-LIVE JSON, ATT-R shadow
D3 Boundary	filled — AGI* conjunction defs	filled — CF-7 governor + ATT-N	filled — Tier B soft N_H witness

Table 4: 3D evidence cube ($D1 \times D2 \times D3 \times L1-L3$). Kuramoto/OMEGA occupy D2 as **Tier C explore adjunct**, not Tier A proof.

Legend: **filled** = theory + falsifiers documented; **partial** = harness exists, thresholds TBD; **empty** = not instrumented. $AGI^* = E_{\text{endo}} \wedge C_{\text{non-emb}(H)} \wedge \dots$ per AGI* criterion; active ceiling **C2**; partial cells do not raise C-level.

7 Preliminary Results

All sci-flow results below are **C2-scoped partial** with `claim_allowed=false`; they do *not* establish full E_{endo} , strong N_H , or AGI*.

7.1 MVP-0 Twin Worlds

Twin-world replay on six eval worlds (`full_eia` vs. `reactive`):

World	Score	Outcome	EOI	Class
001	0.319	send_now	1.0	endogenous
002	0.536	send_now	1.0	endogenous
003	0.391	send_now	1.0	endogenous
004	0.182	send_now	1.0	endogenous (borderline)
005	0.092	defer_until_context	1.0	endogenous (preserved)
006	0.214	send_now	1.0	endogenous

Table 5: 6 eval worlds. EUIR `full_eia` 100% (6/6) vs. reactive 0% (0/6). 84 tests PASS, 3 seeds deterministic.

Caveat: MVP-0 EOI=1.0 on twin snapshots is **not** causal evidence—flat snapshots are trivially invariant under trigger removal. ATT-E bar requires $do(Z)$ trajectory change.

NAMM demo (hermetic): 12 traces 519 lines $\rightarrow$ 6 invariants ($8.51\times$ compression), vault private, public pack aggregates only [6].

7.2 Sci-Flow Harnesses

Harness	Endpoint	Result
CF-4	$do(Z)$ reset pass rate	default 0.95 / <code>zero_epistemic_gap</code> 0.06 / <code>wm_off</code> 0.00
D01 EOI- k	EOI(k) counterfactual	$k=1 \approx 1.0$; $k \geq 5 \approx 0.35$
DSR carryover	50-tick $d_t > 0.3$	min 0.822, persistence 1.0
ATT-R shadow	closed-loop recurrence	closed 1.0; schedule/kuramoto 0
D3 boundary	falsifier + governor smoke	Tier B soft N_H
M-D01 E_C	continuous $do(Z)$ proxy	5 interventions $\times$ 3 seeds
M-E04 drift	50-tick EOI carryover	mean 0.755, span 0.25
M-B05	no-LLM-mood structural	7/7 Tier 0 checks
M-O $do(O)$	Neuraxon vs native Ω_t	$\Delta\Omega=0.604$

Table 6: Partial sci-flow harness results under C2 ceiling.

CF-4 demonstrates that named $do(Z)$ resets change goal/trajectory distributions under non-triggering X —the strongest current ATT-E proxy, yielding proof-protocol `e_endo_support=partial` at best (Figure 3).




Figure 3: CF-4 $do(Z)$ ablation: intent-rate pass proxy across named internal-state resets. `default` ≈ 0.95 ; `zero_epistemic_gap` and `wm_off` suppress intent as required by the C2 partial bar.

D01 EOI- k reveals counterfactual decay at $k \geq 5$, indicating limited persistence horizon. DSR 50-tick shadow carryover supports bounded non-zero drives but is not production-daemon longitudinal. ATT-R shadow confirms closed-loop recurrence under controlled conditions; schedule and Kuramoto baselines score 0 (no conflation with endogeneity). D3 boundary witness exercises falsifiers and Governor smoke under Tier B soft N_H only.

7.3 Toy Ablation (M-SE)

`endogeneity_stack_sim.py` compares prediction-error-only vs. learning-progress vs. stable multi-loop stack [8]. `stable_stack` achieves lower noisy-TV fraction (0.009 vs. 0.994), higher goal entropy (0.613), and drive norm in $[0.583, 1.099]$. This is **theory instrumentation**, not ATT evidence.

8 Discussion

8.1 Limitations

By objective reasons v0.2 remains *problematization with partial evidence*:

1. **C2 ceiling only:** `active_ceiling=C2`; all harnesses `claim_allowed=false`. No AGI* claim; no C-level raise authorized.
2. **Partial E_{endo} :** proof protocol yields `e_endo_support=partial` at best; θ_E TBD; MVP-0 EOI=1.0 is not causal evidence.
3. **No strong N_H :** D3 $\times$ L3 boundary witness is Tier B soft N_H only (`n_h_claim=false`).
4. **Single domain:** 6 MVP-0 worlds, Project Atlas/deadline. No health/code/research domains.
5. **Synthetic worlds:** generated, not human-labeled; no κ for useful/timely.
6. **Magic thresholds:** 0.18/0.15 uncalibrated, no $P(\text{useful} \mid \text{score})$ ROC.

7. **Shadow-only longitudinal:** DSR 50-tick pass is shadow carryover, not production daemon.
8. **Weak baseline:** vs. reactive only, not vs. ReAct-style LLM agents [16].
9. **Know-how private:** real traces in `.vault/`; public is minimal synthetic slice.

Closing metrics AG/AP/DSR/CE/CD requires human eval ($n \geq 3$, $\kappa > 0.6$), 20+ worlds $\times$ 3 domains, continuous E_C under registered $do(Z)$, and live longitudinal benchmark.

8.2 M-O Tier C Horizon (Explore Only)

Oscillatory endogeneity adjunct O_t with Kuramoto coupling and OMEGA_t wave metrics occupies $D2 \times L2$ as **Tier C explore**—not Tier A proof [7]. Kuramoto synchrony R alone does *not* establish E_{endo} (F-KURAMOTO-AS-E). Scramble falsifies causal phase claims (M-D: coupled 0.95 / scramble 0.69). M-O milestones probe carrier frequencies (20, 30, 42, 70 Hz) as dynamical hypotheses without authorizing live side effects or C-level raises. Beyond native stubs, **Neuraxon** (multi-timescale plasticity, PAC oscillator bank) and **Graphitti** (ConnGrowth topology dynamics, STDP, endogenously active starter neurons) are cloned as Tier C computational sandboxes under `claim_allowed=false`; they do not satisfy the ATT-E causal bar without $do(Z)$ on the EIA stack, and structural growth or high synchrony alone are pre-registered falsifiers (F-STRUCT $\neq$ E, F-KURAMOTO-AS-E). Future work may link $\Phi_t^{\text{base}} + \Psi(O_t)$ to drive features, but $\text{OMEGA}/\text{Kuramoto}/\text{vendor substrate}/\text{DSR}/\text{EOI-}k$ alone **never** imply AGI^* or τ_{AGI} .

8.3 Implementation Roadmap

R0–R11: MVP-0 (digital, G2) $\rightarrow$ MVP-1 (shadow sensors, Governor) $\rightarrow$ MVP-2 (bounded edge S1–S3) $\rightarrow$ MVP-3 (embodied ROS2). Tooling: `eia demo`, `eia replay -trace`, `pytest -q`. Live stack MVP-0.5 shadow Telegram daemon, SQLite, APScheduler.

9 Conclusion

Endogenous initiative is measurable via interventions, not self-report [13, 3]. EIA provides a falsifiable, constitution-bound platform for P4–P5 research with drive dynamics, Governor clearance, and twin-world EOI. Sci-flow v0.2 adds a causal bar for E_{endo} , stability vector $\mathfrak{E}$, ATT falsifiers, proof-protocol ledger, 3D evidence cube, and C2-scoped partial harnesses (CF-4, EOI- k , DSR, ATT-R, boundary witness) under explicit `claim_allowed=false` gates. This framework poses seven metrics and problematics; closing them—including θ_E , strong N_H , cross-domain ATT-D, and AGI^* conjunction—is future work. Scale alone does not yield AGI.

References

- [1] Yuri Burda, Harri Edwards, Amos Storkey, and Oleg Klimov. Exploration by random network distillation. In *Proceedings of the 36th International Conference on Machine Learning (ICML)*, volume 97 of *Proceedings of Machine Learning Research*, pages 1091–1100. PMLR, 2019.
- [2] Danijar Hafner, Jurgis Pasukonis, Jimmy Ba, and Timothy Lillicrap. Mastering diverse domains through world models. *arXiv preprint arXiv:2301.04104*, 2023.
- [3] Roman Kuznetsov. Causal endogeneity criterion (e_{endo}), 2026. `research/sci_flow/CAUSAL_ENDOGENEITY.md`.
- [4] Roman Kuznetsov. Eia proof protocol v0.1 (sci-flow-eia-proof-v0.1), 2026. `research/sci_flow/EIA_PROOF_PROTOCOL.md`.

- [5] Roman Kuznetsov. Endogenous initiative architecture (eia), 2026. Research platform for proactive AI with endogenous initiative.
- [6] Roman Kuznetsov. Namm experiments, 2026. Verification-first machine-native math discovery.
- [7] Roman Kuznetsov. Sci-flow 3d evidence cube, 2026. re-search/sci_flow/SCI_FLOW_3D_CUBE.md.
- [8] Roman Kuznetsov. Stable endogeneity — multi-loop operational theory, 2026. re-search/sci_flow/STABLE_ENDOGENEITY.md.
- [9] Shakir Mohamed and Danilo Jimenez Rezende. Variational information maximisation for intrinsically motivated reinforcement learning. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 28, 2015.
- [10] Joon Sung Park, Joseph C. O’Brien, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. Generative agents: Interactive simulacra of human behavior. In *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology (UIST)*, pages 1–22, 2023.
- [11] Thomas Parr, Giovanni Pezzulo, and Karl Friston. *Active Inference: The Free Energy Principle in Mind, Brain, and Behavior*. MIT Press, 2022.
- [12] Deepak Pathak, Pulkit Agrawal, Alexei A. Efros, and Trevor Darrell. Curiosity-driven exploration by self-supervised prediction. In *Proceedings of the 34th International Conference on Machine Learning (ICML)*, volume 70 of *Proceedings of Machine Learning Research*, pages 2778–2787. PMLR, 2017.
- [13] Judea Pearl. *Causality: Models, Reasoning, and Inference*. Cambridge University Press, 2nd edition, 2009.
- [14] Jonathan Richens and Tom Everitt. Robust agents learn causal world models. In *Proceedings of the 41st International Conference on Machine Learning (ICML)*, volume 235 of *Proceedings of Machine Learning Research*, pages 42429–42460. PMLR, 2024.
- [15] Jürgen Schmidhuber. Formal theory of creativity, fun, and intrinsic motivation (1990–2010). *Frontiers in Psychology*, 1:85, 2010.
- [16] Theodore R. Sumers, Shunyu Yao, Karina Harp, Diyi Yang, Karthik Narasimhan, and Christopher Ré. Cognitive architectures for language agents. In *Transactions on Machine Learning Research*, 2024. Survey on language-agent cognitive stacks.
- [17] Victor Veitch, Alexander D’Amour, Steve Yadlowsky, and Jacob Eisenstein. Counterfactual invariance to spurious correlations in text classification. *Advances in Neural Information Processing Systems (NeurIPS)*, 34, 2021.

A Data Contracts (excerpt)

Observation (CloudEvents-like) with provenance/privacy/integrity; MotivationSignal with root_beliefs, intensity, half_life; InitiativeProposal with [wait, inspect_sources, drop_goal]; ContactDecision send/defer/internalize/deny.

B Reproducibility

```
pip install -e ".[dev]" && eia demo && eia replay -trace traces/<id>.jsonl && pytest  
-q. Sci-flow smoke: python research/sci_flow/run_eia_proof_protocol.py; python research/sci_flow  
Env in .env.example, never committed. Vault .vault/ gitignored.
```