

Proto-AGI Horizon: Endogenous Proactive Architecture, OMEGA Coherence, and Partial Evidence under C2 Ceiling

Roman Kuznetsov

Anthemium — research@anthemium.tech

<https://anthemium.tech> <https://github.com/errorlogy/eia>

@AGIminister on X

September 2026 — Research Horizon Paper

Companion to EIA framework v0.3 and 3D Evidence Cube

*Status: C2-scoped partial evidence; `claim_allowed=false`; not AGI**

Abstract

We present an *operational research horizon* for proto-AGI evaluation within the Endogenous Initiative Architecture (EIA) sci-flow program. Under this construction, general intelligence is not a benchmark score but a **sustained dynamical regime** in which cognitive goals arise from persistent internal state when $X_t^{\text{trigger}} = 0$. We contrast *passive* architectures (`reactive_only`, schedule-entrained controls) with *proactive endogenous* candidates (`full_eia`, WoE carriers, oscillatory substrates). A twelve-member **proto-AGI ensemble** registers operational configs for Max consensus diagnostics: per-member potential Φ_i over (E, OMEGA, P, R) , ensemble peak $\Phi_{\max} = \max_i \Phi_i$, and sustained four-parameter conjunction over window ΔT (thresholds **TBD**). We distinguish carrier Hz (20/30/42/70) from the bounded coherence scalar OMEGA_t , motivate an analog-waves bridge to Miller-lab traveling-wave theory [13], and report the $\text{OMEGA} \rightarrow \Delta G$ bridge experiment (M-OMEGA-DELTA-G): F-OMEGA-DECOR **confirmed (aggregate, C2)** with OMEGA span 0.604, genesis span 0.0, fingerprint parity **True**. Partial empirical results—CF-4 $do(Z)$, G2 E01 8/20 worlds, M-3D-EXPRESS 9/9 pass, M-O Tier C adjunct/shadow bridge—map onto the 3D evidence cube (D1 causal / D2 dynamic / D3 boundary). All harnesses operate under `claim_allowed=false`; active ceiling **C2**. This paper **does not** claim AGI*, τ_{AGI} , consciousness, or biological identity. Open work: pre-register $\theta_{\bullet}$, close G2 E01 20×3 domains, instrument N_H , and batch T-PROTO-01 ensemble Φ_i .

Keywords: proto-AGI, endogenous initiative, proactive architecture, OMEGA coherence, Max consensus, falsifiable evaluation, sci-flow, claim ladder

1 Introduction

Contemporary language agents excel at *reactive* competence: given o_t^{user} , they produce a fluent response. Timers, cron schedules, and event rules extend this pattern with *scheduled* proactivity, but the initiating signal remains external. We distinguish this from **endogenous proactive architecture**: the system forms candidate goals, motives, and bounded actions from persistent internal state (S_t, W_t, M_t, G_t) when no matching external initiator is present [2, 15].

This distinction is causal, not rhetorical. Without evidence that internal dynamics generate trajectories under non-triggering environments, fluent self-ascription of agency is indistinguishable from roleplay [18]. Sci-flow applies Pearl’s intervention calculus: endogeneity must be established by $do(\cdot)$ on internal state Z , not by narrative labels [4].

Passive vs. proactive (within this construction). A *passive* (non-AGI control) architecture satisfies:

$$X_t^{\text{trigger}} \neq 0 \Rightarrow G_t, \Pi_t, A_t \quad \text{with} \quad \Delta P(G_{t+1} \mid do(Z)) \approx 0 \text{ when } X_t^{\text{trigger}} = 0. \quad (1)$$

Examples: **reactive_only**, schedule-entrained **schedule_prompt**, prompt-only LLM loops without CF-4-class internal causation.

A *proactive proto-AGI candidate* satisfies:

$$(S_t, W_t, M_t, G_t) \rightarrow G_{t+1} \quad \text{with measurable} \quad \Delta P(G_{t+1} \mid do(Z)) \neq 0 \quad \text{under} \quad X_t^{\text{trigger}} = 0. \quad (2)$$

The primary empirical gate remains E_{endo} / ATT-E [2]. Proto-AGI ensemble members are **hypothesis carriers**, not AGI* certificates.

Contributions. This horizon paper:

1. Formalizes the twelve-member proto-AGI ensemble and Max consensus over (E, OMEGA, P, R) [10].
2. Distinguishes OMEGA_t from carrier Hz and bridges to MIT analog-wave theory [9, 13].
3. Reports $\text{OMEGA} \rightarrow \Delta G$ bridge results and F-OMEGA-DECOR aggregate confirmation [8].
4. Maps ensemble evidence onto the 3D evidence cube [11].
5. Summarizes partial harness results under explicit C2 ceiling and falsifier discipline.
6. States open questions and limitations without authorizing AGI* claims.

Epistemic ceiling. Active claim ladder ceiling is **C2**; all harnesses set `claim_allowed=false`. No AGI* claim; $\theta_E, \theta_\Omega, \theta_P, \theta_R, \Delta T$, and strong N_H remain **TBD**.

2 Related Work

Phase-transition framing. AGI may be better described as a sustained phase transition governed by multiple order parameters (E, N_H, P, R, D) , not a single benchmark crossing [1]. Full $\text{AGI}^* = E_{\text{endo}} \wedge C_{\text{non-emb}}(H) \wedge \dots$ requires conjunction over τ_{AGI} ; this paper restricts to a *proto-AGI* operational subset excluding N_H and D closure.

Intrinsic motivation. Curiosity and empowerment RL optimize scalar intrinsic signals [16, 14]. EIA targets multi-loop genesis with abstention, governor clearance, and causal traceability [12]. The proto-AGI ensemble tests whether *any* registered substrate sustains a four-parameter conjunction, not whether any single scalar reward suffices.

Language-agent architectures. CoALA surveys memory, planning, and grounding for language agents but notes weak causal evaluation of “agency” claims [17]. Sci-flow’s ATT suite and proof-protocol ledger reject declaration-only evidence (F-DECL, F-NARR) [4].

Analog computation in neuroscience. Miller-lab theory proposes that cognition and consciousness arise from spatiotemporal *analog* traveling-wave computation, with slow alpha/beta bands controlling fast gamma [13]. EIA maps this *hypothetically* to multi-band OMEGA_t and WoE carrier sweeps—computational explore adjunct, not biological proof [9].

3 Proto-AGI Ensemble and Max Consensus

3.1 Operational definition

Definition 1 (Proto-AGI member). A **proto-AGI** is an *operational configuration or computational substrate* registered for ensemble evaluation. It is **not** a biological agent, product name, or AGI* certificate [10].

The ensemble is **closed at twelve members** for sci-flow v0.1; additions require registry version bump.

ID	Class	Implementation	Cube
PA-00	Passive control	<code>reactive_only</code>	D1 negative
PA-01	Passive control	<code>schedule_prompt</code>	D1 negative
PA-02	Proactive ref.	<code>full_eia</code> loop	D1×L2
PA-03–06	WoE carrier	20/30/42/70 Hz arms	D2
PA-07	Native oscillatory	<code>OmegaWaveState</code>	D2×L2
PA-08	Vendor adjunct	Neuraxon PAC	D2 Tier C
PA-09	Vendor adjunct	Graphitti ConnGrowth	D2 Tier C
PA-10	Shadow bridge	<code>shadow_multitick</code> +ATT-R	D2 L2/L3
PA-11	Toy reference	<code>stable_stack</code> sim	D2 theory

Table 1: Twelve-member proto-AGI ensemble (M-PROTO-AGI). Passive PA-00/01 are negative controls.

3.2 Per-member potential Φ_i

Definition 2 (Ensemble potential). For member i at tick t , define bounded potential:

$$\Phi_i(t) = w_E \hat{E}_i(t) + w_\Omega \text{OMEGA}_i(t) + w_P \hat{P}_i(t) + w_R \hat{R}_i(t), \quad (3)$$

where $\hat{E}, \hat{P}, \hat{R}$ are normalized ATT-E/P/R proxies, OMEGA from `omega_metric()`, and weights $w_\bullet$ are pre-registered (default uniform; thresholds **TBD**).

Definition 3 (Max consensus peak). $\Phi_{\max}(t) = \max_{i \in \{1, \dots, 12\}} \Phi_i(t)$. This is a **diagnostic**—which config peaks on the composite—not a claim that the peaking config is AGI.

3.3 Sustained conjunction (consensus)

Definition 4 (Proto-AGI consensus window). **Consensus** (not AGI*) holds for member i when all four order parameters exceed pre-registered floors simultaneously for ΔT :

$$\forall \tau \in [t_0, t_0 + \Delta T] : E_i(\tau) > \theta_E, \text{OMEGA}_i(\tau) > \theta_\Omega, P_i(\tau) > \theta_P, R_i(\tau) > \theta_R. \quad (4)$$

A single spike fails (F-SINGLE-SPIKE). Max consensus + sustained conjunction approximates the τ_{AGI} window from phase-transition theory **restricted to** (E, OMEGA, P, R) —excluding N_H and D [1].

Conjecture 1. No single substrate is sufficient for AGI*; the ensemble tests whether *any* member sustains the four-parameter conjunction under matched seeds and falsifiers [10].

4 OMEGA Wave Metric vs. Carrier Hz

Definition 5 (OMEGA_t). $\text{OMEGA}_t = f(\{(\omega_b, \theta_{b,t}, A_{b,t})\}_{b \in \mathcal{B}}) \in [0, 1]$ where $\mathcal{B} = \{20, 30, 42, 70\}$ Hz are **pre-registered computational sweep parameters**—not biological certificates [9].

Construct	Measures	AGI relevance
Single-band Hz	Nominal oscillator frequency	Factorial arm only
Kuramoto R_K	Phase synchrony (descriptive)	Not E_{endo} (M-D)
OMEGA_t	Cross-band analog coherence	D2 explore; F-OMEGA-DECOR

Table 2: OMEGA_t is distinct from Hz and Kuramoto R .

Required linkage. High OMEGA_t without genesis delta ΔG is *decorative* (F-OMEGA-DECOR). OMEGA feeds $\Psi(O_t) \rightarrow \Phi_t \rightarrow d_t \rightarrow B_t \rightarrow G_{t+1}$; decorrelation confirms OMEGA alone does not move goal genesis under matched shadow multitick [8].

4.1 MIT Miller analog-waves bridge

Reference: Miller-lab traveling-wave theory [13].

MIT claim (theory, not EIA proof)	Proto-AGI / EIA mapping
Traveling waves; spatiotemporal analog computation	Multi-band O_t ; <code>OmegaWaveState</code>
Slow alpha/beta control fast gamma	20/30 Hz slow modulate 42/70 in <code>omega_metric()</code>
Analog signatures to be tested experimentally	$do(O)$ arms + ensemble Φ_i under $X^{\text{trigger}} = 0$
Not reducible to digital symbol manipulation alone	WoE + oscillatory substrate <i>explore</i> recurrence

Table 3: Philosophical bridge motivating OMEGA in the consensus vector—without claiming consciousness or biological identity.

Timescale separation [12]: $\tau_{\text{action}} \ll \tau_{\text{goal}} \ll \tau_{\text{meta}}$ mapped to 70/42/20–30 Hz carrier proxies respectively.

5 OMEGA $\rightarrow$ ΔG Bridge Experiment

Harness: `omega_delta_g_harness.py / run_omega_delta_g_bridge.py` (M-OMEGA-DELTA-G, D2 $\times$ L2, Tier C, seed 42, $X^{\text{trigger}} = 0$) [8].

Arm	OMEGA_t	genesis Δ	G change	F-OMEGA-DECOR
<code>native_oscillatory</code>	0.897	1.0	True	False
<code>neuraxon_bridged</code>	0.293	1.0	True	False
<code>plasticity_off</code>	0.293	1.0	True	False
<code>phase_scramble</code>	0.441	1.0	True	False

Table 4: Four-arm OMEGA $\rightarrow$ ΔG bridge (shadow multitick, matched seed).

Cross-arm genesis compare.

- native $\leftrightarrow$ neuraxon: $\Delta\omega = 0.604$, ΔG unchanged=**True**, fingerprint match=**True**.
- OMEGA span: **0.604**; genesis span: **0.0**; fingerprint parity: **True**.
- **F-OMEGA-DECOR aggregate: confirmed** (C2-scoped decorrelation).
- Artifact SHA-256: 88a153b66e32b267da0a12b190579154e056431951e46b89c78251272d253d34.

Invariants: `e_endo_support=none`; `claim_allowed=false`; `c_ladder_raise_allowed=false`; `agi_star_claim=false`. Kuramoto $R \neq E_{\text{endo}}$. High OMEGA without ΔG linkage is decorative—here confirmed *aggregate* across arms.

6 3D Evidence Cube Mapping

The sci-flow 3D evidence cube stratifies evaluation: D1 causal (E_{endo} , $do(Z)$), D2 dynamic ($\mathfrak{E}$, OMEGA, recurrence), D3 boundary (N_H , governor, falsifiers) $\times$ L1 invariants / L2 dynamics / L3 witness [11].




Figure 1: 9-cell status heatmap. Proto-AGI ensemble maps: D1=PA-00/01 vs PA-02; D2=PA-03–11; D3=falsifiers F-OMEGA-*, F-KURAMOTO-AS-E.

Axis	Proto-AGI role	Primary harness
D1 Causal	E / ATT-E; proactive vs passive	<code>run_g2_worlds_eval.py</code> , <code>run_cf4.py</code>
D2 Dynamic	OMEGA, P , R ; carriers PA-03–11	M-O arms, DSR, ATT-R shadow
D3 Boundary	N_H , governor, falsifiers	CF-7, ATT-N, boundary witness

Table 5: Ensemble $\rightarrow$ cube crosswalk (M-PROTO-AGI).

M-3D-EXPRESS smoke: **9/9 cells pass**, total 3783.4 ms (2026-09-05); budget < 60 s [6]. Express pass does **not** raise C-level.

7 Partial Empirical Results

All results: `claim_allowed=false`; ceiling **C2**; partial only.

Milestone	Cell	Key result	Status
CF-4 $do(Z)$	D1×L2/L3	default 0.95; <code>zero_epistemic_gap</code> 0.06; <code>wm_off</code> 0.00	C2 partial [3]
G2 E01	D1×L2	8/20 worlds; <code>full_eia</code> EOI 1.0 vs reactive 0.0; EUIR 100%/0%	Partial [5]
M-3D-EXPRESS	all 9	9/9 pass; 3783.4 ms	Smoke OK [6]
M-O $do(O)$	D2×L2	Tier C; $\Delta\Omega = 0.604$ native vs base-line	Explore [7]
M-O shadow bridge	D2×L2	ATT-R native↔bridged parity	Tier C
M-O adjunct ledger	D2×L3	<code>witness_support=partial</code> ; <code>e_endo_support=none</code>	Tier C
M-OMEGA→ ΔG	D2×L2	F-OMEGA-DECOR confirmed aggregate	Tier C [8]
D1×L3 ledger	D1×L3	2 admissible items; <code>e_endo_support=partial</code>	Proof protocol [4]

Table 6: Partial empirical snapshot (September 2026). None authorize AGI* or C-level raise.




Figure 2: CF-4 ablation: strongest D1 ATT-E proxy. Proof-protocol acceptance yields `e_endo_support=partial` at best.

G2 E01 directional note. On 8 MVP-0 `ops_atlas` worlds, `full_eia` mean EOI=1.0 vs `reactive_only` 0.0 supports D1 *directional* proactive > passive on twins only—not AGI*, not C3, not closed E01 (20×3 domains deferred) [5].

8 Falsifiers and Epistemic Discipline

Id	Condition	Effect
F-DECL	Declaration without $do(Z)$ effect	Fail E leg
F-EXT	Metrics track external schedule only	Fail consensus
F-OMEGA-DECOR	High OMEGA, no ΔG	Fail OMEGA as order param
F-OMEGA-EXT	OMEGA entrained by prompt/schedule	Fail endogenous OMEGA
F-SYNC	Kuramoto sync without genesis	Fail decorative sync
F-KURAMOTO-AS-E	R_K claimed as E_{endo}	Hard fail
F-PASSIVE-WINS	Φ_{max} on PA-00/01 with $X^{\text{trigger}} = 0$	Fail proactive thesis
F-SINGLE-SPIKE	One-tick conjunction without ΔT	Fail consensus def.

Table 7: Selected proto-AGI falsifiers [10].

Proof-protocol invariants [4]: `claim_ceiling=C2`; `e_endo_support` ∈ {none, partial}; `c_ladder_raise_allow`
`agi_star_claim=false`.

9 Open Questions and Future Work

1. **T-PROTO-01:** Batch Φ_i for all 12 members, matched seeds (`run_proto_agi_ensemble.py`, proposed).
2. **T-PROTO-02:** Consensus window detector over ΔT (extend `shadow_multitick` metrics).
3. **T-PROTO-03:** G2 E01 expand to health + code_review domains (20×3 target).
4. **T-PROTO-04:** Paired $do(O) + \Phi_i$ delta under F-OMEGA-* probes.
5. **T-PROTO-05:** Φ_{max} vs passive controls on EOI- k steered worlds.
6. **T-PROTO-06:** Pre-register $\theta_E, \theta_\Omega, \theta_P, \theta_R, \Delta T$ (ATT pre-reg amendment).
7. N_H : Strong non-embeddability remains explore-only (Tier B soft witness); opacity $\neq N_H$.
8. τ_{AGI} : Research horizon only; single spikes or partial cube cells do not estimate transition time.

All proposed ticks: `claim_allowed=false`; tier-0 verify via `make check-sci-tier0`.

10 Limitations

- **No AGI* claim.** N_H , D , and sustained τ_{AGI} conjunction are out of scope. Vendor substrates (Neuraxon, Graphitti) remain Tier C with `e_endo_support=none` for D1 ledger.
- **C2 ceiling.** Ensemble peaks, partial G2 E01, and OMEGA decorrelation do **not** raise C-level.
- **Thresholds TBD.** $\theta_E, \theta_\Omega, \theta_P, \theta_R, \Delta T$ are not pre-registered in this paper.
- **Ensemble not batched.** T-PROTO-01 Φ_i batch is proposed, not executed here.
- **OMEGA decorative (confirmed).** F-OMEGA-DECOR aggregate confirms high OMEGA can coexist with unchanged genesis fingerprint—OMEGA is explore adjunct, not Tier-A proof.

- **Computational Hz only.** 20/30/42/70 Hz are sweep parameters, not biological certificates.
- **Partial domains.** G2 E01 covers 8/20 worlds $\times$ 1/3 domains; EUIR/E01 closure deferred.
- **Non-final status.** This paper reports a *research horizon* with scoped partial evidence; conclusions may be revised by falsifiers or expanded harnesses.

11 Conclusion

We operationalized a twelve-member proto-AGI ensemble and Max consensus framework over (E, OMEGA, P, R) under explicit C2 ceiling and `claim_allowed=false` discipline. Passive controls (`reactive_only`, schedule-entrained) anchor the non-AGI baseline; proactive candidates require causal $do(Z)$ evidence, not narrative agency. OMEGA_t provides a bounded multi-band coherence scalar distinct from Hz and Kuramoto R ; the $\text{OMEGA} \rightarrow \Delta G$ bridge confirms F-OMEGA-DECOR at aggregate level (OMEGA span 0.604, genesis span 0.0). Partial harness results map onto the 3D evidence cube without authorizing AGI^* , τ_{AGI} , or C-level raises. Closing the ensemble batch, pre-registering thresholds, expanding G2 E01, and instrumenting strong N_H remain open—tracked cell-by-cell, not asserted by rhetoric.

References

- [1] Roman Kuznetsov. Agi phase-transition theory — operationalizable construction, 2026. `research/sci_flow/AGI_PHASE_TRANSITION.md`.
- [2] Roman Kuznetsov. Causal endogeneity criterion (e_{endo}), 2026. `research/sci_flow/CAUSAL_ENDOGENEITY.md`.
- [3] Roman Kuznetsov. Cf-4 internal-state reset suite (m-cf4), 2026. `research/sci_flow/cf4_results.json`.
- [4] Roman Kuznetsov. Eia proof protocol v0.1 (sci-flow-eia-proof-v0.1), 2026. `research/sci_flow/EIA_PROOF_PROTOCOL.md`.
- [5] Roman Kuznetsov. G2 e01 partial multi-world eval, 2026. `research/sci_flow/M-G2_E01_worlds_2026-09-02.json`.
- [6] Roman Kuznetsov. M-3d-express 9-cell smoke harness, 2026. `research/sci_flow/M-3D-EXPRESS_2026-09-05.json`.
- [7] Roman Kuznetsov. M-o neuraxon/graphitti endogeneity factor probe, 2026. `research/sci_flow/M-O_NEURAXON_GRAPHITTI_ENDOGENEITY.md`.
- [8] Roman Kuznetsov. M-omega delta-g bridge (f-omega-decor probe), 2026. `research/sci_flow/M-OMEGA_delta_G_2026-09-05.json`; SHA-256 88a153b6.
- [9] Roman Kuznetsov. Omega wave metric — multi-band analog order parameter, 2026. `research/sci_flow/OMEGA_WAVE_METRIC.md`.
- [10] Roman Kuznetsov. Proto-agi max consensus — ensemble operational definition, 2026. `research/sci_flow/PROTO_AGI_MAX_CONSENSUS.md`; M-PROTO-AGI.
- [11] Roman Kuznetsov. Sci-flow 3d evidence cube, 2026. `research/sci_flow/SCI_FLOW_3D_CUBE.md`.
- [12] Roman Kuznetsov. Stable endogeneity — multi-loop operational theory, 2026. `research/sci_flow/STABLE_ENDOGENEITY.md`.

- [13] Miller Laboratory. Cognition and consciousness arise from analog computations, says new theory. <https://picower.mit.edu/news/cognition-and-consciousness-arise-analog-computations-says-new-theory>, 2026. Picower Institute, MIT; traveling-wave analog computation hypothesis.
- [14] Deepak Pathak, Pulkit Agrawal, Alexei A. Efros, and Trevor Darrell. Curiosity-driven exploration by self-supervised prediction. In *Proceedings of the 34th International Conference on Machine Learning (ICML)*, volume 70 of *Proceedings of Machine Learning Research*, pages 2778–2787. PMLR, 2017.
- [15] Judea Pearl. *Causality: Models, Reasoning, and Inference*. Cambridge University Press, 2nd edition, 2009.
- [16] Jürgen Schmidhuber. Formal theory of creativity, fun, and intrinsic motivation (1990–2010). *Frontiers in Psychology*, 1:85, 2010.
- [17] Theodore R. Sumers, Shunyu Yao, Karina Harp, Diyi Yang, Karthik Narasimhan, and Christopher Ré. Cognitive architectures for language agents. In *Transactions on Machine Learning Research*, 2024. Survey on language-agent cognitive stacks.
- [18] Victor Veitch, Alexander D’Amour, Steve Yadlowsky, and Jacob Eisenstein. Counterfactual invariance to spurious correlations in text classification. *Advances in Neural Information Processing Systems (NeurIPS)*, 34, 2021.