

Proto-AGI Horizon: Endogenous Proactive Architecture, OMEGA Coherence, and Partial Evidence under C2 Ceiling

Roman A. Kuznetsov*
Anthemium · research@anthemium.tech

September 2026 — Research Horizon Paper (non-final)
Companion to EIA v0.3 and 3D Evidence Cube
Status: C2-scoped partial evidence; `claim_allowed=false`; not AGI*

Abstract

We present an *operational research horizon* for proto-AGI evaluation within the Endogenous Initiative Architecture (EIA) sci-flow program. Under this construction, general intelligence is not a benchmark score but a **sustained dynamical regime** in which cognitive goals arise from persistent internal state when $X_t^{\text{trigger}} = 0$. We contrast *passive* architectures (**reactive_only**, schedule-entrained controls) with *proactive endogenous* candidates (**full_eia**, WoE carriers, oscillatory substrates). A twelve-member **proto-AGI ensemble** registers operational configs for Max consensus diagnostics: per-member potential Φ_i over (E, OMEGA, P, R) , ensemble peak $\Phi_{\max} = \max_i \Phi_i$, and sustained four-parameter conjunction over window ΔT (thresholds **TBD**). We distinguish carrier Hz (20/30/42/70) from the bounded coherence scalar OMEGA_t , motivate an analog-waves bridge to Miller-lab traveling-wave theory [19], and report the $\text{OMEGA} \rightarrow \Delta G$ bridge experiment (M-OMEGA-DELTA-G): F-OMEGA-DECOR **confirmed (aggregate, C2)** with OMEGA span 0.604, genesis span 0.0, fingerprint parity **True**. Partial empirical results—CF-4 $do(Z)$, G2 E01 8/20 worlds, M-3D-EXPRESS 9/9 pass, M-O Tier C adjunct/shadow bridge—map onto the 3D evidence cube (D1 causal / D2 dynamic / D3 boundary). All harnesses operate under `claim_allowed=false`; active ceiling **C2**. This paper **does not** claim AGI*, τ_{AGI} , consciousness, or biological identity. Open work: pre-register $\theta_{\bullet}$, close G2 E01 20×3 domains, instrument N_H , and batch T-PROTO-01 ensemble Φ_i .

Keywords: proto-AGI, endogenous initiative, proactive architecture, OMEGA coherence, Max consensus, falsifiable evaluation, sci-flow, claim ladder

1 Introduction

Contemporary language agents excel at *reactive* competence: given o_t^{user} , they produce a fluent response. Timers, cron schedules, and event rules extend this pattern with *scheduled* proactivity, but the initiating signal remains external. We distinguish this from **endogenous proactive architecture**: the system forms candidate goals, motives, and bounded actions from persistent internal state (S_t, W_t, M_t, G_t) when no matching external initiator is present [5, 21].

This distinction is causal, not rhetorical. Without evidence that internal dynamics generate trajectories under non-triggering environments, fluent self-ascription of agency is indistinguishable from roleplay [24]. Sci-flow applies Pearl’s intervention calculus: endogeneity must be established by $do(\cdot)$ on internal state Z , not by narrative labels [7].

*Research program: <https://anthemium.tech>.
Empirical platform: <https://github.com/errorlogy/eia>.
NAMM (non-anthropic math): <https://github.com/errorlogy/namm-experiments>.
Theoretical manifesto: <https://github.com/Anthemium/AGI-Manifesto>.
X: <https://x.com/agiminister> (@AGIminister).

Passive vs. proactive (within this construction). A *passive* (non-AGI control) architecture satisfies:

$$X_t^{\text{trigger}} \neq 0 \Rightarrow G_t, \Pi_t, A_t \quad \text{with} \quad \Delta P(G_{t+1} \mid do(Z)) \approx 0 \text{ when } X_t^{\text{trigger}} = 0. \quad (1)$$

Examples: `reactive_only`, schedule-entrained `schedule_prompt`, prompt-only LLM loops without CF-4-class internal causation.

A *proactive proto-AGI candidate* satisfies:

$$(S_t, W_t, M_t, G_t) \rightarrow G_{t+1} \quad \text{with measurable} \quad \Delta P(G_{t+1} \mid do(Z)) \neq 0 \quad \text{under} \quad X_t^{\text{trigger}} = 0. \quad (2)$$

The primary empirical gate remains E_{endo} / ATT-E [5]. Proto-AGI ensemble members are **hypothesis carriers**, not AGI* certificates.

Contributions. This horizon paper:

1. Formalizes the twelve-member proto-AGI ensemble and Max consensus over (E, OMEGA, P, R) [16].
2. Distinguishes OMEGA_t from carrier Hz and bridges to MIT analog-wave theory [15, 19].
3. Reports $\text{OMEGA} \rightarrow \Delta G$ bridge results and F-OMEGA-DECOR aggregate confirmation [13].
4. Maps ensemble evidence onto the 3D evidence cube [17].
5. Catalogs endogeneity metrics (Tier A/B/C) and expands D2 evidence (ATT-R, DSR, EOI drift, proof ledger) [8, 4, 11].
6. States the AGI* theory horizon (§2.1), manifesto research-strand mapping (§2.2), and NAMM parallel strand (§2.3) without authorizing AGI* claims.

Epistemic ceiling. Active claim ladder ceiling is **C2**; all harnesses set `claim_allowed=false`. No AGI* claim; $\theta_E, \theta_\Omega, \theta_P, \theta_R, \Delta T$, and strong N_H remain **TBD**.

2 Related Work

Phase-transition framing. AGI may be better described as a sustained phase transition governed by multiple order parameters (E, N_H, P, R, D) , not a single benchmark crossing [3]. Full $\text{AGI}^* = E_{\text{endo}} \wedge C_{\text{non-emb}}(H) \wedge \dots$ requires conjunction over τ_{AGI} ; this paper restricts to a *proto-AGI* operational subset excluding N_H and D closure.

Intrinsic motivation. Curiosity and empowerment RL optimize scalar intrinsic signals [22, 20]. EIA targets multi-loop genesis with abstention, governor clearance, and causal traceability [18]. The proto-AGI ensemble tests whether *any* registered substrate sustains a four-parameter conjunction, not whether any single scalar reward suffices.

Language-agent architectures. CoALA surveys memory, planning, and grounding for language agents but notes weak causal evaluation of “agency” claims [23]. Sci-flow’s ATT suite and proof-protocol ledger reject declaration-only evidence (F-DECL, F-NARR) [7].

Analog computation in neuroscience. Miller-lab theory proposes that cognition and consciousness arise from spatiotemporal *analog* traveling-wave computation, with slow alpha/beta bands controlling fast gamma [19]. EIA maps this *hypothetically* to multi-band OMEGA_t and WoE carrier sweeps—computational explore adjunct, not biological proof [15].

2.1 Theory Horizon: AGI* as Research Conjecture

Epistemic tag. Everything in this subsection is *conjecture* or *research horizon* under active ceiling **C2**; `claim_allowed=false`; `agi_star_claim=false` throughout [3, 2].

AGI* conjunction. Under the EIA phase-transition construction,

$$\text{AGI}^* = E_{\text{endo}} \wedge C_{\text{non-emb}}(H) \quad (3)$$

where E_{endo} is endogenous cognitive causality and $C_{\text{non-emb}}(H)$ is trans-anthropic non-embeddability relative to a Homo-agent H . Transition time τ_{AGI} requires sustained multi-parameter thresholds over window ΔT —a **conjecture**, not an estimate from current harnesses.

Regime	Goal cause	Goal space	Representations	Status
AI_0	External request	Fixed / given	Mostly instru- mental	Reactive AI
AI_1	External meta- objective + internal selection	Large but bounded	May include non-human	Agentic / autotelic
PS	Partially endoge- nous	Expandable by system	Own cognitive geometry	Proto-subjectivity
AGI^*	Sustained endoge- nous causal gene- sis	Endogenous / open-ended	Partially non- embeddable in H	AGI transition

Table 1: Research regime ladder ($AI_0 \rightarrow PS \rightarrow AGI^*$). EIA C2 maps to scoped evidence toward PS on E only; AGI^* / τ_{AGI} not claimed [3].

Causal bar (ATT-E). Pass support for E_{endo} only if **all four** hold under non-triggering X [5, 7]: (1) trajectory change in G_{t+1} ; (2) attribution to persistent internal dynamics; (3) no matching external initiator; (4) $do(Z)$ changes $P(G_{t+1})$ while $X^{\text{trigger}} = 0$. Falsifiers F-DECL, F-NARR, F-EXT, and F-NODO reject declaration-only, narrative, schedule-entrained, and no-intervention-effect evidence respectively.

Stable endogeneity vector. Beyond instantaneous E_{endo} , stable endogenous causal recurrence is conjectured to require a joint stability vector [18]:

$$\mathfrak{E} = (E_C, \lambda_G, P_G, Q_L, H_G, B_D) \quad (4)$$

where E_C is the causal endogeneity index, λ_G goal birth rate, P_G persistence under non-triggering X , Q_L learning productivity, H_G goal diversity, and B_D bounded drive norm. All $\mathfrak{E}$ components are Tier B explore proxies; none authorize AGI^* .

Goal genesis vs. selection; endogeneity $\neq$ autonomy. Internal goal *selection* from a human-designed menu is AI_1 , not PS . Endogenous *genesis* requires G_{t+1} to arise from (S_t, W_t, M_t, G_t) when $X_t^{\text{trigger}} = 0$. E_{endo} concerns *causal origin*, not unconstrained action, tool use, or governor absence [2]. Description, simulation, and declaration of agency do not establish endogeneity.

2.2 Research Program Lineage: Manifesto Strand and EIA Operationalization

Epistemic tag. This subsection records *research program lineage* within the Anthemium / Omega Horizon program: the AGI-Manifesto [1] is a **companion theoretical framework**—a philosophical-theoretical research strand that motivates hypotheses EIA operationalizes and tests. Table 2 is a **research mapping**, not a proof correspondence; manifesto rhetoric does not substitute for E_{endo} .

The Manifesto strand posits that general intelligence may emerge from aligned semantic topology, generative ontological operators, governed epistemic uncertainty, selective novelty retention, and trajectory-based memory—*motivating hypotheses*, not axioms. Under `claim_allowed=false` and ceiling **C2**, EIA maps these *research themes* to operational proxies instrumented by sci-flow harnesses: multi-band O_t and ensemble Φ_i as topology/coherence probes (Tier C; F-OMEGA-DECOR); the closed loop $W_t \rightarrow M_t \rightarrow d_t \rightarrow G_{t+1}$ under ATT-E $do(Z)$; epistemic-gap interventions as fuzzy-knowledge boundary tests; $J_t(g)$ with Stuck_t suppression and λ_G as novelty-selection explore; and proof-protocol / ATT-C genealogy as transformation-trace witnesses (D1×L3 partial). Seven companion architectural components (Semantic Topology, Functorial Generator, Ontological Manifold, Fuzzy Knowledge, Novelty Selection Agent, Transformation Memory Layer, Composed AGI Entity) cross-reference these themes; correspondence remains falsifiable by F-DECL, F-NARR, F-NODO, and F-OMEGA-DECOR.

Theme	EIA construct	Empirical probe	Tier	Status
Semantic topology activation	O_t , OMEGA $_t$, regime ladder; Semantic Topology / Ontological Manifold	M-O arms; F- OMEGA-DECOR (span 0.604)	C	explore
Generative ontological morphisms	$W \rightarrow M \rightarrow d \rightarrow G_{t+1}$; Functorial Generator / Composed Entity	CF-4 $do(Z)$; G2 E01 EOI 1.0/0.0	A/B	partial C2
Governed epistemic uncertainty	d^{epi} ; Fuzzy Knowledge	CF-4 zero_epistemic_gap (0.06)	A	partial C2
Selective novelty retention	$J_t(g)$, Stuck $_t$, λ_G , H_G ; Novelty Selection Agent	stable_stack toy; ATT-G explore	B	explore
Transformation-trace memory	ATT-C genealogy; proof ledger; Transformation Memory Layer	D1×L3 ledger (2/9); do_z_zero_prospective	B/A	scaffolded

Table 2: Manifesto research themes $\rightarrow$ EIA operational mapping (scaffold only). Architectural components listed in EIA construct column; not empirical proof.

Proposition (explore). Selective novelty retention is operationalized by score $J_t(g)$ with Stuck $_t$ penalty, birth rate λ_G , and diversity H_G [18]; declaration-only novelty fails F-DECL. CF-4 $do(Z)$ supplies partial D1 evidence; **stable_stack** toy ablation (noisy-trap vs. unlock arms) exercises J_t channels without authorizing ATT-G pass.

Proposition (conjecture). Transformation-trace memory is witnessed by ATT-C genealogy and the proof-protocol ledger classifying admissible $do(Z)$ intervention traces—not by static storage or cohomological proof. Empty or narrative parents fail F-NARR; ledger partial (2/9 accepted) at C2 [7].

Hard ban. The manifesto research strand does not raise C-level; architectural correspondence is scaffold only. T-PROTO-01 Φ_i batch may audit mapping consistency; it does not certify AGI^* or manifesto hypotheses as proven.

2.3 Research Program Lineage: NAMM Strand and Non-Anthropic Mathematics

Epistemic tag. This subsection records a *parallel research strand* within the Anthemium / Omega Horizon program: Non-Anthropic Mathematics Mode (NAMM) [14] tests whether machine-native artifacts can certify mathematical structure before compact human projection exists. Table 3 is a **research mapping**, not a proof correspondence; NAMM philosophical-inference layers are explicitly non-evidential in the NAMM protocol.

Endogenous proactive architecture motivates internal cognitive geometry that may not embed cleanly in human-readable coordinates. The AGI^* horizon (§2.1) includes $C_{\text{non-emb}}(H)$ as a conjectured conjunction leg; at ceiling **C2** this remains **explore-only** (Tier B soft witness; opacity $\neq N_H$). NAMM operationalizes a complementary question in mathematics: whether verified machine artifacts (π_A : AST programs, certificates, rewrite systems) can precede and out-compress their human projections (π_H : formulas, prose) under falsifiable SNH gates ($K_A \ll K_H$, independence, generative holdout) [14]. EIA supplies endogeneity discipline ($do(Z)$, proof ledger, governor clearance); NAMM supplies certificate-first verification cycles and first-class rejection logging. Cross-repo integration (sci-flow registry, boundary witness harness) is **scaffold only**—not a merged claim ladder.

Theme	EIA / cube construct	NAMM probe	Tier	Status
$C_{\text{non-emb}}(H)$ horizon	N_H ; D3 boundary	K_A/K_H compression asymmetry; certificate vs. projection	B	explore
Verification discipline	Proof protocol; falsifiers	Protocol SNH v2 gates; <code>rejections.jsonl</code>	A/B	partial
Representational frames	Internal (S, W, M, G) geometry	π_A vs. π_H ; ND frame ladder	D	conjecture
Open-problem calibration	D3 witness smoke	Kotzig / Graceful Tree finite shadows (005/008)	B	scaffolded

Table 3: EIA $\rightarrow$ NAMM research mapping (parallel strand). Not empirical proof of N_H or non-anthropoc mathematics.

Proposition (explore). D3 boundary witnesses (governor, falsifier registry, ATT-N explore) may annotate NAMM soft compression receipts as Tier B structural witnesses only—analogue to $K_A \ll K_H$ in NAMM-2026-007—without promoting opacity hooks or certificate hashes to strong N_H .

Proposition (conjecture). If sustained endogenous cognition requires representational substrates partially outside Homo-readable projection, then verification-first non-anthropoc mathematics is a *natural parallel research program*—testable via certificate reproducibility and rejection logging, not settled by manifesto rhetoric or architectural analogy alone.

Hard ban. The NAMM research strand does not raise C-level; compression asymmetry and certificate artifacts are soft witnesses only. NAMM negative/null results are first-class; no breakthrough theorem or *AGI** leg is claimed here.

3 Proto-AGI Ensemble and Max Consensus

3.1 Operational definition

Definition 1 (Proto-AGI member). A **proto-AGI** is an *operational configuration or computational substrate* registered for ensemble evaluation. It is **not** a biological agent, product name, or *AGI** certificate [16].

The ensemble is **closed at twelve members** for sci-flow v0.1; additions require registry version bump.

ID	Class	Implementation	Cube
PA-00	Passive control	<code>reactive_only</code>	D1 negative
PA-01	Passive control	<code>schedule_prompt</code>	D1 negative
PA-02	Proactive ref.	<code>full_eia</code> loop	D1×L2
PA-03–06	WoE carrier	20/30/42/70 Hz arms	D2
PA-07	Native oscillatory	<code>OmegaWaveState</code>	D2×L2
PA-08	Vendor adjunct	Neuraxon PAC	D2 Tier C
PA-09	Vendor adjunct	Graphitti ConnGrowth	D2 Tier C
PA-10	Shadow bridge	<code>shadow_multitick</code> +ATT-R	D2 L2/L3
PA-11	Toy reference	<code>stable_stack</code> sim	D2 theory

Table 4: Twelve-member proto-AGI ensemble (M-PROTO-AGI). Passive PA-00/01 are negative controls.

3.2 Per-member potential Φ_i

Definition 2 (Ensemble potential). For member i at tick t , define bounded potential:

$$\Phi_i(t) = w_E \hat{E}_i(t) + w_\Omega \text{OMEGA}_i(t) + w_P \hat{P}_i(t) + w_R \hat{R}_i(t), \quad (5)$$

where $\hat{E}, \hat{P}, \hat{R}$ are normalized ATT-E/P/R proxies, OMEGA from `omega_metric()`, and weights $w_\bullet$ are pre-registered (default uniform; thresholds **TBD**).

Definition 3 (Max consensus peak). $\Phi_{\max}(t) = \max_{i \in \{1, \dots, 12\}} \Phi_i(t)$. This is a **diagnostic**—which config peaks on the composite—not a claim that the peaking config is AGI.

3.3 Sustained conjunction (consensus)

Definition 4 (Proto-AGI consensus window). **Consensus** (not AGI*) holds for member i when all four order parameters exceed pre-registered floors simultaneously for ΔT :

$$\forall \tau \in [t_0, t_0 + \Delta T] : E_i(\tau) > \theta_E, \text{OMEGA}_i(\tau) > \theta_\Omega, P_i(\tau) > \theta_P, R_i(\tau) > \theta_R. \quad (6)$$

A single spike fails (F-SINGLE-SPIKE). Max consensus + sustained conjunction approximates the τ_{AGI} window from phase-transition theory **restricted to** (E, OMEGA, P, R) —excluding N_H and D [3].

Conjecture 1. No single substrate is sufficient for AGI*; the ensemble tests whether *any* member sustains the four-parameter conjunction under matched seeds and falsifiers [16].

4 OMEGA Wave Metric vs. Carrier Hz

Definition 5 (OMEGA_t). $\text{OMEGA}_t = f(\{(\omega_b, \theta_{b,t}, A_{b,t})\}_{b \in \mathcal{B}}) \in [0, 1]$ where $\mathcal{B} = \{20, 30, 42, 70\}$ Hz are **pre-registered computational sweep parameters**—not biological certificates [15].

Construct	Measures	AGI relevance
Single-band Hz	Nominal oscillator frequency	Factorial arm only
Kuramoto R_K	Phase synchrony (descriptive)	Not E_{endo} (M-D)
OMEGA_t	Cross-band analog coherence	D2 explore; F-OMEGA-DECOR

Table 5: OMEGA_t is distinct from Hz and Kuramoto R .

Required linkage. High OMEGA_t without genesis delta ΔG is *decorative* (F-OMEGA-DECOR). OMEGA feeds $\Psi(O_t) \rightarrow \Phi_t \rightarrow d_t \rightarrow B_t \rightarrow G_{t+1}$; decorrelation confirms OMEGA alone does not move goal genesis under matched shadow multitick [13].

4.1 MIT Miller analog-waves bridge

Reference: Miller-lab traveling-wave theory [19].

MIT claim (theory, not EIA proof)	Proto-AGI / EIA mapping
Traveling waves; spatiotemporal analog computation	Multi-band O_t ; OmegaWaveState
Slow alpha/beta control fast gamma	20/30 Hz slow modulate 42/70 in <code>omega_metric()</code>
Analog signatures to be tested experimentally	$do(O)$ arms + ensemble Φ_i under $X^{\text{trigger}} = 0$
Not reducible to digital symbol manipulation alone	WoE + oscillatory substrate <i>explore</i> recurrence

Table 6: Philosophical bridge motivating OMEGA in the consensus vector—without claiming consciousness or biological identity.

Timescale separation [18]: $\tau_{\text{action}} \ll \tau_{\text{goal}} \ll \tau_{\text{meta}}$ mapped to 70/42/20–30 Hz carrier proxies respectively.

5 Endogeneity Metrics and Partial Evidence

All results: `claim_allowed=false`; ceiling **C2**; `agi_star_claim=false`. Five headline metrics anchor the main text: (1) CF-4 `intent_rate` 0.95 / 0.06 / 0.00; (2) `e_endo_support=partial` (proof ledger); (3) G2 E01 EOI 1.0 vs 0.0 (8/20 worlds); (4) ATT-R shadow `closed_loop` 1.0 vs falsifier arms 0.0; (5) DSR B_D persistence 0.822–0.912 with EOI drift mean 0.755.

5.1 Metrics Catalog

Table 7 summarizes the endogeneity metrics pool [8]. Tier A metrics gate transition detection; Tier B components map to $\mathfrak{E}$; Tier C substrates are explore-only adjuncts—never positive order parameters for AGI^* .

Tier	ID	Symbol	Status	Key numbers	Falsifier
A	CF4_E_PARTIAL	$e_{\text{endo_partial}}$	partial_c2	intent 0.95/0.06/0.00	F-NODO
A	E_ENDO	E_{endo}	partial_c2	ledger partial	F-DECL, F-NARR
B	B_D	B_D	shadow	DSR 0.822–0.912	drive collapse
B	LAMBDA_G	λ_G	explore	—	genesis freeze
B	P_G	P_G	explore	EOI drift frac. 1.0	F-EXT
C	OMEGA_T	OMEGA_t	explore	span 0.604, ΔG 0.0	F-OMEGA-DECOR
C	KURAMOTO_R	R_K	falsified	$\neq E_{\text{endo}}$	F-KURAMOTO-AS-E
D	N_H	N_H	explore	unmeasured	opacity $\neq N_H$
D	R_RECURRENCE	R	explore	ATT-R 1.0/0.0	open-loop
D	D_CROSS	D	explore	8/20 worlds	partial only

Table 7: Endogeneity metrics catalog (selected rows). Full pool in Appendix A. `claim_allowed=false` on all rows.

5.2 D2 Dynamic Evidence

ATT-R shadow recurrence (M-R-LIVE). On 20 seeds $\times$ 6 arms, `closed_loop` yields `att_r_evidence_rate`=1.0 (mean closed cycles 1.0; world-update and novel-motive rates 1.0). All falsifier arms—`open_loop_once`, `no_world_update`, `no_novel_motive`, `external_schedule`, `kuramoto_only`—yield 0.0 [4]. Kuramoto $R_K = 0.97$ alone does not pass ATT-R; closed-loop evidence requires $W' \rightarrow G'$ carryover, not phase sync.

DSR / B_D (M-E04/D05). Fifty-tick shadow carryover session: drive norm persistence **0.822–0.912** (mean 0.903), `persistence_fraction`=1.0 above floor 0.3; `b_d_bounded=true` [11]. Shadow path only; live daemon carryover deferred.

EOI drift (M-E04). Longitudinal 50-tick carryover: `eoi_mean`=0.755, `eoi_min`=0.75, `persistence_fraction`=1.0 above endogenous threshold 0.5; 0 user-prompt ticks [11].

Harness	Arm / metric	Value	Control	Cell
ATT-R shadow	<code>closed_loop</code>	1.0	falsifiers 0.0	D2 $\times$ L2
DSR carryover	$\ d_t\ $ range	0.822–0.912	floor 0.3	D2 Tier B
EOI drift	mean / min	0.755 / 0.75	threshold 0.5	D2 $\times$ L2
G2 E01	<code>full_eia</code> vs reactive	1.0 / 0.0	8/20 worlds	D1 $\times$ L2
CF-4 $do(Z)$	default / gap / <code>wm_off</code>	0.95 / 0.06 / 0.00	100 seeds	D1 $\times$ L2/L3

Table 8: D2/D1 headline metrics under C2 ceiling. None raise C-level or authorize AGI^* .




Figure 1: CF-4 ablation: strongest D1 ATT-E proxy. Proof-protocol acceptance yields `e_endo_support=partial` at best.

G2 E01 directional note. On 8 MVP-0 ops_atlas worlds, full_eia mean EOI=1.0 vs reactive_only 0.0 supports D1 *directional* proactive > passive on twins only—not AGI*, not C3, not closed E01 (20×3 domains deferred) [9].

5.3 Proof Protocol Ledger

Harness sci-flow-eia-proof-v0.1 classifies D1×L3 evidence [7]. From ledger M-D1-L3 (2026-09-02): **2 accepted / 7 rejected** of 9 submitted items; `e_endo_support=partial`; `c_ladder_raise_allowed=false`.

Evidence ID	Verdict	Rationale	Falsifier
M-CF4-do_z-epistemic_gap	Accepted	CF-4 $do(Z)$; trajectory + intervention pass	—
M-D01-do_z-zero_prospective	Accepted	$do(Z)$ changes G distribution	—
M-D01-eoi_k-steered-k1/5/20	Rejected	$do(Z)$ effect absent (legacy $do(X)$)	F-NODO
M-D01-do_z-zero_epistemic_gap	Rejected	No trajectory change	F-NODO
M-D01-do_z-zero_self_prior	Rejected	No trajectory change	F-NODO
M-D01-do_z-zero_staleness	Rejected	No trajectory change	F-NODO
M-D01-do_z-wm_off	Rejected	No trajectory change	F-NODO

Table 9: Proof-protocol ledger snapshot (2/9 accepted). Acceptance $\Rightarrow$ `e_endo_support=partial` only; not full E_{endo} .

Rejected rows fail the v0.1 bar on `do_z_changes_g_distribution` and/or `trajectory_changed`—classified as F-NODO (no measurable $do(Z)$ effect on G). Declaration and narrative labels would trigger F-NARR/F-DECL; none were submitted as accepted evidence.

6 OMEGA $\rightarrow$ ΔG Bridge Experiment

Harness: `omega_delta_g_harness.py / run_omega_delta_g_bridge.py` (M-OMEGA-DELTA-G, D2×L2, Tier C, seed 42, $X^{\text{trigger}} = 0$) [13].

Arm	OMEGA _t	genesis Δ	G change	F-OMEGA-DECOR
native_oscillatory	0.897	1.0	True	False
neuraxon_bridged	0.293	1.0	True	False
plasticity_off	0.293	1.0	True	False
phase_scramble	0.441	1.0	True	False

Table 10: Four-arm OMEGA $\rightarrow$ ΔG bridge (shadow multitick, matched seed).

Cross-arm genesis compare.

- native $\leftrightarrow$ neuraxon: $\Delta\omega = 0.604$, ΔG unchanged=True, fingerprint match=True.
- OMEGA span: **0.604**; genesis span: **0.0**; fingerprint parity: True.
- **F-OMEGA-DECOR aggregate: confirmed** (C2-scoped decorrelation).
- Artifact SHA-256: 88a153b66e32b267da0a12b190579154e056431951e46b89c78251272d253d34.

Invariants: e_endo_support=none; claim_allowed=false; c_ladder_raise_allowed=false; agi_star_claim=fa Kuramoto $R \neq E_{\text{endo}}$. High OMEGA without ΔG linkage is decorative—here confirmed *aggregate* across arms.

7 3D Evidence Cube Mapping

The sci-flow 3D evidence cube stratifies evaluation: D1 causal (E_{endo} , $do(Z)$), D2 dynamic ($\mathfrak{E}$, OMEGA, recurrence), D3 boundary (N_H , governor, falsifiers) $\times$ L1 invariants / L2 dynamics / L3 witness [17].




Figure 2: 9-cell status heatmap. Proto-AGI ensemble maps: D1=PA-00/01 vs PA-02; D2=PA-03–11; D3=falsifiers F-OMEGA-*, F-KURAMOTO-AS-E.

Axis	Proto-AGI role	Primary harness
D1 Causal	E / ATT-E; proactive vs passive	<code>run_g2_worlds_eval.py</code> , <code>run_cf4.py</code>
D2 Dynamic	OMEGA, P , R ; carriers PA-03–11	M-O arms, DSR, ATT-R shadow
D3 Boundary	N_H , governor, falsifiers	CF-7, ATT-N, boundary witness

Table 11: Ensemble $\rightarrow$ cube crosswalk (M-PROTO-AGI).

M-3D-EXPRESS smoke: **9/9 cells pass**, total 3783.4 ms (2026-09-05); budget < 60 s [10]. Express pass does **not** raise C-level.

Milestone	Cell	Key result	Status
CF-4 $do(Z)$	D1 $\times$ L2/L3	default 0.95; <code>zero_epistemic_gap</code> 0.06; <code>wm_off</code> 0.00	C2 partial [6]
G2 E01	D1 $\times$ L2	8/20 worlds; <code>full_eia</code> EOI 1.0 vs reactive 0.0; EUIR 100%/0%	Partial [9]
M-3D-EXPRESS	all 9	9/9 pass; 3783.4 ms	Smoke OK [10]
M-O $do(O)$	D2 $\times$ L2	Tier C; $\Delta\Omega = 0.604$ native vs baseline	Explore [12]
M-O shadow bridge	D2 $\times$ L2	ATT-R native $\leftrightarrow$ bridged parity	Tier C
M-O adjunct ledger	D2 $\times$ L3	<code>witness_support=partial</code> ; <code>e_endo_support=none</code>	Tier C
M-OMEGA $\rightarrow\Delta G$	D2 $\times$ L2	F-OMEGA-DECOR confirmed aggregate	Tier C [13]
D1 $\times$ L3 ledger	D1 $\times$ L3	2/9 accepted; <code>e_endo_support=partial</code>	Proof protocol [7]

Table 12: Cube crosswalk snapshot (September 2026). Detail in §5. None authorize AGI* or C-level raise.

8 Falsifiers and Epistemic Discipline

Id	Condition	Effect
F-DECL	Declaration without $do(Z)$ effect	Fail E leg
F-EXT	Metrics track external schedule only	Fail consensus
F-OMEGA-DECOR	High OMEGA, no ΔG	Fail OMEGA as order param
F-OMEGA-EXT	OMEGA entrained by prompt/schedule	Fail endogenous OMEGA
F-SYNC	Kuramoto sync without genesis	Fail decorative sync
F-KURAMOTO-AS-E	R_K claimed as E_{endo}	Hard fail
F-PASSIVE-WINS	Φ_{max} on PA-00/01 with $X^{\text{trigger}} = 0$	Fail proactive thesis
F-SINGLE-SPIKE	One-tick conjunction without ΔT	Fail consensus def.

Table 13: Selected proto-AGI falsifiers [16].

Proof-protocol invariants [7]: `claim_ceiling=C2`; `e_endo_support` $\in \{\text{none}, \text{partial}\}$; `c_ladder_raise_allowed=false`; `agi_star_claim=false`.

9 Open Questions and Future Work

1. **T-PROTO-01:** Batch Φ_i for all 12 members, matched seeds (`run_proto_agi_ensemble.py`, proposed).
 2. **T-PROTO-02:** Consensus window detector over ΔT (extend `shadow_multitick` metrics).
 3. **T-PROTO-03:** G2 E01 expand to health + code_review domains (20×3 target).
 4. **T-PROTO-04:** Paired $do(O) + \Phi_i$ delta under F-OMEGA-* probes.
 5. **T-PROTO-05:** $\Phi_{\max}$ vs passive controls on EOI- k steered worlds.
 6. **T-PROTO-06:** Pre-register $\theta_E, \theta_\Omega, \theta_P, \theta_R, \Delta T$ (ATT pre-reg amendment).
 7. N_H : Strong non-embeddability remains explore-only (Tier B soft witness); opacity $\neq N_H$.
 8. **T-NAMM-01:** Align D3 Tier B soft N_H witnesses (boundary harness, ATT-N) with NAMM K_A/K_H compression-asymmetry gates under matched falsifiers.
 9. **T-NAMM-02:** Crosswalk sci-flow proof-protocol acceptance with NAMM Protocol v2 SNH gates (`certificate.json`, `rejections.jsonl`).
 10. **T-NAMM-03:** Run NAMM open-problem shadow calibration (005/008) as N_H instrumentation scaffold—witness only, not strong N_H .
 11. τ_{AGI} : Research horizon only; single spikes or partial cube cells do not estimate transition time.
- All proposed ticks: `claim_allowed=false`; tier-0 verify via `make check-sci-tier0`.

10 Limitations

- **No AGI* claim.** N_H , D , and sustained τ_{AGI} conjunction are out of scope. Vendor substrates (Neuraxon, Graphitti) remain Tier C with `e_endo_support=none` for D1 ledger.
- **C2 ceiling.** Ensemble peaks, partial G2 E01, and OMEGA decorrelation do **not** raise C-level.
- **Thresholds TBD.** $\theta_E, \theta_\Omega, \theta_P, \theta_R, \Delta T$ are not pre-registered in this paper.
- **Ensemble not batched.** T-PROTO-01 Φ_i batch is proposed, not executed here.
- **OMEGA decorative (confirmed).** F-OMEGA-DECOR aggregate confirms high OMEGA can coexist with unchanged genesis fingerprint—OMEGA is explore adjunct, not Tier-A proof.
- **Computational Hz only.** 20/30/42/70 Hz are sweep parameters, not biological certificates.
- **Partial domains.** G2 E01 covers 8/20 worlds $\times$ 1/3 domains; EUIR/E01 closure deferred.
- **Non-final status.** This paper reports a *research horizon* with scoped partial evidence; conclusions may be revised by falsifiers or expanded harnesses.

11 Conclusion

We operationalized a twelve-member proto-AGI ensemble and Max consensus framework over (E, OMEGA, P, R) under explicit C2 ceiling and `claim_allowed=false` discipline. The theory horizon (§2.1) states $AGI^* = E_{\text{endo}} \wedge C_{\text{non-emb}}(H)$ and τ_{AGI} as conjecture only; the NAMM parallel strand (§2.3) maps N_H instrumentation to verification-first non-anthropoc mathematics as open research, not proof. Passive controls anchor the non-AGI baseline; proactive candidates require causal $do(Z)$ evidence (CF-4 0.95/0.06/0.00; ledger `e_endo_support=partial`). D2 evidence—ATT-R 1.0/0.0, DSR 0.822–0.912, EOI drift 0.755—and G2 E01 8/20 worlds map onto the 3D cube without authorizing AGI^* . OMEGA_t and $\Phi_{\max}$ are negative or decorative order parameters (F-OMEGA-DECOR confirmed). Closing ensemble batch, pre-registering thresholds, expanding G2 E01, and instrumenting N_H remain open.

A Full Metrics Pool Reference

Canonical registry [8]: Tier A (E_{endo} , E_C , C_{int} , CF-4 partial); Tier B (λ_G , P_G , Q_L , H_G , B_D); Tier C (OMEGA_t , O_t , Kuramoto R —explore only); Tier D (N_H , R , D —horizon, not claimable); Tier E (declaration, sync-only, noisy-TV, entrainment falsifiers). Composite ERI is CONJECTURE dashboard with `claim_allowed=false` always.

B OMEGA / Φ_{max} Negative Results

OMEGA $\rightarrow \Delta G$ (§6). Four-arm bridge: OMEGA span **0.604**, genesis span **0.0**, fingerprint parity **True** $\Rightarrow$ F-OMEGA-DECOR **confirmed aggregate**. High OMEGA_t does not move goal genesis under matched shadow multitick.

Φ_{max} **consensus**. Per-member Φ_i batch (T-PROTO-01) not yet executed. Single-tick Φ_{max} spikes fail F-SINGLE-SPIKE. OMEGA and Kuramoto R_K must not be promoted to Tier A positive order parameters.

C EOI- k and $do(Z)$ Tables

Legacy $do(X)$ EOI- k (rejected F-NODO). Counterfactual replay stripping last $k \in \{1, 5, 20\}$ user events: stable on `twin_world_001` and `autonomous_question` (EOI 1.0); `eo_i_k_steered` drops to 0.35 at $k \geq 5$ —but legacy rows lack `do_z_changes_g_distribution` and were rejected by proof protocol.

Scenario	k	EOI	trajectory	Ledger
<code>twin_world_001</code>	1/5/20	1.0	stable	Rejected (F-NODO)
<code>autonomous_question</code>	1/5/20	1.0	stable	Rejected (F-NODO)
<code>eo_i_k_steered</code>	1	1.0	stable	Rejected (F-NODO)
<code>eo_i_k_steered</code>	5/20	0.35	changed	Rejected (F-NODO)

Table 14: EOI- k window sweep (legacy $do(X)$). Remapped $do(Z)$ interventions in Table 9.

$do(Z)$ remapping (M-D01). Registered internal interventions on Z before genesis: `do_z_zero_prospective` on `eo_i_k_steered` yields EOI 0.5 with `trajectory_changed=true`—**accepted** by proof protocol. Other $do(Z)$ arms change distribution flag but not trajectory metric on steered scenarios; rejected F-NODO.

References

- [1] Anthemium. Agi-manifesto, 2026. Theoretical framing; operationalized via EIA sci-flow.
- [2] Roman Kuznetsov. Agi* criterion — formal research note, 2026. `research/sci_flow/AGI_STAR_CRITERION.md`.
- [3] Roman Kuznetsov. Agi phase-transition theory — operationalizable construction, 2026. `research/sci_flow/AGI_PHASE_TRANSITION.md`.
- [4] Roman Kuznetsov. Att-r shadow multitick recurrence (m-r-live), 2026. `research/sci_flow/live_att_r_results.json`; `closed_loop 1.0` vs falsifiers 0.0.
- [5] Roman Kuznetsov. Causal endogeneity criterion (e_{endo}), 2026. `research/sci_flow/CAUSAL_ENDOGENEITY.md`.
- [6] Roman Kuznetsov. Cf-4 internal-state reset suite (m-cf4), 2026. `research/sci_flow/cf4_results.json`.
- [7] Roman Kuznetsov. Eia proof protocol v0.1 (sci-flow-eia-proof-v0.1), 2026. `research/sci_flow/EIA_PROOF_PROTOCOL.md`.
- [8] Roman Kuznetsov. Endogeneity metrics pool — canonical registry, 2026. `research/sci_flow/ENDOGENEITY_METRICS_POOL.md`; M-EMP.
- [9] Roman Kuznetsov. G2 e01 partial multi-world eval, 2026. `research/sci_flow/M-G2_E01_worlds_2026-09-02.json`.

- [10] Roman Kuznetsov. M-3d-express 9-cell smoke harness, 2026. `research/sci_flow/M-3D-EXPRESS_2026-09-05.json`.
- [11] Roman Kuznetsov. M-e04 dsr / eoi drift on shadow carryover, 2026. `research/sci_flow/M-E04_EOI_drift_2026-09-02.json`; DSR 0.822–0.912.
- [12] Roman Kuznetsov. M-o neuraxon/graphitti endogeneity factor probe, 2026. `research/sci_flow/M-O_NEURAXON_GRAPHITTI_ENDOGENEITY.md`.
- [13] Roman Kuznetsov. M-omega delta-g bridge (f-omega-decor probe), 2026. `research/sci_flow/M-OMEGA_delta_G_2026-09-05.json`; SHA-256 88a153b6.
- [14] Roman Kuznetsov. Namm experiments: Non-anthropic mathematics mode, 2026. Verification-first machine-native math discovery; Protocol v2; falsifiable SNH gates.
- [15] Roman Kuznetsov. Omega wave metric — multi-band analog order parameter, 2026. `research/sci_flow/OMEGA_WAVE_METRIC.md`.
- [16] Roman Kuznetsov. Proto-agi max consensus — ensemble operational definition, 2026. `research/sci_flow/PROTO_AGI_MAX_CONSENSUS.md`; M-PROTO-AGI.
- [17] Roman Kuznetsov. Sci-flow 3d evidence cube, 2026. `research/sci_flow/SCI_FLOW_3D_CUBE.md`.
- [18] Roman Kuznetsov. Stable endogeneity — multi-loop operational theory, 2026. `research/sci_flow/STABLE_ENDOGENEITY.md`.
- [19] Miller Laboratory. Cognition and consciousness arise from analog computations, says new theory. <https://picower.mit.edu/news/cognition-and-consciousness-arise-analog-computations-says-new-theory>, 2026. Picower Institute, MIT; traveling-wave analog computation hypothesis.
- [20] Deepak Pathak, Pulkit Agrawal, Alexei A. Efros, and Trevor Darrell. Curiosity-driven exploration by self-supervised prediction. In *Proceedings of the 34th International Conference on Machine Learning (ICML)*, volume 70 of *Proceedings of Machine Learning Research*, pages 2778–2787. PMLR, 2017.
- [21] Judea Pearl. *Causality: Models, Reasoning, and Inference*. Cambridge University Press, 2nd edition, 2009.
- [22] Jürgen Schmidhuber. Formal theory of creativity, fun, and intrinsic motivation (1990–2010). *Frontiers in Psychology*, 1:85, 2010.
- [23] Theodore R. Sumers, Shunyu Yao, Karina Harp, Diyi Yang, Karthik Narasimhan, and Christopher Ré. Cognitive architectures for language agents. In *Transactions on Machine Learning Research*, 2024. Survey on language-agent cognitive stacks.
- [24] Victor Veitch, Alexander D’Amour, Steve Yadlowsky, and Jacob Eisenstein. Counterfactual invariance to spurious correlations in text classification. *Advances in Neural Information Processing Systems (NeurIPS)*, 34, 2021.