



FPA2 joint block -- FULL-DETECTOR post-fit residual (hires), 58 windows stitched, 1024/1024 rows covered, 57 window boundaries marked


raw residual (symlog, linthresh=0.00044)



each window normalised by its own RMS (structure, not amplitude)




per-row residual RMS across the full slit (log scale)








FPA2 joint block -- post-fit residual in DETECTOR space (hires; grey lines = eta bin edges)


rows 0-8 (G=9, RMS=1.34e-05)




rows 483-505 (G=23, RMS=0.0131)



FPA2 joint block rows 0-8 -- residual in FITTING space (hires): within-bin residual vs. wavenumber




per-bin fit quality, decomposed




FPA2 joint block rows 483-505 -- residual in FITTING space (hires): within-bin residual vs. wavenumber


bin 0 (eta=-0.07653, x=-107 km, 321 px) <-- worst




bin 4 (eta=-0.06430, x=-90 km, 1070 px)




bin 8 (eta=-0.05624, x=-79 km, 1071 px)




bin 13 (eta=-0.04617, x=-65 km, 1070 px)



bin 17 (eta=-0.03813, x=-53 km, 1063 px)



bin 22 (eta=-0.02434, x=-34 km, 362 px)



per-bin fit quality, decomposed

