




















FPA0 -- realistic, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA0 -- realistic, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA0 -- uniform, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA0 -- uniform, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA0 -- barcode, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA0 -- barcode, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA1 -- realistic, no noise (retrieved state $\pm 1\sigma$ and residual RMS vs. slit position)




FPA1 -- realistic, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA1 -- uniform, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA1 -- uniform, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA1 -- barcode, no noise (retrieved state $\pm 1\sigma$ and residual RMS vs. slit position)


FPA1 -- barcode, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA2 -- realistic, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA2 -- realistic, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA2 -- uniform, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA2 -- uniform, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA2 -- barcode, no noise (retrieved state $\pm 1\sigma$ and residual RMS vs. slit position)




FPA2 -- barcode, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA3 -- realistic, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA3 -- realistic, noise (retrieved state +/-1sigma and residual RMS vs. slit position)




FPA3 -- uniform, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)



FPA3 -- uniform, noise (retrieved state +/-1sigma and residual RMS vs. slit position)



FPA3 -- barcode, no noise (retrieved state +/-1sigma and residual RMS vs. slit position)



FPA3 -- barcode, noise (retrieved state +/-1sigma and residual RMS vs. slit position)

