



FPA0 -- realistic, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)


row 0: x=-1374km




row 113: x=-1070km




row 226: x=-764km




row 340: x=-454km




row 365: worst (chi2=0.0575)




row 454: x=-144km




row 529: best (chi2=0.000733)




row 569: x=169km




row 682: x=477km




row 796: x=786km




row 909: x=1093km




row 1023: x=1400km




FPA0 -- realistic, noise (residual spectra: best/worst native chi2 + 10 spanning rows)















FPA0 -- uniform, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)















FPA0 -- uniform, noise (residual spectra: best/worst native chi2 + 10 spanning rows)















FPA0 -- barcode, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA0 -- barcode, noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA1 -- realistic, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA1 -- realistic, noise (residual spectra: best/worst native chi2 + 10 spanning rows)















FPA1 -- uniform, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA1 -- uniform, noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA1 -- barcode, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA2 -- realistic, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA2 -- realistic, noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA2 -- uniform, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA2 -- uniform, noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA2 -- barcode, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA2 -- barcode, noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA3 -- realistic, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA3 -- realistic, noise (residual spectra: best/worst native chi2 + 10 spanning rows)




FPA3 -- uniform, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)



FPA3 -- uniform, noise (residual spectra: best/worst native chi2 + 10 spanning rows)



FPA3 -- barcode, no noise (residual spectra: best/worst native chi2 + 10 spanning rows)



FPA3 -- barcode, noise (residual spectra: best/worst native chi2 + 10 spanning rows)

