(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
07 March 2024 (07.03.2024)

WIPO | PCT

(10) International Publication Number
WO 2024/047393 A1

(51) International Patent Classification:
G06Q 10/06 (2023.01) *G06Q 50/10* (2012.01)

(21) International Application Number:
PCT/IB2022/060138

(22) International Filing Date:
21 October 2022 (21.10.2022)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
202221049316 29 August 2022 (29.08.2022) IN

(72) Inventors; and
(71) Applicants: **PANCHAL, Pranav Jayantilal** [IN/IN]; 4A, Amrakunj Society-2 B/h Spandan Apt. Opp Gail Headquarters, Urmi Road, Akota, Gujarat, Vadodara 390007 (IN). **GOEL, Anil Ravindra** [IN/IN]; 1-A, Carter Apartments, 345 Sherly Rajan Road, Off Carter Road, Bandra West, Maharashtra, Mumbai 400050 (IN).

(74) Agent: **SINGH NADIYAL, Vidya Bhaskar**; Ipflair Consulting Pvt. Ltd., Indiqube Orion, 24th Main Rd., Garden Layout, Sector 2, Hsr Layout, Karnataka, Bangalore 560102 (IN).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CV, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IQ, IR, IS, IT, JM, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, CV, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SC, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, ME, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

(54) Title: A SYSTEM AND A METHOD FOR FINDING A SPORTS PARTNER

(57) Abstract: A system (10) for finding a sports partner is disclosed. The system includes a processing subsystem (20) including a registration module (50) to register users upon receiving user details. The processing subsystem includes a partner matching module (70) to filter the user details into a user preference data structure. The partner matching module is to compare the user preference data structure of a first user with the user preference data structure of a second user to generate a match score. The partner matching module is to notify the first user and the second user regarding an availability of a sports partner. The processing subsystem includes a communication module (80) to establish a communication channel between the first user and the second user. The processing subsystem includes a user rating module (90) to generate ratings for the first user and the second user based on feedbacks received.



FIG. 1

WO 2024/047393 A1

[Continued on next page]

Declarations under Rule 4.17:

— *as to the identity of the inventor (Rule 4.17(i))*
— *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*
— *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))*

Published:

— *with international search report (Art. 21(3))*

A SYSTEM AND A METHOD FOR FINDING A SPORTS PARTNER

EARLIEST PRIORITY DATE

This Application claims priority from a Complete patent application filed in India having Patent Application No. 202221049316, filed on August 29, 2022, and titled "A SYSTEM AND A METHOD FOR FINDING A SPORTS PARTNER".

FIELD OF INVENTION

Embodiments of the present disclosure relate to the field of social networking and more particularly to a system and a method for finding a sports partner.

BACKGROUND

Sports may be defined as an activity involving physical exertion and skill in which an individual or team competes against others for entertainment. The sports may include, but not limited to, chess, badminton, football, cricket and the like. Participation of at least one co-player is required for the occurrence of sporting events. Due to unavailability of the co-player, many sporting events fail to occur. Reduction in the sporting events may lead to underutilization of sports infrastructure and may affect health and wellness of individuals.

The current system fails to provide a way to find players available to participate in the sports. Also, the current system lacks the ability to provide a communication channel between the players to schedule a sporting event. Further, the current system is inefficient in providing information regarding health care professionals to the players when requested. Furthermore, the current system fails to connect the players with vendors ready to rent out sports equipment and venues. The current system fails to furnish ratings for the players based on the feedback received from the co-player.

Hence, there is a need for an improved system and a method for finding a sports partner to address the aforementioned issue(s).

BRIEF DESCRIPTION

In accordance with an embodiment of the present disclosure, a system for finding a sports partner is provided. The system includes a processing subsystem hosted on a

server and configured to execute on a network to control bidirectional communications among a plurality of modules. The processing subsystem includes a registration module operatively coupled to an integrated database. The registration module is configured to register one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details. The one or more corresponding user details includes at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport. The processing subsystem also includes a partner matching module operatively coupled to the integrated database. The partner matching module is configured to filter the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique. The partner matching module is also configured to compare the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score.

The one or more parameters includes at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user. The partner matching module further configured to notify the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold. The processing subsystem further includes a communication module operatively coupled to the integrated database. The communication module is configured to establish a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user. The processing subsystem includes a user rating module operatively coupled to the integrated database. The user rating module is configured to receive one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled. The one or more feedbacks includes at least one of a score, a proficiency level, a sportsman ship, and participation level. The user rating module is also configured to generate one

or more ratings for the first user and the second user based on the one or more feedbacks received.

In accordance with another embodiment of the present disclosure, a method for finding a sports partner is provided. The method includes registering, by a registration module, one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details. The one or more corresponding user details includes at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport. The method also includes filtering, by a partner matching module, the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique. The method further includes comparing, by the partner matching module, the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score. The one or more parameters includes at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user.

The method also includes notifying, by the partner matching module, the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold. The method also includes establishing, by a communication module, a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user. The method also includes receiving, by a user rating module, one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled. The one or more feedbacks includes at least one of a score, a proficiency level, a sportsman ship, and participation level. The method further includes generating, by the user rating module, one or more ratings for the first user and the second user based on the one or more feedbacks received.

To further clarify the advantages and features of the present disclosure, a more particular description of the disclosure will follow by reference to specific embodiments thereof, which are illustrated in the appended figures. It is to be appreciated that these figures depict only typical embodiments of the disclosure and are therefore not to be considered limiting in scope. The disclosure will be described and explained with additional specificity and detail with the appended figures.

BRIEF DESCRIPTION OF THE DRAWINGS

The disclosure will be described and explained with additional specificity and detail with the accompanying figures in which:

FIG. 1 is a block diagram representation of a system for finding a sports partner in accordance with an embodiment of the present disclosure;

FIG. 2 is a block diagram representation of one embodiment of the system of FIG. 1, in accordance with an embodiment of the present disclosure;

FIG. 3 is a schematic representation of an exemplary embodiment of the system of FIG. 1, in accordance with an embodiment of the present disclosure;

FIG. 3 (a) is a schematic representation of one embodiment of the exemplary system of FIG. 3, depicting a connection proposal in accordance with an embodiment of the present disclosure;

FIG. 3 (b) is a schematic representation of one embodiment of the exemplary system of FIG. 3, depicting a confirmation window in accordance with an embodiment of the present disclosure;

FIG. 4 is a block diagram of a computer or a server in accordance with an embodiment of the present disclosure;

FIG. 5 (a) is a flow chart representing the steps involved in a method for finding a sports partner in accordance with an embodiment of the present disclosure; and

FIG. 5 (b) is a flow chart representing the continued steps involved in a method of FIG. 5 (a), in accordance with an embodiment of the present disclosure.

Further, those skilled in the art will appreciate that elements in the figures are illustrated for simplicity and may not have necessarily been drawn to scale. Furthermore, in terms of the construction of the device, one or more components of the device may have been represented in the figures by conventional symbols, and the figures may show only those specific details that are pertinent to understanding the embodiments of the present disclosure so as not to obscure the figures with details that will be readily apparent to those skilled in the art having the benefit of the description herein.

DETAILED DESCRIPTION

For the purpose of promoting an understanding of the principles of the disclosure, reference will now be made to the embodiment illustrated in the figures and specific language will be used to describe them. It will nevertheless be understood that no limitation of the scope of the disclosure is thereby intended. Such alterations and further modifications in the illustrated system, and such further applications of the principles of the disclosure as would normally occur to those skilled in the art are to be construed as being within the scope of the present disclosure.

The terms "comprises", "comprising", or any other variations thereof, are intended to cover a non-exclusive inclusion, such that a process or method that comprises a list of steps does not include only those steps but may include other steps not expressly listed or inherent to such a process or method. Similarly, one or more devices or sub-systems or elements or structures or components preceded by "comprises... a" does not, without more constraints, preclude the existence of other devices, sub-systems, elements, structures, components, additional devices, additional sub-systems, additional elements, additional structures, or additional components. Appearances of the phrase "in an embodiment", "in another embodiment" and similar language throughout this specification may, but not necessarily do, all refer to the same embodiment.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by those skilled in the art to which this disclosure belongs. The system, methods, and examples provided herein are only illustrative and not intended to be limiting.

In the following specification and the claims, reference will be made to a number of terms, which shall be defined to have the following meanings. The singular forms “a”, “an”, and “the” include plural references unless the context clearly dictates otherwise.

Embodiments of the present disclosure relate to a system and a method for finding a sports partner. The system includes a processing subsystem hosted on a server and configured to execute on a network to control bidirectional communications among a plurality of modules. The processing subsystem includes a registration module operatively coupled to an integrated database. The registration module is configured to register one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details. The one or more corresponding user details includes at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport. The processing subsystem also includes a partner matching module operatively coupled to the integrated database. The partner matching module is configured to filter the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique. The partner matching module is also configured to compare the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score.

The one or more parameters includes at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user. The partner matching module further configured to notify the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold. The processing subsystem further includes a communication module operatively coupled to the integrated database. The communication module is configured to establish a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user. The processing subsystem includes a user

rating module operatively coupled to the integrated database. The user rating module is configured to receive one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled. The one or more feedbacks includes at least one of a score, a proficiency level, a sportsman ship, and participation level. The user rating module is also configured to generate one or more ratings for the first user and the second user based on the one or more feedbacks received.

FIG. 1 is a block diagram representation of a system (10) for finding a sports partner in accordance with an embodiment of the present disclosure. The system (10) includes a processing subsystem (20). The processing subsystem (20) is hosted on a server (30). In one embodiment, the server (30) may be a cloud-based server. In another embodiment, the server (30) may be a local server. The processing subsystem (20) is configured to execute on a network (40) to control bidirectional communications among a plurality of modules. In one embodiment, the network (40) may include one or more terrestrial and/or satellite networks interconnected to communicatively connect a user device to web server engine and a web crawler. In one example, the network (40) may be a private or public local area network (LAN) or wide area network (WAN), such as the Internet.

Further, in another embodiment, the network (40) may include both wired and wireless communications according to one or more standards and/or via one or more transport mediums. In one example, the network (40) may include wireless communications according to one of the 802.11 or Bluetooth specification sets, LoRa (Long Range Radio) or another standard or proprietary wireless communication protocol. In yet another embodiment, the network (40) may also include communications over a terrestrial cellular network, including, a GSM (global system for mobile communications), CDMA (code division multiple access), and/or EDGE (enhanced data for global evolution) network.

Also, the processing subsystem (20) includes a registration module (50) operatively coupled to an integrated database (60). In a specific embodiment, the integrated database (60) may include, but not limited to, a SQL based database, non-SQL based database, object-oriented database, hierarchical database, columnar database and the like. The registration module (50) is configured to register one or more users by

creating one or more corresponding user profiles in the integrated database (60) upon receiving one or more corresponding user details. The one or more corresponding user details includes at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport.

Moreover, in one embodiment, the one or more corresponding user details may also include photographs of the one or more corresponding users, playing history, and a dating preference. In one embodiment, the contact detail may include, but not limited to, an email address, a pin code, a home address, an office address, a mobile number, a social media link and the like. In a specific embodiment, the preferred sport may include, but not limited to, an indoor game, an outdoor game, a sport activity, cricket, football, badminton, trekking, swimming, board games and the like. In some embodiments, the skill level may include, but not limited to, beginner, intermediate, expert and the like. In one embodiment, the available time slot may include at least one of a time or a time period and a date.

Further, in a specific embodiment, the preferred location may include, address of a venue, location of a venue and the like. For example, consider a scenario in which, the registration module (50) may register a user X and a user Y by creating corresponding user profiles in the integrated database (60) upon receiving one or more corresponding user details. The user X may provide user details such as “Vivek” as the name, badminton as the preferred sport, and between 7 pm and 8 pm on Sunday as the available time slot to play the badminton and a preferred location to play the badminton. Similarly, the user Y may provide user details such as the “Virat” as the name, cricket and badminton as the preferred sport, Sunday between 3pm and 4pm, Sunday between 7pm and 8pm as the available time slot to play the cricket and the badminton respectively, and location of a sports venue Z as the preferred location to play the cricket and the badminton. The user X and the user Y may even provide a particular pin code or an area as the preferred location.

Furthermore, the processing subsystem (20) also includes a partner matching module (70) operatively coupled to the integrated database (60). The partner matching module (70) is configured to filter the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique. In a specific

embodiment, the data filtration technique may filter the one or more corresponding user details into one or more formats by eliminating null values, duplicate values and like. In continuation with the ongoing example, the partner matching module (70) may filter the user details provided by the user X into a user preference data structure associated with the user X. Similarly, the partner matching module (70) may filter the user details provided by the user Y into a user preference data structure associated with the user Y.

Also, the user preference data structure associated with the user X may be an array having array elements similar to the user details provided by the user X corresponding to array indexes including the name, the preferred sport, the available time slot to play the preferred sport, and the preferred location for playing the preferred sport. Similarly, the user preference data structure associated with the user Y may be an array having array elements similar to the user details provided by the user Y corresponding to array indexes including the name, the preferred sport, the available time slot to play the preferred sport, and the preferred location for playing the preferred sport.

Additionally, the partner matching module (70) is also configured to compare the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score. The one or more parameters includes at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user. In continuation with the ongoing example, the partner matching module (70) may further compare the user preference data structure associated with the user X and the user preference data structure associated with the user Y to generate the match score.

Also, the partner matching module (70) may look for matching array elements in the user preference data structure associated with the user X and the user preference data structure associated with the user Y to generate the match score. The user preference data structure associated with the user X and the user preference data structure associated with the user Y includes matching array elements such as the badminton as the preferred sport, between 7 pm and 8 pm on Sunday as the available time slot to play the badminton. The partner matching module (70) may generate the match score on the matching array elements. In one embodiment, the match score generated may

be based on the skill level of the corresponding users, location of the corresponding users and the like. Consider a scenario in which the user Y is staying closer to user X compared to a user Q. In such a scenario, match score generated between the user X and the user Y may be more compared to the match score generated between the user X and the user Q. Consider another scenario in which, skill levels associated with the user X, the user Y, and the user Q is beginner, intermediate and expert respectively. In such a scenario, the match score generated between the user X and the user Y may be less than the match score generated between the user Y and the user Q.

Besides, the partner matching module (70) is further configured to notify the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold. In one embodiment, the partner matching module may be configured to display the one or more corresponding user profiles in the graphical user interface based on the match score generated. In such an embodiment, the partner matching module may display the one or more corresponding user profiles in the graphical user interface by sorting the one or more corresponding user profiles based on the descending order of the associated match score generated.

Further, in continuation with the ongoing example, consider a scenario in which the match score generated by the partner matching module (70) is above the predefined threshold for the user X and the user Y compared to the match score generated for the user X and the user Q. The predefined threshold may be calculated based on the preferences set by the user X and the user Y and the user Q. The partner matching module (70) may notify the user X regarding the availability of the user Y by displaying the connection proposal in the graphical user interface associated with the user X. The partner matching module (70) may notify the user X regarding the availability of the user Q only after displaying the availability of the user Y, since the match score generated between the user X and the user Y is more than the user X and the user Q. In one embodiment, the graphical user interface may be capable of receiving inputs from the one or more users through a click, a touch, a gesture, a voice command and the like.

Further, the partner matching module (70) may also notify the user Y regarding the availability of the user X by displaying the connection proposal in the graphical user interface associated with the user X. The user X may evaluate the user details provided by the user Y by clicking on the connection proposal to decide whether to connect with the user Y or not. The graphical user interface may display one or more sports imageries related to the preferred sport. The user X may accept the connection proposal by interacting with the one or more sports imageries displayed on the graphical user interface. Similarly, the user Y may be entitled to interact with the graphical user interface to accept the connection proposal to connect with the user X.

In detail, the one or more sports imageries displayed through the graphical user interface may include a badminton racket since badminton is the preferred sport for the user X and the user Y. The user X may accept the connection proposal by dragging the badminton racket displayed in the graphical user interface in a first predefined direction. Similarly, the user X may reject the connection proposal by dragging the badminton racket in a second predefined direction. In one embodiment, the partner matching module (70) may start functioning, when the user X and the user Y provides a ready to play input through the graphical user interface.

Also, the processing subsystem (20) further includes a communication module (80) operatively coupled to the integrated database (60). The communication module (80) is configured to establish a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user. In one embodiment, the communication channel may support, text messaging, voice calling, video calling and the like. In continuation with the ongoing example, the communication module (80) may establish a communication channel between the user X and the user Y upon accepting the connection proposal by the user X and the user Y. The user X and the user Y may communicate each other through the communication channel established to schedule a meet up to play the badminton.

Additionally, the processing subsystem (20) includes a user rating module (90) operatively coupled to the integrated database (60). The user rating module (90) is configured to receive one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled. The

one or more feedbacks includes at least one of a score, a proficiency level, a sportsman ship, punctuality and participation level. The user rating module (90) is also configured to generate one or more ratings for the first user and the second user based on the one or more feedbacks received. In one embodiment, the user rating module (90) may be configured to display a rank evaluated corresponding to the one or more users in the graphical user interface based on one or more predefined rules. In such an embodiment, the user rating module (90) may also be configured to allot one or more royalty points to the one or more corresponding users based on the rank evaluated to provide controlled access to the one or more corresponding users to the plurality of modules.

Moreover, in one embodiment, the one or more predefined rules may include, at least one of a highest score, the proficiency level, duration of play and the like. In continuation with the ongoing example, the user rating module (90) may generate one or more ratings for the user X based on the one or more feedbacks received from the user Y. Similarly, the user rating module (90) may generate one or more ratings for the user Y based on the one or more feedbacks received from the user X. The user rating module (90) may also display a rank evaluated corresponding to the user X and the user Y. Also, the user rating module (90) may provide one or more royalty points to the user X the user Y based on the rank evaluated to provide controlled access to the user X and the user Y to the plurality of modules. In one embodiment, the user rating module (90) may provide a way to validate the score by an authorized person having a user profile in the integrated database.

FIG. 2 is a block diagram representation of one embodiment of the system (10) of FIG. 1, in accordance with an embodiment of the present disclosure. The system (10) of FIG. 1 includes the registration module (50), the partner matching module (70), the communication module (80), and the user rating module (90). In one embodiment, the system (10) of FIG. 1 may include the processing subsystem (20) including a partner search module (100) configured to enable the one or more users to search for the sports partner based on the one or more corresponding user details. In continuation with the ongoing example, the partner search module (100) may enable the user X to search for the sports partner based on the corresponding user details including an age range, gender, height, weight, the preferred sport, the skill level to play the preferred sport,

the available time slot to play the preferred sport, the preferred location to play the preferred sport, and the dating preference.

Further, consider a scenario in which the user X may find a sports partner A who is meeting preferences of the user X. In such a scenario, the partner search module (100) may enable the user X to send a connection request to the sports partner A by restricting access to the user details associated with the sports partner A. The partner search module (100) may enable the user X to view the user details associated with the user A when the sports partner A accepts the connection request. In detail, when the user X is searching for the sports partner, one or more sports partners may be displayed in the user interface associated with the user X such as the user A, a user S and the like based on the preference of the user X. The one or more user details associated with the user A and the user S may be restricted to the user X except the photograph or the name.

Additionally, consider a scenario in which the user X selects the user A ignoring the user S. The partner search module may record selection made by the user X in the integrated database. Consider another scenario in which the user A may be searching for the sports partner. The partner search module may display the user X and the user S in the graphical user interface associated with the user A. The user A may not be able to see the one or more user details associated with the user X and the user S except a photograph or a name. The user A may select user X over the user S and the partner search module may record the selection made by the user A. The partner search module may display the one or more information associated with the user X with the user A and vice versa upon selection of the user A by the user X and vice versa. In some embodiments, the processing subsystem (20) may also include a label generation module (110) configured to generate one or more labels to the first user and the second user based on the one or more ratings generated by the user rating module (90). In one embodiment, the one or more labels may include, champ, awesome player, professional, coach and the like.

Furthermore, in a specific embodiment, the processing subsystem (20) may also include a venue management module (120) configured to display information regarding one or more venues through the graphical user interface upon receiving one or more requests from the one or more corresponding users. The venue management

module (120) may also be configured to reserve the one or more venues selected by the one or more corresponding users to conduct the sporting event. In continuation with the ongoing example, the venue management module (120) may display a venue B and venue C upon receiving one or more requests from the user X. The venue B may be a free venue and the venue C may need prebooking for playing the badminton. The venue management module (120) may enable the user X to reserve the venue C to play the badminton.

Moreover, in one embodiment, the processing subsystem (20) may also include an equipment rental module (130) configured to provide information regarding one or more sports equipment's available to the one or more users upon receiving one or more requests from the one or more corresponding users. The one or more sporting equipment may include, but not limited to, cricket bat, pads, helmets, badminton rackets, surfing boards and the like. The equipment rental module (130) may also be configured to reserve the one or more sports equipment's selected by the one or more corresponding users upon payment of a predefined amount. In continuation with the ongoing example, the equipment rental module (130) may provide information regarding badminton rackets available upon receiving one or more requests from the user X. The equipment rental module (130) may reserve the badminton rackets selected by the user X upon payment of the predefined amount.

Additionally, the processing subsystem (20) may also include a health care module (140) configured to display information regarding one or more healthcare professionals through the graphical user interface upon receiving one or more requests from the one or more users. In such an embodiment, the one or more health care professionals may include at least one of a doctor, a nurse, a physio, and a nutritionist. The health care module (140) may also be configured to establish a communication channel between the one or more health care professionals and the one or more corresponding users to enable remote consultation upon selection of the one or more health care professionals by the one or more corresponding users. In continuation with the ongoing example, consider a scenario in which the user X got injured while playing the badminton. The heath care module may display information regarding the physio through the graphical user interface upon receiving a request from the user X. The

health care module (140) may also establish a communication channel between the user X and the physio selected by the user X to enable remote consultation.

Further, the processing subsystem (20) may also include an advertisement management module (150) configured to enable one or more advertisers to display corresponding one or more advertisements through the graphical user interface upon payment of a predefined amount. In one embodiment, the one or more advertisements may include, but not limited to, advertisements related to sports goods, advertisements related to food supplements, advertisements related to sports venues and the like. The processing subsystem (20) may also include a subscription management module (160) configured to enable the one or more corresponding users to search for the sports partner in a plurality of geographical regions upon payment of a subscription charge. In continuation with the ongoing example, the partner matching module (70) or the partner search module (100) enables the user X to find the sports partner from a single geographic location D. The subscription management module (160) enables the user X to search for the sports partner from multiple geographic locations upon payment of a subscription fee.

FIG. 3 is a schematic representation of an exemplary embodiment (200) of the system (10) of FIG. 1 in accordance with an embodiment of the present disclosure. Consider a scenario in which a user E (210) is looking for two players to set up a rugby team. The user could only find 13 players and the user E (210) is short of 2 players. The registration module (50) registers the user E (210) by creating a user profile corresponding to the user E (210). The user E (210) may provide the one or more user details to the registration module (50) for creating the user profile. The one or more user details may include name of the user E (210), rugby as the preferred sport, tentative time and date for playing the rugby, a venue for playing the rugby, requirement of a player to play in the quarter back position and a requirement for a player to play in the tight end.

Further, consider a scenario in which a user F (220) and a user G (230) are preregistered users having respective user profiles in the integrated database (60). User F (220) is a player who is capable of playing in the quarterback position and the user G (230) is a player who is capable of playing in the tight end position. User F (220) and the user G (230) are looking forward to playing rugby at the same time and date

mentioned by the user E (210). The partner matching module (70) may notify the user E (210) regarding the user F (220) and the user G (230) by displaying corresponding connection proposals when the corresponding matching score generated is above the predefined threshold. The communication module (80) may establish individual communication channels for the user E (210) to communicate with the user F (220) and the user G (230) upon accepting the corresponding connection proposals by the user F (220) and the user G (230).

Furthermore, the advertisement module may enable the one or more advertisers to display an advertisement regarding avenue H (not shown in FIG. 3) in the graphical user interface associated with the user E (210), the user F (220), and the user G (230) upon payment of the predefined amount. The venue management module (120) may reserve the venue H selected by the user E (210) for playing the rugby. The equipment rental module (130) may reserve boots for the user F (220) upon payment of the predefined by the user F (220). The user rating module (90) may generate the one or more ratings for the user E (210), the user F (220) and the user G (230) based on the one or more feedbacks provided by the co-players. The user rating module (90) may also display a rank evaluated corresponding to the user E (210), the user F (220), and the user G (230) based on the score secured by respective players.

Also, the user rating module (90) may allot one or more royalty points to the user F (220), the user E (210), and the user G (230) based on the rank evaluated and other factors. Further the label generation module (110) may generate the one or more labels to the user E (210), the user F (220), and the user H based on the one or more ratings generated. Consider a scenario in which the user F (220) got injured during the game. The health care module (140) may display information regarding a physician upon receiving the one or more requests from the user F (220). The health care module (140) may establish the communication channel between the physician and the user F (220) for enabling remote consultation of the physician.

Additionally, consider another scenario in which the user E (210) may travel to another city J after playing the rugby. The subscription management module (160) enables the user E (210) to search for the sports partner in the city J other than home location of the user E (210) upon payment of the subscription charge. Also, the partner search module (100) enables the user E (210) to search for the sports partner based on the

corresponding user details. The connection proposal displayed in the graphical user interface is explained in detail in FIG. 3(a).

FIG. 3 (a) is a schematic representation of one embodiment of the exemplary system of FIG. 3, depicting the connection proposal in accordance with an embodiment of the present disclosure. The partner matching module (70) may display the corresponding connection proposal (240) in the graphical user interface associated with the user E (210) to add the user F (220) and the user G (230). The connection proposal displayed may include an acceptance region (250) and one or more rejection regions (260). In order to accept the connection proposal (240) to connect with the user F (220) or the user G (230), the user E (210) may have to drag a rugby ball (270) towards the acceptance region (250). In order to reject the connection proposal, the user E (210) have to drag the rugby ball (270) to the one or more rejection regions (260).

Further, based on the preferred sport, the rugby ball (270) may be replaced by corresponding sports equipment related to the preferred sport such a cricket ball, a football, a tennis ball and the like. The user E (210) may see user profile of the user F (220) or the user G (230) by clicking on the information button (280) in the graphical user interface. The one or more labels generated by the label generation module (110) may be displayed in the label area (290) when both of the user E (210) and the user F (220) or the user G (230) accepts the connection proposal, a confirmation window (300) may appear on the graphical user interface as shown in FIG. 3(b).

FIG. 4 is a block diagram of a computer or a server (30) in accordance with an embodiment of the present disclosure. The server (30) includes processor(s) (400), and memory (410) operatively coupled to the bus (420). The processor(s) (400), as used herein, includes any type of computational circuit, such as, but not limited to, a microprocessor, a microcontroller, a complex instruction set computing microprocessor, a reduced instruction set computing microprocessor, a very long instruction word microprocessor, an explicitly parallel instruction computing microprocessor, a digital signal processor, or any other type of processing circuit, or a combination thereof.

The memory (410) includes several subsystems stored in the form of executable program which instructs the processor to perform the method steps illustrated in FIG.

1. The memory (410) is substantially similar to system (10) of FIG.1. The memory (410) has the following subsystems: the processing subsystem (20) including the registration module (50), the partner matching module (70), the communication module (80), the user rating module (90), the partner search module (100), the label generation module (110), the venue management module (120), the equipment rental module (130), the health care module (140), the advertisement management module (150), the subscription management module (160). The plurality of modules of the processing subsystem (20) performs the functions as stated in FIG. 1 and FIG. 2. The bus (420) as used herein refers to be the internal memory channels or computer network that is used to connect computer components and transfer data between them. The bus (420) includes a serial bus or a parallel bus, wherein the serial bus transmit data in bit-serial format and the parallel bus transmit data across multiple wires. The bus (420) as used herein, may include but not limited to, a system bus, an internal bus, an external bus, an expansion bus, a frontside bus, a backside bus, and the like.

The processing subsystem (20) includes a registration module (50) operatively coupled to an integrated database (60). The registration module (50) is configured to register one or more users by creating one or more corresponding user profiles in the integrated database (60) upon receiving one or more corresponding user details. The one or more corresponding user details includes at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport. The processing subsystem (20) also includes a partner matching module (70) operatively coupled to the integrated database (60). The partner matching module (70) is configured to filter the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique. The partner matching module (70) is also configured to compare the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score. The one or more parameters includes at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user.

Also, the partner matching module (70) further configured to notify the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold. The processing subsystem (20) further includes a communication module (80) operatively coupled to the integrated database (60). The communication module (80) is configured to establish a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user. The processing subsystem (20) includes a user rating module (90) operatively coupled to the integrated database (60). The user rating module (90) is configured to receive one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled. The one or more feedbacks includes at least one of a score, a proficiency level, a sportsman ship, and participation level. The user rating module (90) is also configured to generate one or more ratings for the first user and the second user based on the one or more feedbacks received.

The processing subsystem (20) also includes a partner search module (100) configured to enable the one or more users to search for the sports partner based on the one or more corresponding user details. The processing subsystem (20) also includes a label generation module (110) configured to generate one or more labels to the first user and the second user based on the one or more ratings generated by the user rating module (90). The processing subsystem (20) also includes a venue management module (120) configured to display information regarding one or more venues through the graphical user interface upon receiving one or more requests from the one or more corresponding users. The venue management module (120) is also configured to reserve the one or more venues selected by the one or more corresponding users to conduct the sporting event. The processing subsystem (20) also includes an equipment rental module (130) configured to provide information regarding one or more sports equipment's available to the one or more users upon receiving one or more requests from the one or more corresponding users. The equipment rental module (130) is also configured to reserve the one or more sports equipment's selected by the one or more corresponding users upon payment of a predefined amount. The processing subsystem

(20) also includes a health care module (140) configured to display information regarding one or more healthcare professionals through the graphical user interface upon receiving one or more requests from the one or more users. The one or more health care professionals comprises at least one of a doctor, a nurse, a physio, and a nutritionist. The health care module (140) is also configured to establish a communication channel between the one or more health care professionals and the one or more corresponding users to enable remote consultation upon selection of the one or more health care professionals by the one or more corresponding users. The processing subsystem (20) also includes an advertisement management module (150) configured to enable one or more advertisers to display corresponding one or more advertisements through the graphical user interface upon payment of a predefined amount. The processing subsystem (20) also includes a subscription management module (160) configured to enable the one or more corresponding users to search for the sports partner in a plurality of geographical regions upon payment of a subscription charge.

Computer memory elements may include any suitable memory device(s) for storing data and executable program, such as read only memory, random access memory, erasable programmable read only memory, electrically erasable programmable read only memory, hard drive, removable media drive for handling memory cards and the like. Embodiments of the present subject matter may be implemented in conjunction with program modules, including functions, procedures, data structures, and application programs, for performing tasks, or defining abstract data types or low-level hardware contexts. Executable program stored on any of the above-mentioned storage media may be executable by the processor(s) (400).

FIG. 5 (a) and FIG. 5 (b) is a flow chart representing the steps involved in a method (500) for finding a sports partner. The method (500) includes registering one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details in step 510. In one embodiment, registering one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details includes registering one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details by a

registration module. The one or more corresponding user details comprises at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport.

Further, in a specific embodiment, the integrated database may include, but not limited to, a SQL based database, non-SQL based database, object-oriented database, hierarchical database, columnar database and the like. In one embodiment, the one or more corresponding user details may include photographs of the one or more corresponding users, playing history, and a dating preference. In one embodiment, the contact detail may include, but not limited to, an email address, a pin code, a home address, an office address, a mobile number, a social media link and the like. In a specific embodiment, the preferred sport may include, but not limited to, an indoor game, an outdoor game, a sport activity, cricket, football, badminton, trekking, swimming, board games and the like. In some embodiments, the skill level may include, but not limited to, beginner, intermediate, expert and the like. In one embodiment, the available time slot may include at least one of a time or a time period and a date. In a specific embodiment, the preferred location may include, address of a venue, location of a venue and the like.

The method (500) also includes filtering the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique in step 520. In one embodiment, filtering the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique includes filtering the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique by a partner matching module. In a specific embodiment, the data filtration technique may filter the one or more corresponding user details into one or more formats by eliminating null values, duplicate values and like.

The method (500) also includes comparing the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score in step 530. In one embodiment, comparing the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in

purview of one or more parameters to generate a match score includes comparing the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score by the partner matching module. The one or more parameters comprises at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user.

The method (500) also includes notifying the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold in step 540. In one embodiment, notifying the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold includes notifying the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold by the partner matching module.

The method (500) also includes establishing a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user in step 550. In one embodiment, establishing a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user includes establishing a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user by a communication module. In one embodiment, the communication channel may support, text messaging, voice calling, video calling and the like.

The method (500) also includes receiving one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled, wherein the one or more feedbacks comprises at least one of a score, a proficiency level, a sportsman ship, and participation level in step 560. In one embodiment, receiving one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled, wherein the one or more feedbacks comprises at least one of a score, a proficiency level, a sportsman ship, and participation level includes receiving one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled, wherein the one or more feedbacks comprises at least one of a score, a proficiency level, a sportsman ship, and participation level by a user rating module.

The method (500) further includes generating one or more ratings for the first user and the second user based on the one or more feedbacks received in step 570. In one embodiment, generating one or more ratings for the first user and the second user based on the one or more feedbacks received includes generating one or more ratings for the first user and the second user based on the one or more feedbacks received by the user rating module. In one embodiment, the user rating module may be configured to display a rank evaluated corresponding to the one or more users in the graphical user interface based on one or more predefined rules. In such an embodiment, the user rating module may also be configured to allot one or more royalty points to the one or more corresponding users based on the rank evaluated to provide controlled access to the one or more corresponding users to the plurality of modules. In one embodiment, the one or more predefined rules may include, at least one of a highest score, the proficiency level, duration of play and the like.

Various embodiments of the system and method for finding a sports partner described above enable various advantages. Provision of the partner matching module and the partner search module enables the one or more users to find the sports partner based on the one or more corresponding user details. Provision of the communication module supports establishment of the communication channel between the one or more users to schedule the sporting event. Provision of the equipment rental module provides a way for reserving the one or more sports equipment's by the one or more

corresponding users. Similarly, provision of the venue management module enables reservation of the one or more venues by the corresponding one or more users.

Further, Provision of the user rating module enables rating of the sports partner based on the one or more feedbacks received from the first user and the second user. The user rating module is also capable of displaying the rank evaluated corresponding to the one or more users in the graphical user interface. The user rating module is also capable of allotting the one or more royalty points to the one or more corresponding users based on the rank evaluated. Provision of the label generation module enables generation of the one or more labels to the first user and the second user based on the rank evaluated, thereby increasing chances of finding the sports partner.

Furthermore, provision of the venue management module capable of providing information regarding the one or more venues to the one or more corresponding users, enables reservation of the same by the one or more corresponding users. Provision of the equipment rental module capable of providing information regarding the one or more sporting equipment to the one or more corresponding users, enables reservation of the same by the one or more corresponding users. Provision of the health care module capable of providing information regarding the one or more health care professionals to the one or more corresponding users enables remote consultation of the one or more medical professionals by the one or more corresponding users. Provision of the advertisement management module enables the one or more advertisers to display the one or more advertisements through the graphical user interface, thereby familiarizing the one or more users with the one or more advertisers. Provision of the subscription management module enables the one or more corresponding users to search for the sports partner in the plurality of geographical regions among other advantages, thereby providing flexibility to the system.

Also, the system is more reliable and more efficient because the one or more devices registered on the integrated platform remain always connected and reachable to the one or more users. Further, from a technical effect point of view, the implementation time required to perform the method steps included in the present disclosure by the one or more processors of the system is very minimal, thereby the system maintains very minimal operational latency and requires very minimal processing requirements.

It will be understood by those skilled in the art that the foregoing general description and the following detailed description are exemplary and explanatory of the disclosure and are not intended to be restrictive thereof. While specific language has been used to describe the disclosure, any limitations arising on account of the same are not intended.

The figures and the foregoing description give examples of embodiments. Those skilled in the art will appreciate that one or more of the described elements may well be combined into a single functional element. Alternatively, certain elements may be split into multiple functional elements. Elements from one embodiment may be added to another embodiment. For example, the order of processes described herein may be changed and are not limited to the manner described herein. Moreover, the actions of any flow diagram need not be implemented in the order shown; nor do all the acts need to be necessarily performed. Also, those acts that are not dependent on other acts may be performed in parallel with the other acts. The scope of embodiments is by no means limited by these specific examples.

WE CLAIM:

1. A system (10) for finding a sports partner comprising:

a processing subsystem (20) hosted on a server (30) and configured to execute on a network (40) to control bidirectional communications among a plurality of modules comprising:

a registration module (50) operatively coupled to an integrated database (60), wherein the registration module (50) is configured to register one or more users by creating one or more corresponding user profiles in the integrated database (60) upon receiving one or more corresponding user details,

wherein the one or more corresponding user details comprises at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport;

a partner matching module (70) operatively coupled to the integrated database (60), wherein the partner matching module (70) is configured to:

filter the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique;

compare the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score,

wherein the one or more parameters comprises at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user;

notify the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and

the second user when the match score generated is above a predefined threshold;

a communication module (80) operatively coupled to the integrated database (60), wherein the communication module (80) is configured to establish a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user;

a user rating module (90) operatively coupled to the integrated database (60), wherein the user rating module (90) is configured to:

receive one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled, wherein the one or more feedbacks comprises at least one of a score, a proficiency level, a sportsman ship, and participation level; and

generate one or more ratings for the first user and the second user based on the one or more feedbacks received.

2. The system (10) as claimed in claim 1, wherein the processing subsystem (20) comprises a partner search module (100) configured to enable the one or more users to search for the sports partner based on the one or more corresponding user details.

3. The system (10) as claimed in claim 1, wherein the user rating module (90) is configured to:

display a rank evaluated corresponding to the one or more users in the graphical user interface based on one or more predefined rules; and

allot one or more royalty points to the one or more corresponding users based on the rank evaluated to provide controlled access to the one or more corresponding users to the plurality of modules.

4. The system (10) as claimed in claim 1, wherein the processing subsystem (20) comprises a label generation module (110) configured to generate one or more labels

to the first user and the second user based on the one or more ratings generated by the user rating module (90).

5. The system (10) as claimed in claim 1, wherein the processing subsystem (20) comprises a venue management module (120) configured to:

display information regarding one or more venues through the graphical user interface upon receiving one or more requests from the one or more corresponding users; and

reserve the one or more venues selected by the one or more corresponding users to conduct the sporting event.

6. The system (10) as claimed in claim 1, wherein the processing subsystem (20) comprises an equipment rental module (130) configured to:

provide information regarding one or more sports equipment's available to the one or more users upon receiving one or more requests from the one or more corresponding users; and

reserve the one or more sports equipment's selected by the one or more corresponding users upon payment of a predefined amount.

7. The system (10) as claimed in claim 1, wherein the processing subsystem (20) comprises a health care module (140) configured to:

display information regarding one or more healthcare professionals through the graphical user interface upon receiving one or more requests from the one or more users, wherein the one or more health care professionals comprises at least one of a doctor, a nurse, a physio, and a nutritionist; and

establish a communication channel between the one or more health care professionals and the one or more corresponding users to enable remote consultation upon selection of the one or more health care professionals by the one or more corresponding users;

8. The system (10) as claimed in claim 1, wherein the processing subsystem (20) comprises an advertisement management module (150) configured to enable one or

more advertisers to display corresponding one or more advertisements through the graphical user interface upon payment of a predefined amount.

9. The system (10) as claimed in claim 1, wherein the processing subsystem (20) comprises a subscription management module (160) configured to enable the one or more corresponding users to search for the sports partner in a plurality of geographical regions upon payment of a subscription charge.

10. A method (500) comprising:

registering, by a registration module, one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details, wherein the one or more corresponding user details comprises at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport; (510)

filtering, by a partner matching module, the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique; (520)

comparing, by the partner matching module, the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score, wherein the one or more parameters comprises at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user; (530)

notifying, by the partner matching module, the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold; (540)

establishing, by a communication module, a communication channel between the first user and the second user to schedule a sporting event between the first user

and the second user upon accepting the connection proposal by both of the first user and the second user; (550)

receiving, by a user rating module, one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled, wherein the one or more feedbacks comprises at least one of a score, a proficiency level, a sportsman ship, and participation level; (560) and

generating, by the user rating module, one or more ratings for the first user and the second user based on the one or more feedbacks received. (570)


10
60
Integrated Database
Registration module
50
Partner matching module
70
Communication module
80
User rating module
90
40
20
30
Processing Subsystem
Server

FIG. 1


10
20
50
Registration module
70
Partner matching module
80
Communication module
90
User rating module
100
Partner search module
110
Label generation module
Venue management module
120
Equipment rental module
130
Health care module
140
Advertisement management module
150
Subscription management module
160
Processing Subsystem
Server
30
Integrated Database
60
40

FIG. 2



FIG. 3



FIG. 3 (a)



FIG. 3 (b)


30
Memory
410
Registration module
Partner matching module
70
50
User rating module
Communication module
90
80
Partner search module
Label generation module
100
110
Equipment rental module
Venue management module
130
120
Health care module
Advertisement management module
140
150
Subscription management module
160
Processing Subsystem
20
BUS
420
Processor (s)
400

FIG. 4


500
Register, by a registration module, one or more users by creating one or more corresponding user profiles in the integrated database upon receiving one or more corresponding user details, wherein the one or more corresponding user details comprises at least one of a name, a contact detail, a preferred sport, a skill level to play the preferred sport, an available time slot to play the preferred sport, and a preferred location to play the preferred sport.
510
Filter, by a partner matching module, the one or more corresponding user details received into a corresponding user preference data structure by a data filtration technique.
520
Compare, by the partner matching module, the user preference data structure corresponding to a first user with the user preference data structure corresponding to a second user in purview of one or more parameters to generate a match score, wherein the one or more parameters comprises at least one of an element present in each of the user preference data structure corresponding to the first user and the user preference data structure corresponding to the second user.
530
A

FIG. 5 (a)


500
A
Notify, by the partner matching module, the first user and the second user regarding an availability of the sports partner by displaying a connection proposal to connect each other through a graphical user interface associated with the first user and the second user when the match score generated is above a predefined threshold.
540
Establish, by a communication module, a communication channel between the first user and the second user to schedule a sporting event between the first user and the second user upon accepting the connection proposal by both of the first user and the second user.
550
Receive, by a user rating module, one or more feedbacks from the first user and the second user regarding the sports partner upon participating in the sporting event scheduled, wherein the one or more feedbacks comprises at least one of a score, a proficiency level, a sportsman ship, and participation level.
560
Generate, by the user rating module, one or more ratings for the first user and the second user based on the one or more feedbacks received.
570

FIG. 5 (b)

INTERNATIONAL SEARCH REPORT

International application No.
PCT/IB2022/060138

A. CLASSIFICATION OF SUBJECT MATTER
G06Q10/06,G06Q50/10 Version=2023.01

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

G06Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic database consulted during the international search (name of database and, where practicable, search terms used)

Databases - PatSeer, IPO Internal Database
Keywords - sports platform, partner match, rating, venue

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US20080120375A1 (LEVY BENJAMIN) 22 May 2008 (22-05-2008) {Abstract, Pages 2-3 and claim 1}	1-10
Y	WO2014021780A1 (PLAYFIKS SOFTWARES PRIVATE LTD) 06 February 2014 (06-02-2014) {Abstract, Pages 2-4 and Claim 1}	1-10

☐ Further documents are listed in the continuation of Box C. ☒ See patent family annex.

* Special categories of cited documents:
"A" document defining the general state of the art which is not considered to be of particular relevance
"D" document cited by the applicant in the international application
"E" earlier application or patent but published on or after the international filing date
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
"O" document referring to an oral disclosure, use, exhibition or other means
"P" document published prior to the international filing date but later than the priority date claimed
"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
03-02-2023	03-02-2023
Name and mailing address of the ISA/ Indian Patent Office Plot No.32, Sector 14,Dwarka,New Delhi-110075 Facsimile No.	Authorized officer Saket Kumar Gupta Telephone No. +91-1125300200

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/IB2022/060138

Citation	Pub.Date	Family	Pub.Date
WO 2014021780 A1	06-02-2014	SG 196699 A1	13-02-2014