

Healthcare-App Medication Safety FAQ

What is a MAR-DISCREPANCY flag?

The MAR-DISCREPANCY flag is raised automatically when the EHR detects two or more identical orders for the same drug, dose, and scheduled time for the same patient.

It does **NOT** block administration but requires a pharmacist review within 30 minutes. **Related bug:** BUG-EHR-2301 (active, June 2026).

How do I handle a duplicate metoprolol 25mg order?

1. Open the patient MAR and confirm both duplicate orders are visible.
2. Apply the MAR-DISCREPANCY flag if not already set.
3. Do **NOT** administer either dose until a pharmacist reviews.
4. Call pharmacy at ext. 2200, or page on-call pharmacist if no response in 15 min.
5. Document the medication hold in nursing notes with timestamp.

What does LTC-MANUAL-SYNC mean?

Long-Term Care Manual Sync flag. Raised when a patient transferred from an LTC facility has their medication list entered manually instead of via the HL7 LTC integration feed.

All LTC-MANUAL-SYNC medications must be verified against the original paper MAR. **Related bug:** BUG-EHR-2201 (active).

Can a nurse clear a MAR-DISCREPANCY flag?

No. Only a licensed pharmacist or physician with medication order authority can clear it. Nurses must escalate immediately and document the escalation.

What is ERR_HL7_ROUTE_FAIL?

Lab results from the LIS did not arrive in the patient chart due to an HL7 routing failure.

Workaround: Escalate to hl7-support@healthcare-app.internal with the lab order ID. Results can be retrieved directly from the LIS portal in the meantime.

Auth pre-authorisation errors (AUTH-4012)

AUTH-4012 appears when an insurance pre-auth token has expired. **Workaround:** Re-submit with a refreshed token. See runbook ICD-ADM-001.