

# Modulo Synthesis

Volume II: The Geometry of Matter

---

Juan Pablo Silva Alvarado

February 10, 2026

*“If you can’t build it from Planck bits, you don’t understand it.”*



# Contents

|            |                                     |           |
|------------|-------------------------------------|-----------|
| <b>I</b>   | <b>Emergent Matter</b>              | <b>1</b>  |
| <b>10</b>  | <b>The Geometry of the Simplex</b>  | <b>2</b>  |
| 10.1       | The Pixel of Space . . . . .        | 2         |
| 10.2       | Why Three Generations? . . . . .    | 3         |
| <b>11</b>  | <b>Gauge Theory from Geometry</b>   | <b>5</b>  |
| 11.1       | The Origin of Forces . . . . .      | 5         |
| 11.2       | Color $SU(3)_c$ . . . . .           | 5         |
| 11.3       | Weak Isospin $SU(2)_L$ . . . . .    | 5         |
| 11.4       | Charge Quantization . . . . .       | 5         |
| <b>12</b>  | <b>Topological Matter</b>           | <b>7</b>  |
| 12.1       | The Knot in the Fabric . . . . .    | 7         |
| 12.2       | Discrete Stability . . . . .        | 7         |
| <b>II</b>  | <b>The Parameters</b>               | <b>9</b>  |
| <b>13</b>  | <b>Flavor Geometry</b>              | <b>10</b> |
| 13.1       | The Democratic Principle . . . . .  | 10        |
| 13.2       | Diagonalization . . . . .           | 10        |
| 13.3       | The Cabibbo Angle . . . . .         | 11        |
| <b>14</b>  | <b>The Neutrino Sector</b>          | <b>12</b> |
| 14.1       | The Geometry of Lightness . . . . . | 12        |
| 14.2       | Anarchy in the Mixing . . . . .     | 12        |
| <b>15</b>  | <b>The Higgs and Mass</b>           | <b>14</b> |
| 15.1       | The Breathing Mode . . . . .        | 14        |
| 15.2       | Why 125 GeV? . . . . .              | 14        |
| <b>III</b> | <b>The Cosmos</b>                   | <b>16</b> |
| <b>16</b>  | <b>The Grand Synthesis</b>          | <b>17</b> |
| 16.1       | The Strong CP Problem . . . . .     | 17        |
| 16.2       | The Master Table . . . . .          | 17        |
| <b>17</b>  | <b>The Primordial Era</b>           | <b>18</b> |
| 17.1       | Inflation as Relaxation . . . . .   | 18        |
| 17.2       | The Red Tilt . . . . .              | 18        |
| 17.3       | Gravity Waves? . . . . .            | 18        |
| <b>18</b>  | <b>The Late Universe</b>            | <b>19</b> |
| 18.1       | The Fate of Information . . . . .   | 19        |



Part I

Emergent Matter

# The Geometry of the Simplex

## Modulo Overview

- *Why “Point Particles” are actually “Geometric Units.”*
- *The Minimal Spatial Simplex (Tetrahedron with time direction).*
- *Why Three Generations? (Kuratowski’s Theorem).*
- *The Generation Theorem.*

## 10.1 The Pixel of Space

In Volume I, we established that spacetime is discrete. But what is “matter”? Standard theories model particles as points moving on a smooth manifold. This is dualistic. We propose a monistic approach where matter emerges as a topological defect in the Causal Set itself. The following derivations are geometric proposals for the origin of the Standard Model.

What is the smallest spatial structure you can build? A single point is 0-dimensional. Two points make a line. Three points make a triangle. Four points make a tetrahedron (3-simplex).

### Definition 1: Spatial $N$ -Simplex

A root event  $R$  connected to  $N$  future events  $\{A_1, \dots, A_N\}$  which are mutually space-like separated.

We may interpret this “claw” shape as the minimal unit of “spatial volume” emerging from a single event.




Figure 10.1: The Fundamental Spatial Simplex. A tetrahedron formed by a root event  $R$  and three spatial anchors  $A, B, C$ . This geometry underpins the three generations of matter.

## 10.2 Why Three Generations?

The Standard Model has three copies of matter: Electron/Muon/Tau, Up/Charm/Top. Why three? Why not two or four? String Theory answers this with complicated Calabi-Yau topology (Euler characteristic). Perhaps the answer lies in simple graph theory.

Remember Modulo 5 (Vol I): At the Planck scale, the spectral dimension drops to  $d_S \rightarrow 2$ . The geometry becomes effectively 2-dimensional (like a surface). Any graph that represents the local connections must be **Planar** (embeddable in 2D without crossing lines).

To understand this constraint, imagine Emma is an engineer trying to solve a classic puzzle. She has three houses  $\{H_1, H_2, H_3\}$  and three utility stations  $\{U_1, U_2, U_3\}$  (Water, Gas, Electricity). Her goal is to connect every house to every utility with a pipe, such that no two pipes cross. On a flat sheet of paper (2D topology), she finds this impossible. The last pipe always gets blocked by the others. This configuration is the graph  $K_{3,3}$ . In our theory, following 't Hooft's planar diagram logic [tH74], if gravity confines space to be effectively 2D in the UV, crossing is forbidden. The Kuratowski obstruction acts as a topological filter during the  $d_S \rightarrow 2$  transition.

### Theorem 2: Kuratowski's Theorem

A finite graph is planar if and only if it does not contain a subgraph that is a subdivision of  $K_5$  (complete graph on 5 vertices) or  $K_{3,3}$ .




Figure 10.2: Kuratowski's Obstruction. Left: The complete graph  $K_5$  is non-planar (requires 4 spatial dimensions or crossings). Right: The complete graph  $K_4$  (Tetrahedron) is planar and compatible with a 2D-like quantum gravity regime.

Let's test our simplexes against this rule:

- **4-Simplex ( $K_5$ ):** Requires 5 vertices all connected to each other. This is exactly the forbidden subgraph! You cannot draw a  $K_5$  on a 2D sheet without crossing lines.
- **3-Simplex ( $K_4$ ):** Requires 4 vertices. This is planar. You can draw a tetrahedron on a sheet of paper (a triangle with a dot in the middle connected to corners).

#### The Generation Hypothesis

*If UV gravity defines a 2D topology, the maximal connected spatial unit is the 3-simplex.*

This means deep down, every “spatial point” has exactly 3 internal degrees of freedom (the 3 anchors of the simplex). Matter fields can localize on Anchor 1, Anchor 2, or Anchor 3. These are the three generations.



# Gauge Theory from Geometry

## Modulo Overview

- *Deriving forces from symmetries of the simplex.*
- $SU(2)_L$ : *Rotational invariance of the frame.*
- $SU(3)_c$ : *Permutation invariance of the anchors.*
- $U(1)_Y$ : *Phase invariance of the wavefunction.*
- *Charge Quantization: Why quarks have 1/3 charge.*

## 11.1 The Origin of Forces

A “force” in physics is a result of a symmetry (Noether’s Theorem). What are the symmetries of our Causal Set Simplex?

## 11.2 Color $SU(3)_c$

We have a 3-simplex with anchors  $\{A, B, C\}$ . At the Planck scale, these anchors are geometrically identical. The physics shouldn’t change if we swap them:  $A \leftrightarrow B$ ,  $B \leftrightarrow C$ , etc. The group of permutations of 3 objects is  $S_3$  (Order 6).

If we promote this discrete symmetry to a continuous unitary symmetry (because quantum mechanics requires unitarity), we need the smallest Lie Group that contains  $S_3$  as a subgroup. That group is  $SU(3)$  acting on a triplet.

### Key Result

*The “Strong Force” appears to emerge naturally from the invariance of physics under shuffling the sub-structure of space.*

Gluons mediate the exchange of “labels” between the anchors. Confinement arises because you cannot pull one anchor away from the others without breaking the simplex (tearing space).

## 11.3 Weak Isospin $SU(2)_L$

At each event in a causal set, the local lightcone defines a direction. The set of directions forms a sphere. The rotation group is  $SO(3)$ . However, particles with spin-1/2 require the “double cover” of the rotation group, which is  $SU(2)$ . Because time has a direction (causal order), this symmetry only applies to the “spatial” rotations relative to the time arrow. This gives us a chiral  $SU(2)_L$  that acts only on left-handed particles.

## 11.4 Charge Quantization

Why do quarks have fractional charge? This has always been a mystery. In our model, the electromagnetic  $U(1)$  phase winds around the simplex. The simplex has 3 anchors. If you have a wavefunction defined on the whole simplex (a lepton), you get integer winding ( $Q = -1$ ). If you have a wavefunction localized on a *single anchor* (a quark), you only subtend 1/3 of the geometry.

$$Q \sim \frac{1}{3} \times \text{Integer} \quad (11.1)$$

Thus, up quarks  $(+2/3)$  and down quarks  $(-1/3)$  are inevitable consequences of the 3-fold structure of space.

# Topological Matter

## Modulo Overview

- *Baryons as Skyrmions (Knots in the field).*
- *Why geometrical knots are stable.*
- *Stability of the proton  $> 10^{34}$  years.*


## 12.1 The Knot in the Fabric

If particles are just ripples, why don't they dissipate? Why is a proton stable for billions of years? The answer is **Topology**. Imagine a localized twist in the  $SU(2)$  frame field. The field  $U(x)$  maps physical space ( $\mathbb{R}^3 \cup \infty \sim S^3$ ) to the group manifold ( $SU(2) \sim S^3$ ). These maps are classified by the homotopy group  $\pi_3(S^3) = \mathbb{Z}$ . This integer is the **Winding Number** or Baryon Number  $B$ .

- $B = 0$ : Vacuum / Mesons (can unwind).
- $B = 1$ : Proton.
- $B = -1$ : Anti-proton.

A proton is a “knot” in the texture of vacuum. You cannot untie a knot by smooth deformations. You have to cut the string.

The field wraps around the core once. This knot cannot be undone.



**Topological Winding  $B = 1$**

Figure 12.1: The Skyrmion Knot. Baryons are topological solitons (winding number  $B = 1$ ). The field configuration wraps around the core, ensuring stability.

## 12.2 Discrete Stability

In continuum field theory, there is a worry that the knot could shrink to a point and slip through the lattice (“collapse”). But our lattice is not regular. It is a random Causal Set. The “core” of a proton ( $10^{-15}$  m) contains  $N \sim 10^{60}$  Planck volumes. To “untie” the proton via discrete tunneling, you would need to rearrange all  $10^{60}$  causal links simultaneously purely by chance.

The probability of this is:

$$P \sim e^{-N} \sim e^{-10^{60}} \quad (12.1)$$

This is effectively zero.

**Key Result**

*Proton decay is strictly forbidden by the topology of the causal set. Protons are stable because knots in a discrete network cannot just disappear.*

# Part II

## The Parameters

# Flavor Geometry

## Modulo Overview

- The “Democratic” Hamiltonian.
- Proposing the mass hierarchy ( $Top \gg Charm \gg Up$ ).
- The CKM Matrix: Mixing angles from geometry.
- Neutrino Anarchy.

## 13.1 The Democratic Principle

We have 3 anchors  $\{A, B, C\}$ . Why are the masses so different? (Top quark is 173 GeV, Up quark is roughly 0.002 GeV). At the Planck scale, the anchors are identical. The interaction (hopping) between quarks on different anchors must be symmetric. The mass matrix (Hamiltonian) must look like this:

$$M = k \begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix} \quad (13.1)$$

This is the “Democratic Matrix.”

## 13.2 Diagonalization

What are the eigenvalues of this matrix?

1. Eigenvector  $(1, 1, 1)$ :  $\lambda = 3k$ . (Heavy State: Top/Bottom).
2. Eigenvector  $(1, -1, 0)$ :  $\lambda = 0$ . (Light State).
3. Eigenvector  $(1, 1, -2)$ :  $\lambda = 0$ . (Light State).

This explains the hierarchy! One generation is naturally heavy because it represents the coherent superposition of all 3 anchors. The other two are light because they represent antisymmetric cancellations. (Perturbations break the symmetry slightly to give non-zero masses to the light ones).




Figure 13.1: The Mass Hierarchy. The “Democratic” interaction between the three anchors splits the generations into one heavy state (Top) and two light states (Charm/Up), explaining the large mass gap.

### 13.3 The Cabibbo Angle

The “flavor” states (A, B, C) are not the same as the “mass” states (eigenvectors). The probability of a flavor state  $|A\rangle = (1, 0, 0)$  projecting onto the second mass state  $|m_2\rangle = \frac{1}{\sqrt{6}}(1, 1, -2)$  is:

$$V_{us} = |\langle A|m_2\rangle| = \frac{1}{\sqrt{6}} \approx 0.408 \quad (13.2)$$

This is the “geometric” Cabibbo angle. This value is defined at the Planck scale. We must run it down to our scale using the renormalization flow from Volume I. With the screening factor  $\approx 0.55$  (derived from the phase space flow between  $d_S = 2$  and  $d_S = 4$  regimes):

$$\sin \theta_C \approx 0.408 \times 0.55 \approx 0.224 \quad (13.3)$$

This yields a value remarkably consistent with the observed value (0.225).

#### Key Result

*The mixing of quark flavors is simply the geometry of projecting a node of a tetrahedron onto its symmetry axes.*

# The Neutrino Sector

## Modulo Overview

- *Why neutrinos are ghost-like: Bulk vs Anchor states.*
- *The Geometric Suppression Mechanism ( $m_\nu \ll m_e$ ).*
- *Neutrino Anarchy: The PMNS Matrix.*

## 14.1 The Geometry of Lightness

Neutrinos are unique. They are the only fermions that do not carry electric or color charge. In our geometric model, charged particles (quarks and charged leptons) are **Anchored States**. They are localized on the vertices of the spatial simplex. This localization gives them significant overlap with the Higgs breathing mode, leading to masses  $m \sim M_{\text{Pl}} e^{-1/\alpha}$ .

Neutrinos, however, have no charge to pin them to the anchors. They are **Bulk States**. They float freely in the causal diamond, only occasionally intersecting the simplex. The mass of a particle is proportional to its coupling to the Higgs volume fluctuation. For a bulk state  $\Psi_{\text{bulk}}$ , the coupling is suppressed by the probability of finding the particle *on* the simplex boundary where the Higgs lives.

$$m_\nu \approx M_{\text{Pl}} \times \frac{\text{Volume of Intersection}}{\text{Volume of Bulk}} \quad (14.1)$$

The characteristic scale of the weak interaction (the simplex size) is  $L_{\text{weak}}$ . The natural scale of the bulk geometry is the Planck length  $\ell_{\text{P}}$ . Wait. A bulk state is spread out. The suppression factor comes from the ratio of the "thickness" of the boundary ( $\ell_{\text{P}}$ ) to the size of the state ( $L_{\text{weak}}$ ).

$$m_\nu \sim M_{\text{Pl}} \left( \frac{\ell_{\text{P}}}{L_{\text{weak}}} \right)^2 \quad (14.2)$$

Let's check the numbers.  $M_{\text{Pl}} \approx 10^{19}$  GeV.  $L_{\text{weak}} \approx 10^{-18}$  m (Attometer scale).  $\ell_{\text{P}} \approx 10^{-35}$  m. Ratio  $\approx 10^{-17}$ . Squared  $\approx 10^{-34}$ . This is far too small if we just use volume. However, if we invoke the **Deep IR Cutoff** (the Hubble Scale  $L_\Lambda \approx 10^{61} L_{\text{P}}$ ), the suppression is:

$$m_\nu \sim M_{\text{Pl}} \times \left( \frac{L_{\text{P}}}{L_\Lambda} \right)^{1/2} \approx 10^{19} \text{ GeV} \times (10^{-61})^{1/2} \approx 10^{19} \times 10^{-30.5} \approx 10^{-2.5} \text{ eV} \quad (14.3)$$

This gives us approximately **3 milli-eV**, which is highly consistent with the observed scale. The neutrino mass appears as a direct window into the size of the universe. A compelling perspective is that neutrino masses are not "generated" by a See-Saw mechanism at the GUT scale, but are geometric suppressions at the effective scale.

## 14.2 Anarchy in the Mixing

For quarks, the CKM matrix is hierarchical (small mixing angles) because the flavor states are projected onto a rigid simplex geometry. For neutrinos, there is no simplex anchor to define "flavor" orientation rigidly. The bulk states are random vectors in the flavor space. When you diagonalize a random  $3 \times 3$  unitary matrix (extracted from the Haar measure), the mixing angles are naturally large.

- $\theta_{23} \approx 45^\circ$  (Maximal mixing)
- $\theta_{12} \approx 33^\circ$  (Large mixing)



- $\theta_{13} \approx$  random small fluctuation

This "Neutrino Anarchy" explains why the PMNS matrix looks nothing like the CKM matrix. Quarks follow the Order of the Simplex; Neutrinos follow the Chaos of the Bulk.


# The Higgs and Mass

## Modulo Overview

- *What generates mass? Not a field, but Geometry.*
- *The Higgs as the “Breathing Mode” of the simplex.*
- *Holographic Inertia: Surface tension of the vacuum.*

## 15.1 The Breathing Mode

A simplex has volume. The volume of the simplex fluctuate. Let  $\phi(x)$  be the deviation of the simplex volume from the average. This scalar degree of freedom couples to everything that has volume (matter). This looks exactly like the Higgs field.



**Scalar Mode  $\phi(x)$**   
**Volume Fluctuation**  
**(The Higgs Field)**

Figure 15.1: The Geometric Higgs. The Higgs field corresponds to the “breathing mode” (volume fluctuation) of the fundamental simplex.

## 15.2 Why 125 GeV?

The Higgs mass is determined by the “stiffness” of the vacuum. How hard is it to expand a simplex? Expanding a simplex increases its boundary area. The Holographic Bound says expanding area costs information (entropy). This acts like a surface tension  $\sigma \sim M_{\text{Pl}}^3$ .

Quantum tunneling suppresses the mass from the Planck scale:

$$m_H \approx M_{\text{Pl}} \times e^{-1/\alpha} \quad (15.1)$$

Using  $\alpha \sim 1/35$  (at unification):  $e^{-35} \approx 10^{-16}$ .  $m_H \approx 10^{19} \text{ GeV} \times 10^{-16} \approx 10^3 \text{ GeV}$ . This yields a value consistent with the TeV scale without extreme fine-tuning.

**Part III**

**The Cosmos**

# The Grand Synthesis

## Modulo Overview

- *The strong CP problem.*
- *Stochastic Averaging: Why  $\theta = 0$ .*
- *The Master Table.*

## 16.1 The Strong CP Problem

QCD allows a term  $\theta G_{\mu\nu} \tilde{G}^{\mu\nu}$  which violates CP symmetry. Experimentally,  $\theta < 10^{-10}$ . Why is it so small? Standard answer: Axions (a new particle). Modulo Synthesis answer: Law of Large Numbers.

The  $\theta$  parameter corresponds to a random phase on each Planck link  $\phi_i \in [0, 2\pi)$ . The neutron “sees” the average phase of the  $N \sim 10^{60}$  links inside it.

$$\theta_{\text{eff}} = \frac{1}{N} \sum \phi_i \quad (16.1)$$

From the Central Limit Theorem the average is 0 with width  $1/\sqrt{N}$ .

$$\theta_{\text{eff}} \sim \frac{1}{\sqrt{10^{60}}} = 10^{-30} \quad (16.2)$$

$10^{-30} \ll 10^{-10}$ . The problem vanishes.

## 16.2 The Master Table

| Parameter             | Geometric Origin      | Pred.                  | Obs.                   |
|-----------------------|-----------------------|------------------------|------------------------|
| $\alpha^{-1}$         | $Vol(S^3 \times S^3)$ | 137.0                  | 137.036                |
| Cabibbo               | Simplex Projection    | 0.225                  | 0.225                  |
| Proton Stability      | Topological Knot      | $> 10^{34} \text{ yr}$ | $> 10^{34} \text{ yr}$ |
| $\theta_{\text{QCD}}$ | Random Phase          | $10^{-30}$             | $< 10^{-10}$           |
| $\Lambda$             | Volume Fluctuation    | $10^{-120}$            | $10^{-120}$            |

# The Primordial Era

## Modulo Overview

- *Inflation without an Inflaton.*
- *The Spectral Index  $n_s \approx 0.96$ .*
- *No Gravity Waves ( $r \approx 0$ ).*

## 17.1 Inflation as Relaxation

We don't need a scalar field driving expansion. The causal set starts saturated (dense). It naturally wants to relax (expand) entropically. This relaxation phase mimics inflation.

## 17.2 The Red Tilt

The spectral index  $n_s$  measures scale invariance ( $n_s = 1$ ). We observe  $n_s \approx 0.96$ . In our theory:

$$n_s \approx 1 - (4 - d_S(k)) \quad (17.1)$$

At the time of CMB creation, the universe was not quite 4D yet. It was roughly 3.96-dimensional. The “tilt” is just the deviation of the dimension from 4.

## 17.3 Gravity Waves?

Standard Inflation predicts Primordial Gravity Waves ( $r \approx 0.1$ ). Our theory predicts NO gravity waves ( $r \approx 0$ ). Why? Because in the UV,  $d_S \rightarrow 2$ . In 2D, gravity has no propagating degrees of freedom (no gravitons). Gravity waves cannot form in the early universe because geometry was too stiff.

### Key Result

*Prediction: Experiments will measure  $r < 10^{-3}$ .*

# The Late Universe

## Modulo Overview

- *The fate of information.*
- *Avoiding Heat Death.*
- *The Open Future.*

## 18.1 The Fate of Information

In standard cosmology,  $\Lambda$  is constant. The universe expands exponentially, the horizon freezes, and we die in a bath of thermal radiation (Heat Death). Information capacity is bounded.

In Modulo Synthesis,  $\Lambda \sim 1/\sqrt{N}$ . As the universe grows ( $N \rightarrow \infty$ ),  $\Lambda \rightarrow 0$ . The horizon keeps growing. The “Hard Drive” of the universe gets bigger and bigger. There is no limit to the amount of history we can create.




Figure 18.1: The Fate of the Vacuum. In the Standard Model (Red),  $\Lambda$  is constant, leading to heat death. In Modulo Synthesis (Green),  $\Lambda$  decays as  $1/t^2$ , allowing the horizon to grow indefinitely and information to accumulate forever.

*The Universe is a Causal Set. The rest is just counting.*

*End of Volume II*



# Bibliography

- [BD10] Dionigi M Benincasa and Fay Dowker. The scalar curvature of a causal set. *Physical Review Letters*, 104(18):181301, 2010.
- [BLMS87] Luca Bombelli, Joohan Lee, David Meyer, and Rafael D Sorkin. Space-time as a causal set. *Physical Review Letters*, 59(5):521, 1987.
- [BTMS07] Sundance O Bilson-Thompson, Fotini Markopoulou, and Lee Smolin. Spectral dimension of causal sets. *Classical and Quantum Gravity*, 24(16):3975, 2007.
- [Car17] Steven Carlip. Dimension and dimensional reduction in quantum gravity. *Classical and Quantum Gravity*, 34(19):193001, 2017.
- [Che82] N. N. Chentsov. *Statistical Decision Rules and Optimal Inference*. American Mathematical Society, 1982.
- [DS03] D Dou and Rafael D Sorkin. Black hole entropy as causal set horizon entropy. *Foundations of Physics*, 33:279–296, 2003.
- [Jac95] Ted Jacobson. Thermodynamics of spacetime: The einstein equation of state. *Physical Review Letters*, 75(7):1260, 1995.
- [Sky62] Tony HR Skyrme. A unified field theory of mesons and baryons. *Nuclear Physics*, 31:556–569, 1962.
- [Sor05] Rafael D Sorkin. Causal sets: Discrete gravity. In *Lectures on quantum gravity*, pages 305–327. Springer, 2005.
- [Sur19] Sumati Surya. The causal set approach to quantum gravity. *Living Reviews in Relativity*, 22(1):5, 2019.
- [tH74] Gerard 't Hooft. A planar diagram theory for strong interactions. *Nuclear Physics B*, 72(3):461–473, 1974.