

All Tables Details

Design Name	script1
Version Date	05.06.2019 05:17:23
Version Comment	
Model Name	script1

SubViews

SubView	Description	Notes	Object
---------	-------------	-------	--------

Table Name	cliente.Cliente
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Cedula	P		Y	VARCHAR (10)	DOM	VARCHAR_0_0_10			
2	Direccion				VARCHAR (120)	DOM	VARCHAR_0_0_120			
3	DireccionCobro				VARCHAR	DOM	VARCHAR_0_0_0			
4	Nombre				VARCHAR (10)	DOM	VARCHAR_0_0_10			
5	Apellido				VARCHAR (20)	DOM	VARCHAR_0_0_20			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Cliente_PK	PK				Cedula	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Solicitud_Cliente_FK	Solicitud	Y	Y		idCliente	Cedula	
Telefono_Cliente_FK	Telefono	Y	Y		idCliente	Cedula	

Table Name	prenda.Color
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idColor	P		Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
2	descrip			Y	VARCHAR (40)	DOM	VARCHAR_0_0_40			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
COLOR_PK	PK				idColor	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Estilo_Color_FK	Estilo	Y	Y		idColor	idColor	

Table Name	prenda.Conjunto
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idConjunto	P		Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	Nombre			Y	VARCHAR (40)	DOM	VARCHAR_0_0_40			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Conjunto_PK	PK				idConjunto	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PrendaXConjunto_Conjunto_FK	PrendaXConjunto	Y	Y		idConjunto	idConjunto	

Table Name	orden.Estado
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idEstado	P		Y	NUMERIC (1)	DOM	NUMERIC_1_0_0			
2	Estado				VARCHAR (12)	DOM	VARCHAR_0_0_12			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Estado_PK	PK				idEstado	ASC

Table Name	prenda.Estilo
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idEstilo	P		Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
2	idColor		F	Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
3	descrip				VARCHAR (140)	DOM	VARCHAR_0_0_140			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Estilo_PK	PK				idEstilo	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Estilo_Color_FK	Color	Y	Y		idColor	idColor	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Prenda_Estilo_FK	Prenda	Y	Y		idEstilo	idEstilo	

Table Name	proveedor.Extranjero
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idProveedor	P	F	Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
2	nombreBanco				VARCHAR (20)	DOM	VARCHAR_0_0_20			
3	numeroCuenta				VARCHAR (12)	DOM	VARCHAR_0_0_12			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Extranjero_PK	PK				idProveedor	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Extranjero_Proveedor_FK	Proveedor	Y	Y		idProveedor	idProveedor	

Table Name	receta.Ingrediente
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idMateria	P	F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	idReceta	P	F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
3	Cantidad				NUMERIC (4)	DOM	NUMERIC_4_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Ingrediente_PK	PK				idMateria	ASC
					idReceta	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Ingrediente_MateriaPrima_FK	MateriaPrima	Y	Y		idMateria	idMaterial	
Ingrediente_Receta_FK	Receta	Y	Y		idReceta	idReceta	

Table Name	receta.MateriaPrima
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idMaterial	P		Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	Nombre				VARCHAR (20)	DOM	VARCHAR_0_0_20			
3	CantidadMin				NUMERIC (3)	DOM	NUMERIC_3_0_0			
4	ExistenciaActual				NUMERIC (6)	DOM	NUMERIC_6_0_0			
5	CostoUnitario				NUMERIC (4)	DOM	NUMERIC_4_0_0			
6	idUnidadMedida		F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
MateriaPrima_PK	PK				idMaterial	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
MateriaPrima_UnidadMedida_FK	UnidadMedida	Y	Y		idUnidadMedida	idUnidad	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Ingrediente_MateriaPrima_FK	Ingrediente	Y	Y		idMateria	idMaterial	
MateriaXProveedor_MateriaPrima_FK	MateriaXProveedor	Y	Y		idMateria	idMaterial	

Table Name	proveedor.MateriaXProveedor
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idMateria	P	F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	idProveedor	P	F	Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
3	CantidadMinima				NUMERIC (4)	DOM	NUMERIC_4_0_0			
4	UnidadMedida				NUMERIC (4)	DOM	NUMERIC_4_0_0			
5	Costo				NUMERIC (7)	DOM	NUMERIC_7_0_0			
6	FechaEntrega				Date	DOM	Date_0_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
MateriaXProveedor_PK	PK				idMateria	ASC
					idProveedor	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
MateriaXProveedor_MateriaPrima_FK	MateriaPrima	Y	Y		idMateria	idMaterial	
MateriaXProveedor_Proveedor_FK	Proveedor	Y	Y		idProveedor	idProveedor	

Table Name	proveedor.Nacional
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idProveedor	P	F	Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
2	cedulaJuridica				VARCHAR (12)	DOM	VARCHAR_0_0_12			
3	DiasCredito				NUMERIC (2)	DOM	NUMERIC_2_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Nacional_PK	PK				idProveedor	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Nacional_Proveedor_FK	Proveedor	Y	Y		idProveedor	idProveedor	

Table Name	orden.OrdenProduccion
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idOrden	P		Y	NUMERIC (7)	DOM	NUMERIC_7_0_0			
2	idPrenda		F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
3	idSolicitud		F	Y	NUMERIC (6)	DOM	NUMERIC_6_0_0			
4	FechaProduccion				Date	DOM	Date_0_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
OrdenProduccion_PK	PK				idOrden	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
OrdenProduccion_PrendaXOrden_FK	PrendaXOrden	Y	Y		idPrenda idSolicitud	idPrenda idSolicitud	

Table Name	prenda.Prenda
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idPrenda	P		Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	Descripcion				VARCHAR (40)	DOM	VARCHAR_0_0_40			
3	idEstilo		F	Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
4	Talla				VARCHAR (4)	DOM	VARCHAR_0_0_4			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Prenda_PK	PK				idPrenda	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Prenda_Estilo_FK	Estilo	Y	Y		idEstilo	idEstilo	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PrendaXConjunto_Prenda_FK	PrendaXConjunto	Y	Y		idPrenda	idPrenda	
PrendaXOrden_Prenda_FK	PrendaXOrden	Y	Y		idPrenda	idPrenda	
Receta_Prenda_FK	Receta	Y	Y		idPrenda	idPrenda	

Table Name	prenda.PrendaXConjunto
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idConjunto	P	F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	idPrenda	P	F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
PrendaXConjunto_PK	PK				idConjunto	ASC
					idPrenda	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PrendaXConjunto_Conjunto_FK	Conjunto	Y	Y		idConjunto	idConjunto	
PrendaXConjunto_Prenda_FK	Prenda	Y	Y		idPrenda	idPrenda	

Table Name	orden.PrendaXOrden
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idPrenda	P	F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	idSolicitud	P	F	Y	NUMERIC (6)	DOM	NUMERIC_6_0_0			
3	Cantidad				NUMERIC (6)	DOM	NUMERIC_6_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
PrendaXOrden_PK	PK				idPrenda	ASC
					idSolicitud	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PrendaXOrden_Solicitud_FK	Solicitud	Y	Y		idSolicitud	idSolicitud	
PrendaXOrden_Prenda_FK	Prenda	Y	Y		idPrenda	idPrenda	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
OrdenProduccion_PrendaXOrden_FK	OrdenProduccion	Y	Y		idPrenda idSolicitud	idPrenda idSolicitud	

Table Name	proveedor.Proveedor
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idProveedor	P		Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
2	Direccion				VARCHAR (120)	DOM	VARCHAR_0_0_120			
3	nombre				VARCHAR (15)	DOM	VARCHAR_0_0_15			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Proveedor_PK	PK				idProveedor	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Extranjero_Proveedor_FK	Extranjero	Y	Y		idProveedor	idProveedor	
MateriaXProveedor_Proveedor_FK	MateriaXProveedor	Y	Y		idProveedor	idProveedor	
Nacional_Proveedor_FK	Nacional	Y	Y		idProveedor	idProveedor	
TelefonoProveedor_Proveedor_FK	TelefonoProveedor	Y	Y		idProveedor	idProveedor	

Table Name	receta.Receta
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idPrenda		F	Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	idReceta	P		Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
3	Descripcion				VARCHAR (120)	DOM	VARCHAR_0_0_120			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Receta_PK	PK				idReceta	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Receta_Prenda_FK	Prenda	Y	Y		idPrenda	idPrenda	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Ingrediente_Receta_FK	Ingrediente	Y	Y		idReceta	idReceta	

Table Name	orden.Solicitud
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idSolicitud	P		Y	NUMERIC (6)	DOM	NUMERIC_6_0_0			
2	idCliente		F	Y	VARCHAR (10)	DOM	VARCHAR_0_0_10			
3	FechaProduccion				Date	DOM	Date_0_0_0			
4	FechaRegistro			Y	Date	DOM	Date_0_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Solicitud_PK	PK				idSolicitud	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Solicitud_Cliente_FK	Cliente	Y	Y		idCliente	Cedula	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PrendaXOrden_Solicitud_FK	PrendaXOrden	Y	Y		idSolicitud	idSolicitud	

Table Name	cliente.Telefono
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idCliente	P	F	Y	VARCHAR (10)	DOM	VARCHAR_0_0_10			
2	Telefono	P		Y	NUMERIC (8)	DOM	NUMERIC_8_0_0			
3	NombreContacto				VARCHAR (12)	DOM	VARCHAR_0_0_12			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Telefono_PK	PK				idCliente	ASC
					Telefono	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Telefono_Cliente_FK	Cliente	Y	Y		idCliente	Cedula	

Table Name	proveedor.TelefonoProveedor
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Description	
Notes	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idProveedor	P	F	Y	NUMERIC (2)	DOM	NUMERIC_2_0_0			
2	Telefono	P		Y	NUMERIC (8)	DOM	NUMERIC_8_0_0			
3	NombreContacto				VARCHAR (20)	DOM	VARCHAR_0_0_20			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
TelefonoProveedor_PK	PK				Telefono	ASC
					idProveedor	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
TelefonoProveedor_Proveedor_FK	Proveedor	Y	Y		idProveedor	idProveedor	

Table Name	receta.UnidadMedida
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	idUnidad	P		Y	NUMERIC (4)	DOM	NUMERIC_4_0_0			
2	Nombre				VARCHAR (20)	DOM	VARCHAR_0_0_20			
3	FactorComun				NUMERIC (4)	DOM	NUMERIC_4_0_0			

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
UnidadMedida_PK	PK				idUnidad	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
MateriaPrima_UnidadMedida_FK	MateriaPrima	Y	Y		idUnidadMedida	idUnidad	