Продвинутое использование git

Видмаер Егор Романович¹ 21 июня, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы —

Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

Процесс выполнения лабораторной работы

Node.js

```
\oplus
                                               ervidmaer@ervidmaer:~
 ervidmaer@ervidmaer:~$ pnpm setup
Appended new lines to /home/ervidmaer/.bashrc
Next configuration changes were made:
export PNPM_HOME="/home/ervidmaer/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:"*) ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac
To start using pnpm, run:
source /home/ervidmaer/.bashrc
ervidmaer@ervidmaer:~$ source ~/.bashrc
ervidmaer@ervidmaer:~$
```

Рис. 1: Node.js

commitizen

```
vidmaer@ervidmaer:~$ source ~/.bashrc
 rvidmaer@ervidmaer:~$ pnpm add -g commitizen
                   Update available! 8.12.0 → 9.4.0.
       Changelog: https://github.com/pnpm/pnpm/releases/tag/v9.4.0
                    Run "pnpm add -g pnpm" to update.
         Follow @pnpmjs for updates: https://twitter.com/pnpmjs
Packages: +153
Progress: resolved 153, reused 0, downloaded 153, added 153, done
  commitizen 4.3.0
Done in 6.2s
 ervidmaer@ervidmaer:~$
```

Рис. 2: установка commitizen

standard-changelog

```
ervidaer@ervidaer:-$ pnpm add -g standard-changelog
MARM 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: 42

Progress: resolved 195, reused 153, downloaded 42, added 42, done
/home/ervidmaer/.local/share/pnpm/global/5:
* standard-changelog 6.0.0
Done in 5.2s
ervidmaer@ervidmaer:-$
```

Рис. 3: установка standard-changelog

package.json

```
package.json
  Открыть
              ▼ +
 1 {
2
3
4
5
6
7
8
9
10
11
12
13
14
15
       "name": "git-extended",
       "version": "1.0.0".
       "description": "Git repo for educational purposes",
       "main": "index.js",
       "repository": "git@github.com:ervidmaer/git-extended.git",
       "author": "ervidmaer",
       "license": "CC-BY-4.0",
       "config": {
           "commitizen": {
                "path": "cz-conventional-changelog"
```

Рис. 4: package.json

Использование commitizen

```
vidmaer@ervidmaer:~/git-extended$ gedit package.json
 rvidmaer@ervidmaer:-/git-extended$ git add .
cz-cli@4.3.0. cz-conventional-changelog@3.3.0
  Select the type of change that you're committing: chore: Other changes that don't modify src or test files
  What is the scope of this change (e.g. component or file name): (press enter to skip)
  Write a short, imperative tense description of the change (max 93 chars):
  Provide a longer description of the change: (press enter to skip)
  Are there any breaking changes? No
  Does this change affect any open issues? No
 master ed9530el chore: test
1 file changed, 15 insertions(+)
create mode 166644 package, ison
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Скатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.11 КиБ | 1.11 МиБ/с, готово.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ervidmaer/git-extended.git
  0d3ba7f..ed9530e master -> master
  vidmaer@ervidmaer:~/git-extended$
```

Рис. 5: Отправка

```
rvidmaer@ervidmaer:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/ervidmaer/git-extended/.git/hooks]
ervidmaer@ervidmaer:~/git-extended$ git branch
 master
ervidmaer@ervidmaer:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:
            https://github.com/ervidmaer/git-extended/pull/new/develop
remote:
To github.com:ervidmaer/git-extended.git
                   develop -> develop
* [new branch]
ervidmaer@ervidmaer:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

```
Follow-up actions:
 Bump the version number now!
 Start committing last-minute fixes in preparing your release
  When done, run:
     git flow release finish '1.0.0'
 rvidmaer@ervidmaer:-/git-extended$ standard-changelog --first-release
 / created CHANGELOG.md
 output changes to CHANGELOG.md
 rvidmaer@ervidmaer:-/git-extended$ git add CHANGELOG.md
 ervidmaer@ervidmaer:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 17ebbea] chore(site): add changelog
1 file changed, 4 insertions(+)
 create mode 108644 CHANGELOG.md
ervidmaer@ervidmaer:-/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
1 file changed, 4 insertions(+)
create mode 108644 CHANGELOG.md
Уже на «master»
Bawa ветка опережает «origin/master∜ на 2 коммита.
 (используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
1 file changed, 4 insertions(+)
create mode 108644 CHANGELOG.md
Ветка release/1.0.0 удалена (была 17ebbea).
```

Рис. 7: Завершение релиза

Отправим данные на github

```
rvidmaer@ervidmaer:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 2.67 КиБ | 1.34 МиБ/с, готово.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ervidmaer/git-extended.git
  ed9530e..572628c develop -> develop
  ed9530e..dc0d0fa master -> master
ervidmaer@ervidmaer:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 152 байта | 152.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ervidmaer/git-extended.git
* [new tag]
                    1.0.0 -> 1.0.0
ervidmaer@ervidmaer:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/ervidmaer/git-extended/releases/tag/v1.0.0
ervidmaer@ervidmaer:~/git-extended$
```

Рис. 8: Отправка

Объединение веток

```
ervidmaer@ervidmaer:~/git-extended$ git flow feature start feature branch
Переключились на новую ветку «feature/feature_branch»
Summary of actions:

    A new branch 'feature/feature_branch' was created, based on 'develop'

    You are now on branch 'feature/feature branch'

Now, start committing on your feature. When done, use:
     git flow feature finish feature branch
ervidmaer@ervidmaer:~/git-extended$ touch test2
ervidmaer@ervidmaer:~/git-extended$ git flow feature finish feature branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature branch удалена (была 572628c).
Summary of actions:
- The feature branch 'feature/feature branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
 You are now on branch 'develop'
ervidmaer@ervidmaer:~/git-extended$
```

Рис. 9: Объединение веток

git-flow

```
Ħ
                                        ervidmaer@ervidmaer:~/git-extended
 rvidmaer@ervidmaer:~/git-extended$ git flow release finish 1.2.3
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
 CHANGELOG.md | 4 ++++
 package.json | 2 +
 2 files changed, 5 insertions(+), 1 deletion(-)
Ваша ветка опережает «origin/master» на 3 коммита.
 (используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
package.ison | 2 .
 2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была d64099f).
Summary of actions:
 Release branch 'release/1.2.3' has been merged into 'master'
 The release was tagged '1.2.3'
 Release tag '1.2.3' has been back-merged into 'develop'
 Release branch 'release/1.2.3' has been locally deleted
 You are now on branch 'develop'
 ervidmaer@ervidmaer:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 180% (6/6), готово.
Запись объектов: 180% (6/6), 2.78 КиБ | 2.78 МиБ/с, готово,
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object,
To github.com:ervidmaer/git-extended.git
```

Рис. 10: Завершение релиза

Подготовка рабочего репозитория

```
dmaer@ervidmaer:-/work/study/2023-2024/Операционные системы/os-intro$ gedit package.json
  Select the type of change that you're committing: chore: Other changes that don't modify arc or test files
  What is the scope of this change (e.g. component or file name): (press enter to skip)
  Write a short, imperative tense description of the change (max 93 chars):
  Provide a longer description of the change: (press enter to skip)
  Are there any breaking changes? N
  Does this change affect any open issues? No
 master e618834] chore: test
 1 file changed, 14 insertions(+)
 create mode 108644 package.json
 Іеречисление объектов: 4, готово.
 юдсчет объектов: 100% (4/4), готово.
 ри сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:ervidmaer/os-intro.git
   3679bd4..e618834 master -> master
```

Рис. 11: package.json и коммит

Подготовка рабочего репозитория

```
ervidmaer@ervidmaer:~/work/study/2023-2024/Операционные системы/os-intro
 (используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy
CHANGELOG. nd | 93 *
1 file changed, 2 insertions(+), 91 deletions(-)
Ветка release/1.0.0 удалена (была ad3e95f).
iummary of actions:
 Release branch 'release/1.0.0' has been merged into 'master'
 The release was tagged '1.0.0'
 Release tag '1.0.0' has been back-merged into 'develop'
  Release branch 'release/1.0.0' has been locally deleted
  You are now on branch 'develop'
 rvidmaer@ervidmaer:~/work/study/2023-2024/Операционные системы/os-intro$ git push --all
Теречисление объектов: 7. готово.
Юдсчет объектов: 180% (7/7), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (5/5), готово
Banись объектов: 100% (5/5), 2.74 КиБ | 2.74 МиБ/с, готово.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 166% (1/1), completed with 1 local object.
To github.com:ervidmaer/os-intro.git
  e618834..a58e562 develop -> develop
  e618834..454618b master -> master
      ыегβегvidmaer:∼/work/studv/2023-2024/Операционные системы/os-intro$ git push --tags
 еречисление объектов: 1, готово
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 152 байта | 152.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:ervidmaer/os-intro.git
  [new tag]
```

Рис. 12: Завершение релиза

Выводы по проделанной работе

Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.