



GoDroid

Application Notes

USB ADB Debugging

v1.1



Copyright Statement

Copyright in this document is owned by GoWarrior Community. Any person is hereby authorised to view, copy, print and distribute this document subject to the following conditions:

- The document may be used for informational purposes only
- The document may be used for non-commercial purposes only
- Any copy of this document or portion thereof must include this copyright notice

This document is provided "as is" without any warranty of any kind, either express or implied, statutory or otherwise; without limiting the foregoing, the warranties of satisfactory quality, fitness for a particular purpose or non-infringement are expressly excluded and under no circumstances will GoWarrior Community be liable for direct or indirect loss or damage of any kind, including loss of profit, revenue, goodwill or anticipated savings.

This document is intended only to assist the reader in the use of the product. GoWarrior Community makes no representations or warranties with respect to the accuracy or completeness of the contents of this document, which is used at your own risk and should not be relied upon. The information could include technical inaccuracies or typographical errors. No license, whether express, implied, arising by estoppel or otherwise, to any intellectual property right is granted by this document.

The product described in this document is subject to continuous development and improvements. GoWarrior Community also reserves the right to make changes to the specifications and product description at any time without notice.

Third-party brands and names mentioned in this publication are for identification purpose only and may be the property of their respective owners.

Android™ is a registered trademark of Google Inc. Linux® is a registered trademark of Linus Torvalds. Microsoft® and Windows® are registered trademarks of Microsoft Corporation. Supply of this product does not convey a license nor imply a right under any patent, or any other industrial or intellectual property right of Google Inc., Linus Torvalds, and Microsoft Corporation to use this implementation in any finished end-user or ready-to-use final product. It is hereby notified that a license for such use is required from Google Inc., Linus Torvalds and Microsoft Corporation.

For the latest version of this document refer to:

www.gowarriorosh.com

Copyright © 2016 GoWarrior Community All Rights Reserved.

Table of Contents

Preface	1
Overview	1
Audience	1
Applicable Products.....	1
Reference Documents.....	1
Conventions.....	2
How to Contact Us.....	3
 1 USB Debugging and ADB Switch	4
1.1 ADB over USB on Windows Machine.....	4
1.1.1 USB ADB Installation.....	5
1.1.2 ADB Tools Usage.....	10
1.2 ADB over USB on Linux Machine.....	12
1.2.1 USB ADB Settings	12
1.2.2 ADB Tools Usage.....	13
1.3 USB Debugger Settings.....	14
 2 Usage of USB ADB in App Development.....	16
 3 Important Notes	18
 4 FAQ.....	19
 Appendix: Glossary	20
 Revision History	21
Document Change History.....	21
Software Changes.....	21

List of Tables

Table 1. Typographical Conventions.....	2
Table 2. Symbol Conventions	2
Table 3. List of Abbreviations.....	20
Table 4. Document Change History	21
Table 5. Software Change History.....	21

List of Figures

Figure 1. USB Port 0 on the TIGER Board	5
Figure 2. USB Driver Install – Step 2.....	5
Figure 3. USB Driver Install – Step 3.....	6
Figure 4. USB Driver Install – Step 4.....	6
Figure 5. USB Driver Install – Step 5.....	7
Figure 6. USB Driver Install – Step 6.....	7
Figure 7. USB Driver Install – Step 7	8
Figure 8. USB Driver Install – Step 8.....	8
Figure 9. USB Driver Install – Step 9.....	9
Figure 10. USB Driver Install – Step 9	9
Figure 11. USB Driver Install – Step 10.....	10
Figure 12. USB Driver Install – Step 11.....	10
Figure 13. adb.exe in the Windows Android SDK	11
Figure 14. adb.exe Usage on Windows Machine	11
Figure 15. ADB Tool on Linux Android SDK	13
Figure 16. ADB Tool Usage on Linux Machine.....	14
Figure 17. USB Debugging Mode Setting - Step 1	15
Figure 18. USB Debugging Mode Setting – Step 2.....	15
Figure 19. Android Studio Logcat	16
Figure 20. "Choose Device" Window	17
Figure 21. App Installed on TIGER Board	17

Preface

Overview

This manual provides guidance on how to use GoDroid USB ADB debugger, including USB ADB related settings and some precautions. This manual is organized into the following chapters

- **Chapter 1: USB Debugging and ADB Switch**

This chapter describes how to set GoDroid USB ADB Debugger and ADB switch.

- **Chapter 2: Usage of USB ADB in App Development**

This chapter briefly describes how to run app which is developed by Android Studio on Tiger Board over USB ADB.

- **Chapter 3: Important Notes**

This chapter lists important precautions that need to be taken when using USB ADB Debugger.

- **Chapter 4: FAQ**

This chapter lists frequently asked questions and answers.

Audience

This manual is applicable for the users who wish to setup USB ADB on the TIGER Board. Readers of this manual are assumed to have certain knowledge and background on Android embedded development.

Applicable Products

This manual is applicable for the GoWarrior TIGER Board.

Reference Documents

N/A

Conventions

Typographical Conventions

Item	Format
codes, keyboard input commands, file names, equations, and math	Courier New, Size 10.5
Variables, code variables, and code comments	<i>Courier New, Size, Italic</i>
Menu item, buttons, tool names	Ebrima, Size 10.5, Bold e.g. Select USB Debugging
Screens, windows, dialog boxes, and tabs	Ebrima, Size 10.5, Bold Enclosed in double quotation marks e.g. Open the “Debug Configuration” dialog box

Table 1. Typographical Conventions

Symbol Conventions




Item	Description
 Caution	Indicates a potential hazard or unsafe practice that, if not avoided, could result in data loss, device performance degradation, or other unpredictable results.
 Note	Indicates additional and supplemental information for the main contents.
 Tip	Indicates a suggestion that may help you solve a problem or save your time.

Table 2. Symbol Conventions

How to Contact Us

Submit all your comments and error reports to the author at:

info@gowarriorosh.com

Tel: +886-2-8752-2000

Fax: +886-2-8751-1001

For questions regarding GoWarrior, contact our support team at the email listed below:

support@gowarriorosh.com

1 USB Debugging and ADB Switch

The information about USB driver installation and commonly used commands of USB ADB is described as follows. Please strictly follow the instructions.

For method of using Ethernet ADB, please refer to "[GoWarrior_GoDroid_Developer Guide](#)". These contents will not be described again in this manual.

1.1 ADB over USB on Windows Machine

ADB Debugger is opened by default, USB ADB Drivers need to be installed on Windows PC to recognize the TIGER Board before using this function is used. Please download USB ADB Driver from Github as follows.

```
git clone git@github.com:GoWarrior/tools.git
```

`usb_driver.rar` can be found in this Git repository, please unzip it to HDD firstly. The directory of the driver is as follows.

Note: The driver works well on Windows7 32 bit/64 bit.

```
amd64  
i386  
androidwinusb86.cat  
androidwinusba64.cat  
android_winusb.inf  
source.properties
```

1.1.1 USB ADB Installation

The steps are as follows:

1. Connect a USB cable between USB Port 0 on the board as Figure 1 and the USB port on host PC. Your computer will prompt you to insert a new device. You need to install the driver.




Figure 1. USB Port 0 on the TIGER Board

2. Open "Device Manager->Other devices" on PC, then the TIGER Board device will be shown as Figure 2. Click TIGER Board with Right Click, and select "Update Device Software".




Figure 2. USB Driver Install – Step 2

3. Select **"Browse my computer for driver software"** in the interface as Figure 3.




Figure 3. USB Driver Install – Step 3

4. Select **"Let me pick from a list of device drivers on my computer"** in the interface as Figure 4.




Figure 4. USB Driver Install – Step 4

5. Click **"Next"** in the interface as Figure 5.




Figure 5. USB Driver Install – Step 5

6. Click "**Have disk**" in the interface as Figure 6.




Figure 6. USB Driver Install – Step 6

7. Click "**Browser**" in the interface as Figure 7.




Figure 7. USB Driver Install – Step 7

8. Select "**android_winusb.inf**" in the usb_driver in the interface as Figure 8.




Figure 8. USB Driver Install – Step 8

9. Click "**Next**" in the interface as Figure 9.




Figure 9. USB Driver Install – Step 9




Figure 10. USB Driver Install – Step 9

10. If Figure 11 is shown, click **"Install this driver software anyway"**. Then wait a few minutes, the driver is installed successfully.



Figure 11. USB Driver Install – Step 10

11. The Android Composite ADB Interface will be added in the **Device Manager** when driver is installed, then USB ADB of the TIGER Board is worked.




Figure 12. USB Driver Install – Step 11

1.1.2 ADB Tools Usage

The ADB tool is a part of Android SDK package. For an overview of how to install and set up the Android SDK, please refer to the setup instructions in following link: <http://developer.android.com/sdk/index.html>. The Android SDK package looks like this: `adt-bundle-windows-x86-20140321.zip`. The ADB tool is located under `<sdk>/platform-tools` directory which as shown in the Figure 13.




Figure 13. adb.exe in the Windows Android SDK

The directory of adb.exe is shown in Figure 13, AdbWinApi.dll and AdbWinUsbApi.dll is necessary on Windows Host PC.

Use Windows cmd tool, enter the directory of adb.exe to use ADB, the interface is shown in Figure 14.




Figure 14. adb.exe Usage on Windows Machine

In the cmd interface, enter `adb.exe` directory, then execute "adb devices" command, if the result is as follows, the ADB device is connected successfully.

```
List of devices attached
0123456789ABCDEF    device
```

1.2 ADB over USB on Linux Machine

For a host with Linux systems, for example Ubuntu 12.04, please follow the steps below to install and verify ADB:

1.2.1 USB ADB Settings

Install the ADB driver on a host PC. Actually, there is no need to install drivers on Linux PC. For the detail information of ADB driver on Linux Machine, please visit the Android official link at <http://source.android.com/source/initializing.html>.

But there are some settings need to be done for Linux PC to recognize ADB device.

The following steps show the detail settings:

1. Use the "root" account to create `e/etc/udev/rules.d/51-android.rules`. Then add the following contents.

```
SUBSYSTEM=="usb", SYSFS{idVendor}=="18d1", MODE="0666"
```

2. Execute the following command to change the user mode of `51-android.rules`.

```
$ chmod a+r /etc/udev/rules.d/51-android.rules
```


3. Restart `udev`.

```
$ /etc/init.d/udev restart
```

1.2.2 ADB Tools Usage

The ADB tool is a part of Android SDK package. For an overview of how to install and set up the Android SDK, please follow download and setup instructions from <http://developer.android.com/sdk/index.html>. The Linux version Android SDK is suitable for Linux PC. The ADB tool is located under `<sdk>/platform-tools` directory.

You can also find the ADB tool at `/out/host/linux-x86/bin/` directory after building ASOP.



Name	Date modified	Type	Size
api	2014/8/13 13:17	File folder	
systrace	2014/8/13 13:17	File folder	
adb	2014/8/13 13:17	File	1,324 KB
dmtracedump	2014/8/13 13:17	File	47 KB
etc1tool	2014/8/13 13:17	File	220 KB
fastboot	2014/8/13 13:17	File	197 KB
hprof-conv	2014/8/13 13:17	File	10 KB
NOTICE.txt	2014/8/13 13:17	Text Document	704 KB
source.properties	2014/8/13 13:17	PROPERTIES File	1 KB
sqlite3	2014/8/13 13:17	File	754 KB

Figure 15. ADB Tool on Linux Android SDK

The ADB tool needs to configure in Ubuntu Linux system, procedures are as follows:

1. Open `~/.bashrc` file.
2. Add the ADB tool path in the end of the file.


```
export ANDROID_HOME=~/.adt-bundle-linux-x86_64-20140702/sdk
export PATH=$PATH:$ANDROID_HOME/platform-tools:$ANDROID_HOME/tools
```

3. Save this file, and then execute the following command.

```
source ~/.bashrc
```

4. Execute the following command in Terminal, ADB devices will be shown as Figure 16.

```
adb devices
```



```
rodger@U-ALiDroid: ~  
→ ~ adb devices  
* daemon not running. starting it now on port 5037 *  
* daemon started successfully *  
List of devices attached  
0123456789ABCDEF      device  
→ ~ □
```

Figure 16. ADB Tool Usage on Linux Machine

1.3 USB Debugger Settings

As TIGER Board series does not support the USB OTG hardware functionality, the Host/Device mode of a USB device is not switched automatically by OTG hardware. It is switched by selecting **Settings>Developer options>USB debugging**, as shown below.




Figure 17. USB Debugging Mode Setting - Step 1




Figure 18. USB Debugging Mode Setting – Step 2

Pay Attention that the USB debugging item is selected by default.

2 Usage of USB ADB in App Development

TIGER Board is used to develop Android App, and App is debugged by USB ADB.

This Chapter explains how to run Android App on TIGER Board, the development environment is Android Studio.

For the detail information of APP development on Android Studio, please refer to Android official documents. After the app is build, please follow the procedures to debug app on TIGER Board.

Procedure:

1. Open Android Studio.
2. If the TIGER Board is connected with Host PC, Android Studio will automatically detect TIGER Board, the logcat will show on Android Studio, as Figure 19.




Figure 19. Android Studio Logcat

- Run Android App, a window "Choose Device" will pop up and show TIGER Board, select "OK", the application will be installed on TIGER Board, as Figure 20, Figure 21.




Figure 20. "Choose Device" Window




Figure 21. App Installed on TIGER Board

3 Important Notes

Please pay attention to the following items:

After the “**USB debugging**” option is selected, only USB Port0 supports ADB function while USB Port 1 cannot be used and the other one USB ports are still in “**Host**” mode.

4 FAQ

1. Windows driver can't be installed.

For the method of installing USB ADB device driver in Windows, please go to

<http://developer.android.com/tools/extras/oem-usb.html#InstallingDriver>.

Please be noted that as Android ADB device is not displayed in the known device list of Windows Device Manager, you need to select Show "**All Hidden Devices**" when installing the driver, and then select the correct `android_winusb.inf`.

2. Windows can't identify the device.

Please enable the USB ADB functionality and plug the USB cable in strict accordance with the method given in No. 1 of [Chapter 3 Important Notes](#).

Plug and remove the USB cable again, or reset the USB debugging option or even power on/off the TIGER Board again.

The USB cable cannot be too long. Ensure that it works properly, or try to plug it into other USB ports on the computer, and so on.

3. `adb.exe` displays "offline" or "No devices".

Please check if the device has been identified by Windows first and then rerun `adb.exe`, or restart ADB sever by executing the following commands.

```
> adb kill-server
```

```
> adb start-server
```

4. Commands like `Adb.exe shell` do not respond.

The solution is the same as No. 3 in FAQ.

Appendix: Glossary

Abbr.	Full Name
ADB	Android Debug Bridge
OTG	On-The-Go

Table 3. List of Abbreviations

Revision History

Document Change History

Revision	Changes	Date
v1.1	Updated document version to 1.1.	February 29, 2016
v1.0	Initial Release	September 07, 2015

Table 4. Document Change History

Software Changes

Revision	Changes	Date
v1.1	Install and start GoDroid with a MicroSD card.	February 29, 2016
v1.0	Initial Release	September 07, 2015

Table 5. Software Change History



www.gowarriorsh.com

Headquarters

Tel: +886-2-8752-2000

Fax: +886-2-8751-1001

