GPU-accelerated vs. CPU-only Applications

In **CPU-only applications** data is allocated on the CPU


…and all work is performed serially on the CPU
DATA
CPU
a=np.arange(n)
a=do_work(a)
Time
DEEP
LEARNING
INSTITUTE



…and all work is performed serially on the CPU
DATA
CPU
a=np.arange(n)
a=do_work(a)
verify(a)
Time

In **accelerated applications** there is both host and device memory.



Data initialized on the CPU can be copied to the GPU device...



… where it can be worked on in parallel



GPU work is asynchronous to the host, so work on the CPU and GPU can happen at the same time



Programmers can indicate synchronization points between the CPU and GPU with **`cuda.synchronize()`**



And data can be copied back to the CPU...



… for verification etc.



CUDA Thread Hierarchy

Let’s dig into what happens when we launch a function on the GPU



GPUs do work in parallel

GPU



GPU work is done in a **thread**

GPU



Many threads run in parallel

GPU



CUDA can process thousands of threads in parallel. The sizes are greatly reduced in these images for simplicity.

GPU



A collection of threads is a **block**

GPU



There can be many blocks

GPU



A collection of blocks associated with a given kernel launch is a **grid**

GPU



GPU functions are called **kernels**

GPU



Kernels are **launched** with an **execution configuration**

GPU



The execution configuration defines the number of blocks in the grid

GPU



… as well as the number of threads in each block

GPU



Every block in the grid contains the same number of threads

GPU



CUDA-Provided Thread Hierarchy Variables

Inside kernel definitions, CUDA-provided variables describe its executing thread, block, and grid

GPU



`gridDim.x` is the number of blocks in the grid, in this case **`2`**

GPU



`blockIdx.x` is the index of the current block within the grid, in this case **0**

GPU



blockIdx.x is the index of the current block within the grid, in this case **1**

GPU



Inside a kernel **`blockDim.x`** describes the number of threads in a block. In this case **`4`**

GPU



All blocks in a grid contain the same number of threads

GPU



Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **`0`**

GPU



DEEP LEARNING INSTITUTE

Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **`1`**

GPU



Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **2**

GPU



Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **`3`**

GPU



Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **`0`**

GPU



Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **`1`**

GPU



Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **2**

GPU



Inside a kernel **`threadIdx.x`** describes the index of the thread within a block. In this case **3**

GPU



Coordinating Parallel Threads

Let’s look at some basic ways to coordinate parallel threads to work on a data set



Assume data is in a 0 indexed vector

GPU DATA



GPU



Assume data is in a 0 indexed vector

GPU
DATA

0 4

1 5

2 6

3 7

GPU



Somehow, each thread must be mapped to work on elements in the data

GPU DATA



GPU

… if we can calculate a thread's index *within the entire grid*, then we could map that index to an index in the data

GPU
DATA



GPU

GPU

DATA

… unfortunately CUDA does not provide a single variable to capture this, only thread indices *within the block*



GPU

GPU
DATA



There is an idiomatic way to calculate this value, however. Recall that each thread has access to the size of its block via **`blockDim.x`**

GPU



GPU

DATA



…and the index of its block within the grid via **`blockIdx.x`**

GPU



GPU
DATA



…and its own index within its block via **`threadIdx.x`**

GPU



GPU
DATA



Using these variables, the formula **`threadIdx.x + blockIdx.x * blockDim.x`** will return the thread's unique index in the whole grid, which we can then map to data elements.

GPU



GPU
DATA

0	4
1	5
2	6
3	7

threadIdx.x	+	blockIdx.x	*	blockDim.x
0		0		4

data_index
?

GPU



GPU
DATA

threadIdx.x	+	blockIdx.x	*	blockDim.x
0		0		4

data_index
0

GPU



GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
1		0		4

data_index
?

GPU



GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
1		0		4

data_index
1

GPU

GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
2		0		4

data_index
?

GPU



GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
2		0		4

data_index
2

GPU

GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
3		0		4

data_index
?

GPU



GPU
DATA

GPU



0
1
2
3
4
5
6
7
threadIdx.x
+
blockIdx.x
*
blockDim.x
3
0
4
data_index
3
do_work[2, 4](d_a)
0
0
1
2
3
1
0
1
2
3
4
4

GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
0		1		4

data_index
?

GPU



GPU
DATA

threadIdx.x	+	blockIdx.x	*	blockDim.x
0		1		4

data_index
4

GPU



GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
1		1		4

data_index
?

GPU



GPU
DATA

threadIdx.x	+	blockIdx.x	*	blockDim.x
1		1		4

data_index
5



GPU

GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
2		1		4

data_index
?

GPU



GPU
DATA

threadIdx.x	+	blockIdx.x	*	blockDim.x
2		1		4

data_index
6

GPU



GPU
DATA



threadIdx.x	+	blockIdx.x	*	blockDim.x
3		1		4

data_index
?

GPU





threadIdx.x	+	blockIdx.x	*	blockDim.x
3		1		4

data_index
7

GPU
DATA

GPU



GPU
DATA

0	4
1	5
2	6
3	7

threadIdx.x	+	blockIdx.x	*	blockDim.x
3		1		4

data_index
7

grid(1)
7

As a convenience, Numba provides the `cuda.grid()` function, which will return a thread's unique index in the grid.

GPU



NVIDIA

DEEP
LEARNING
INSTITUTE

www.nvidia.com/dli