


ÖRNEK DOKUNSAL KİTAP



dokunduyogren.com

A horizontal arrangement of 24 black circular dots. They are organized into three distinct rows: a top row with 4 dots, a middle row with 8 dots, and a bottom row with 12 dots. Each row is perfectly aligned horizontally, and the rows themselves are also aligned vertically.

A horizontal row of 100 black circular dots, arranged in a perfect 10x10 grid. The dots are evenly spaced and have a uniform size.

The image shows a horizontal sequence of 20 black circular dots. They are arranged in two rows: a top row with 10 dots and a bottom row with 10 dots. The dots are organized into several distinct groups. On the far left, there is a single dot in the bottom row. Next to it is a group of three dots in the bottom row, with one dot above them in the top row. Following this is a group of two dots in the top row, with one dot below them in the bottom row. Then comes a group of four dots in the top row, with one dot below them in the bottom row. After this, there is a group of two dots in the top row, with one dot below them in the bottom row. Finally, on the far right, there is a group of three dots in the top row, with one dot below them in the bottom row. This pattern repeats across the entire sequence.

A horizontal row of 100 black circular dots, arranged in a perfect 10x10 grid. The dots are evenly spaced and have a uniform size.

The image consists of a horizontal sequence of 20 identical groups of three black dots. Each group is arranged in a triangular pattern: one dot at the top, two dots at the bottom left, and one dot at the bottom right. The groups are evenly spaced along a thin horizontal line.

A horizontal sequence of black dots arranged in a pattern that tapers to the left and right. The dots are positioned at regular intervals along a horizontal baseline. On the far left, there is a small cluster of four dots. This is followed by a long, narrow gap containing a single dot. To the right of this gap, there is another small cluster of four dots. The main body of the sequence consists of two parallel rows of dots, separated by a narrow gap. The dots in the upper row are slightly offset to the right of those in the lower row. The sequence continues for approximately 20 units of horizontal space.

A horizontal row of 24 black circular dots arranged in three equal columns of 8 dots each. The dots are evenly spaced and have a consistent size.

A grid of black dots arranged in 10 rows and 10 columns. The dots are positioned such that they form a pattern where the first two rows have 2 dots each, the next two rows have 3 dots each, and the remaining six rows have 4 dots each, creating a stepped, pyramid-like shape.

A grid of 100 black dots arranged in 10 rows and 10 columns. The dots are evenly spaced and form a perfect square pattern.

A grid of black dots arranged in a pattern of vertical columns and horizontal rows. The dots are positioned at various heights within each column, creating a sense of depth or a stepped surface. The pattern repeats across the width of the image.

A horizontal row of 100 black dots, arranged in a perfect 10x10 grid. The dots are evenly spaced and have a uniform size.

A horizontal row of 100 black dots, arranged in a perfect 10x10 grid. The dots are evenly spaced and have a uniform size.

The figure consists of two distinct clusters of black circular data points. The left cluster is arranged in a triangular shape, with 5 points on the top row, 4 on the second, 3 on the third, 2 on the fourth, and 1 point on the bottom center. The right cluster is more irregular, with points scattered across several rows: 3 points on the top row, 2 on the second, 3 on the third, 2 on the fourth, 3 on the fifth, and 1 point on the bottom center.

A horizontal arrangement of 20 solid black circular dots. They are organized into four distinct rows: the top row contains 5 dots, the second row contains 6 dots, the third row contains 4 dots, and the bottom row contains 5 dots. The dots are evenly spaced within each row.

A horizontal sequence of 20 black dots arranged in two rows. The top row has 10 dots, and the bottom row has 10 dots. The dots are scattered across the page, with some pairs appearing close together and others more isolated.



A horizontal row of 100 black dots, arranged in a perfect 10x10 grid. The dots are evenly spaced and have a uniform size.

A horizontal row of 100 black dots, arranged in a perfect 10x10 grid. The dots are evenly spaced and have a uniform size.

The image shows a horizontal sequence of 20 black circular dots. They are arranged in two rows: a top row with 10 dots and a bottom row with 10 dots. The dots are primarily aligned horizontally in pairs or small groups. There are several instances of vertical pairs of dots, such as at the far left, near the center, and towards the right side. Additionally, there are a few isolated dots and some other small clusters of three or four dots.



A scatter plot showing the distribution of points across a grid. The points are black dots plotted on a white background. They form several distinct horizontal bands: a top band with 5 points, a middle band with 10 points, and a bottom band with 15 points. The points are arranged in a staggered pattern within each band.

The image consists of a horizontal sequence of 20 distinct groups of black dots. Each group contains exactly three dots arranged in a triangular pattern. The groups are evenly spaced along the horizontal axis. Within each group, the top dot is positioned above the two bottom dots, which are aligned horizontally.







The image shows a collection of black circular dots scattered across a white background. There are approximately 30 dots in total, organized into several distinct groups. On the far left, there are two isolated dots. To their right is a cluster of four dots, with two in the top row and two in the bottom row. Further right is a group of five dots: three in the top row and two in the bottom row. Next is a single isolated dot. Then there is a cluster of six dots: three in the top row and three in the bottom row. Following this is a single isolated dot. To the right of that is another cluster of six dots, identical in arrangement to the previous one. After this is a single isolated dot. Finally, on the far right, there are two more isolated dots.







.. : : : : : : : : : : : : : : :



GÜNEŞ SİSTEMİ





• • • : : : : :



TAM GÖLGE





.. : : : : : : : :



SÖĞÜT AĞACI





• • : : : : : : : : : : : : : :



FOTOSENTEZ






The image shows a collection of black dots arranged in a grid-like pattern. The dots are organized into several horizontal rows. Within each row, there are vertical columns of dots. Some columns have a single dot, while others have multiple dots stacked vertically. The overall effect is a staggered, non-uniform grid.



KARŞILAŞTIRMALI OLARAK KUŞLAR





.. : : : : : : : : : :



FARE VE SİÇAN





A 3x10 grid of black dots arranged in three rows. The top row has 10 dots. The middle row has 9 dots, with the first dot in the first column and the last dot in the ninth column. The bottom row has 10 dots.





ÖRÜMCEK



The image shows a grid of black dots arranged in a repeating pattern. The dots are organized into several horizontal rows. Within each row, there are vertical columns of dots. The pattern creates a visual effect of small squares or a grid-like structure. The dots are solid black and have a uniform size.





ENDOKRİN SİSTEM (HORMONLAR)



SINDİRİM SİSTEMİ





.. . : : : : : : : : : : : : : : :





SOLUNUM SİSTEMİ



.. . : : : : : : : : : : : : : : :





SİNİR SİSTEMİ






DOLAŞIM SİSTEMİ



The diagram consists of three horizontal rows of black circular dots. The top row contains 5 dots, the middle row contains 3 dots, and the bottom row contains 7 dots. The dots are arranged in a staggered pattern, with each dot in one row positioned between two dots in the row above it. This creates a grid-like structure where the vertical distance between rows is equal to the horizontal distance between adjacent dots.





KAFATASI



MERKEZİ SINİR SİSTEMİ






.. . :



SİNİR HÜCRESİ (NÖRON)





• • • • • • • •



HELİKOPTER





• • : : : : :



OTOBÜS



... ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●



PİSAGOR BAĞINTISI