

PyKEP 3: A coolbox for interplanetary trajectory design

Dario Izzo¹ and Francesco Biscani²

¹ European Space Agency's Advanced Concepts Team, The Netherlands ² European Space Agency's Advanced Concepts Team, The Netherlands

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

PyKEP 3 is a Python toolbox developed at the [European Space Agency](#) by the [Advanced Concepts Team](#) to perform quick analysis of interplanetary trajectory design problems. It is designed to be used by researchers and engineers to prototype and test new ideas in the field of astrodynamics. The library provides efficient implementations of algorithms for solving the multiple revolutions Lambert's problem, low-thrust problems, multiple asteroid rendezvous problems, and more. It also provides support for [JPL SPICE](#), SGP4 propagation, and the [Heyoka](#) Taylor integration suite.

Statement of need

PyKEP 3 was designed to be used by both astronomical researchers and by students in courses on gravitational dynamics or astronomy. It has already been used in a number of scientific publications ([Pearson et al., 2017](#)) and has also been used in graduate courses on Galactic dynamics to, e.g., provide interactive visualizations of textbook material ([Binney & Tremaine, 2008](#)). The combination of speed, design, and support for Astropy functionality in Gaia will enable exciting scientific explorations of forthcoming data releases from the *Gaia* mission ([Gaia Collaboration, 2016](#)) by students and experts alike.

Mathematics

Single dollars (\$) are required for inline mathematics e.g. $f(x) = e^{\pi/x}$

Double dollars make self-standing equations:

$$\Theta(x) = \begin{cases} 0 & \text{if } x < 0 \\ 1 & \text{else} \end{cases}$$

You can also use plain \LaTeX for equations

$$\hat{f}(\omega) = \int_{-\infty}^{\infty} f(x) e^{i\omega x} dx \quad (1)$$

and refer to [Equation 1](#) from text.

Citations

Citations to entries in paper.bib should be in [rMarkdown](#) format.

29 If you want to cite a software repository URL (e.g. something on GitHub without a preferred
30 citation) then you can do it with the example BibTeX entry below for Smith et al. (2020).

31 For a quick reference, the following citation commands can be used: - @author:2001 ->
32 "Author et al. (2001)" - [@author:2001] -> "(Author et al., 2001)" - [@author1:2001;
33 @author2:2001] -> "(Author1 et al., 2001; Author2 et al., 2002)"

34 **Figures**

35 Figures can be included like this: Caption for example figure. and referenced from text using
36 [section](#) .

37 Figure sizes can be customized by adding an optional second parameter: Caption for example
38 figure.

39 **Acknowledgements**

40 We acknowledge contributions from and support from ...

41 **References**

42 Binney, J., & Tremaine, S. (2008). *Galactic Dynamics: Second Edition*. Princeton University
43 Press. <http://adsabs.harvard.edu/abs/2008gady.book.....B>

44 Gaia Collaboration. (2016). The Gaia mission. *Astronomy and Astrophysics*, 595. <https://doi.org/10.1051/0004-6361/201629272>

46 Pearson, S., Price-Whelan, A. M., & Johnston, K. V. (2017). Gaps in Globular Cluster
47 Streams: Pal 5 and the Galactic Bar. *ArXiv e-Prints*. <http://adsabs.harvard.edu/abs/2017arXiv170304627P>

49 Smith, A. M., Thaney, K., & Hahnel, M. (2020). Fidgit: An ungodly union of GitHub and
50 figshare. In *GitHub repository*. GitHub. <https://github.com/arfon/fidgit>