

## Project Executable Files

|                      |                                                                |
|----------------------|----------------------------------------------------------------|
| <b>Date</b>          | 15 March 2026                                                  |
| <b>Team ID</b>       | SWTID-2026-2508                                                |
| <b>Project Name</b>  | Streamlining IT Procurement: Automating Standard Laptop Orders |
| <b>Maximum Marks</b> | 3 Marks                                                        |

### Project Executable Files

This section requires submission of all executable and deployable files for your project. Ensure all files are properly organized, named, and uploaded to the specified submission platform. The evaluator must be able to run or deploy your solution using the provided files and instructions.

#### Step 1: Submission Checklist

| S.No | Item to Submit                                                  | Submitted (Yes / No / NA) |
|------|-----------------------------------------------------------------|---------------------------|
| 1    | Complete source code (all files and folders)                    |                           |
| 2    | README / Setup Guide (instructions to run the project)          |                           |
| 3    | requirements.txt / package.json / dependency file               |                           |
| 4    | Database schema / seed files (if applicable)                    |                           |
| 5    | Environment configuration file (.env.example or similar)        |                           |
| 6    | Deployed application URL (if hosted)                            |                           |
| 7    | APK / Executable binary (if applicable for mobile/desktop apps) | NA                        |
| 8    | Dockerfile / Containerization config (if applicable)            | NA                        |
| 9    | Test files and test results                                     |                           |
| 10   | Demo video or walkthrough (if required)                         |                           |

## Step 2: File / Folder Structure

Provide an overview of your project's file and folder structure below:

|                     |                                                                                    |
|---------------------|------------------------------------------------------------------------------------|
| /laptop-procurement |                                                                                    |
| /app.py             | - Flask application: routes and main logic                                         |
| /models.py          | - Database models (users, laptops, requests, approvals, orders)                    |
| /templates          | - HTML pages (login, catalog, request form, approvals, orders, dashboard, reports) |
| /static             | - CSS, JavaScript and images                                                       |
| /database           | - schema.sql and seed.sql (tables and sample data)                                 |
| /tests              | - Test files                                                                       |
| /docs               | - Documentation                                                                    |
| .env.example        | - Environment configuration (DB and email settings)                                |
| requirements.txt    | - Python dependencies                                                              |
| README.md           | - Setup and run instructions                                                       |

## Step 3: Deployment / Access Details

| Field                       | Details                                                                                           |
|-----------------------------|---------------------------------------------------------------------------------------------------|
| Hosted / Deployed URL       | <i>[Add link if hosted, otherwise write: Not hosted, runs locally at http://127.0.0.1:5000]</i>   |
| Login Credentials (Demo)    | <i>[Add demo email and password for each role: Employee, Approver / Admin, Procurement]</i>       |
| Platform / Hosting Provider | Local machine (Flask development server). [Change if you host it, e.g., Render or PythonAnywhere] |
| Repository Link             | <i>[Add GitHub repository link]</i>                                                               |
| Demo Video Link             | <i>[Add demo video link]</i>                                                                      |

#### Step 4: Run Instructions

Provide clear, step-by-step instructions for the evaluator to run your project locally:

##### Pre-requisites:

Python 3.8 or above with pip, MySQL 8.0 (or above), Git, and a web browser (Chrome or Edge).

Step 1: Clone the repository: `git clone <repository-url>`

Step 2: Create and activate a virtual environment: `python -m venv venv`, then  
`venv\Scripts\activate` (Windows)

Step 3: Install dependencies: `pip install -r requirements.txt`

Step 4: Configure environment: copy `.env.example` to `.env` and set the database and email (SMTP) values

Step 5: Create the database: run `database/schema.sql` and then `database/seed.sql` in MySQL

Step 6: Start the application: `python app.py`

Step 7: Open the browser at `http://127.0.0.1:5000`

#### Step 5: Known Issues / Limitations

| S.No | Known Issue / Limitation                                                                    | Workaround / Status                                                                                          |
|------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| 1    | Supports standard laptop models only; other IT hardware cannot be requested.                | Out of scope for this version; can be added as future work.                                                  |
| 2    | Orders are recorded and tracked in the system but are not sent to a supplier automatically. | Procurement places the order with the supplier and updates the status. Supplier API is optional future work. |
| 3    | Email notifications need SMTP settings in the <code>.env</code> file.                       | Fill the mail settings in <code>.env</code> . Without them, status is still visible on the dashboard.        |