Cucumber Report

| **Start : Jan 04, 10:59:20.944 AM**	**End : Jan 04, 10:59:22.542 AM**	**Duration : 1.598 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Get all brands	*1.598 s*	*1*	*0*	*1*	*0*	*2*	*1*	*1*	*0*

#	Feature Name	Scenario Name
1	Get all brands	Get all brands in the response body

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@allBrands	1	0	1	0	1	0	1	0
@api	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Get all brands	1	0	1	0	1.598 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Get all brands	Get all brands in the response body	2	1	1	0	1.594 s

Get all brands

FAILED	DURATION - 1.598 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 10:59:20.944 AM // 10:59:22.542 AM /					

Get all brands in the response body

FAILED	DURATION - 1.594 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 10:59:20.948 AM // 10:59:22.542 AM /				
Get all brands				
@allBrands @api				

#	Step / Hook Details	Status	Duration
1	Given user gets all "brandsList" api	PASSED	1.573 s
2	Then status code should be 405	FAILED	0.005 s

	java.lang.AssertionError: expected:<405> but was:<200>
	    at org.junit.Assert.fail(Assert.java:89)
	    at org.junit.Assert.failNotEquals(Assert.java:835)
	    at org.junit.Assert.assertEquals(Assert.java:647)
	    at org.junit.Assert.assertEquals(Assert.java:633)
	    at stepDefinitions.apiStepDefs.CommonApiSteps.status_code_should_be(CommonApiSteps.java:29)
	    at ?.status code should be 405(file:///Users/alexsavas/Desktop/AutoExercise/src/test/resources/apiFeatures/getAllBrands.feature:8)
	* Not displayable characters are replaced by '?'.		