

ifndef_else_endif_in_code

Generated by Doxygen 1.9.8

1 File Index	1
1.1 File List	1
2 File Documentation	3
2.1 header/ifndef_else_endif_in_code.h File Reference	3
2.1.1 Function Documentation	3
2.1.1.1 print()	3
2.2 ifndef_else_endif_in_code.h	3
2.3 header/print.h File Reference	3
2.3.1 Function Documentation	4
2.3.1.1 print()	4
2.4 print.h	4
2.5 source/ifndef_else_endif_in_code.cpp File Reference	4
2.5.1 Function Documentation	4
2.5.1.1 main()	4
2.5.1.2 printFormMain()	5
2.6 source/print.cpp File Reference	5
2.6.1 Function Documentation	6
2.6.1.1 print()	6
Index	7

Chapter 1

File Index

1.1 File List

Here is a list of all files with brief descriptions:

header/ ifdef_else_endif_in_code.h	3
header/ print.h	3
source/ ifdef_else_endif_in_code.cpp	4
source/ print.cpp	5

Chapter 2

File Documentation

2.1 header/ifdef_else_endif_in_code.h File Reference

This graph shows which files directly or indirectly include this file:

Functions

- void [print](#) (void *data)

2.1.1 Function Documentation

2.1.1.1 print()

```
void print (
    void * data )
00006 {
00007     std::cout<<"void print(void * data) -> hello\n";
00008     return ;
00009 }
```

2.2 ifdef_else_endif_in_code.h

[Go to the documentation of this file.](#)

```
00001 #ifndef __IFDEF_ELSE_ENDIF_IN_CODE_H__
00002 #define __IFDEF_ELSE_ENDIF_IN_CODE_H__
00003
00004 void print (void *data);
00005
00006 #endif
```

2.3 header/print.h File Reference

This graph shows which files directly or indirectly include this file:

Functions

- void [print](#) (void *data)

2.3.1 Function Documentation

2.3.1.1 print()

```
void print (
    void * data )
00006 {
00007     std::cout<<"void print(void * data) -> hello\n";
00008     return ;
00009 }
```

2.4 print.h

[Go to the documentation of this file.](#)

```
00001 #ifndef __PRINT_H__
00002 #define __PRINT_H__
00003
00004 void print (void *data);
00005
00006 #endif
```

2.5 source/ifdef_else_endif_in_code.cpp File Reference

```
#include <iostream>
#include <cstring>
#include "print.h"
#include "ifdef_else_endif_in_code.h"
Include dependency graph for ifdef_else_endif_in_code.cpp:
```

Functions

- std::ostream & [printFormMain](#) (int *len1, int *len2)
- int [main](#) (int argc, char **argv)

2.5.1 Function Documentation

2.5.1.1 main()

```
int main (
    int argc,
    char ** argv )
00016 {
00017     if (argc !=3 )
00018     {
00019         std::cout<<"argument issue, less argument\n";
00020         printf("Usage: passprompt <serial> <device_name>\n");
00021         return 0;
00022     }
00023 }
```



```

00024     int len1 = strlen(argv[1]);
00025     int len2 = strlen(argv[2]);
00026
00027     std::cout<<"len1 = '"<len1<<"' len2 = '"<len2<<"'\n";
00028
00029     if(len1 > 128 || len1 < 2)
00030     {
00031         std::cout<<"len1 > 128 || len1 < 2\n";
00032     }
00033     else
00034     {
00035         std::cout<<"not len1 > 128 || len1 < 2\n";
00036     }
00037
00038
00039     if(len2 > 256 || len2 < 2)
00040     {
00041         std::cout<<"len2 > 256 || len2 < 2\n";
00042     }
00043     else
00044     {
00045         std::cout<<"not len2 > 256 || len2 < 2\n";
00046     }
00047
00048     #ifdef __WMCBUILD__
00049         std::cout<<"__WMCBUILD__\n";
00050     #else
00051         std::cout<<"__SOHO__\n";
00052     #endif
00053
00054
00055     #ifndef __WMCBUILD__
00056         std::cout<<"ifndef __WMCBUILD__\n";
00057     #else
00058         std::cout<<"#ifdef __WMCBUILD__\n";
00059     #endif
00060
00061     print(NULL);
00062     printFormMain(&len1,&len2);
00063
00064     return 0;
00065 }

```

2.5.1.2 printFormMain()

```

std::ostream & printFormMain (
    int * len1,
    int * len2 )
00010 {
00011     std::cout<<"printFormMain \n";
00012     return *len1 > *len2 ? std::cout<<"len1 = '"<*len1<<"'\n" : std::cout<<"len2 = '"<*len2<<"'\n";
00013 }

```

2.6 source/print.cpp File Reference

```

#include "print.h"
#include <iostream>
Include dependency graph for print.cpp:

```

Functions

- void [print](#) (void *data)

2.6.1 Function Documentation

2.6.1.1 print()

```
void print (
    void * data )
00006 {
00007     std::cout<<"void print(void * data) -> hello\n";
00008     return ;
00009 }
```

Index

header/ifndef_else_endif_in_code.h, [3](#)
header/print.h, [3](#), [4](#)

ifndef_else_endif_in_code.cpp
 main, [4](#)
 printFormMain, [5](#)
ifndef_else_endif_in_code.h
 print, [3](#)

main
 ifndef_else_endif_in_code.cpp, [4](#)

print
 ifndef_else_endif_in_code.h, [3](#)
 print.cpp, [6](#)
 print.h, [4](#)
print.cpp
 print, [6](#)
print.h
 print, [4](#)
printFormMain
 ifndef_else_endif_in_code.cpp, [5](#)

source/ifndef_else_endif_in_code.cpp, [4](#)
source/print.cpp, [5](#)