Review 1 • One solution

```
dates = input("Write the birthday dates (DD/MM/YYYY): ").split(", ")
over_18 = 0
for i in range(len(dates)):
    parts = dates[i].split("/")
    day = int(parts[0])
    month = int(parts[1])
    age = 2026 - int(parts[2])
    if month > 10 or (month == 10 and day > 24):
        age = age - 1
    print(f"On test day, student {i + 1} will be {age} (birthday {dates[i]})")
    if age >= 18:
        over_18 = over_18 + 1
print(f"{over_18} students will be 18 or over on test day")
```

Review 2 · One solution

Three lines to blame — one crash, then two lies. Read each pair: what the line as given did, and what the fix changes.

AS GIVEN:

```
line = print(input("Heights: "))
riders = 0
for h in line.split(", "):
    if h >= "140":
        print(f"{h} cm: can ride")
        riders + 1
print(f"{riders} can ride")
```

FIXED:

```
line = input("Heights: ")
riders = 0
for h in line.split(", "):
    if int(h) >= 140:
        print(f"{h} cm: can ride")
        riders = riders + 1
print(f"{riders} can ride")
```

Review 3 · One solution

The completed program — the filled expressions in yellow, exactly where the holes were. In <D>, `int(parts[1]) == 0` is equally right.

```
stock = "apple:12;banana:0;kiwi:7"
total = 0
for item in stock.split(";"):
    parts = item.split(":")
    total = total + int(parts[1])
    if parts[1] == "0":
        print(parts[0] + ": RESTOCK")
print(f"{total} pieces in stock")
```

Review 4 • The answer

```
code = " NOVA-2026 "
sizes = [38, 41, 35, 44]
tag = code.strip()[:4].lower()
print(tag * 2, len(tag))
print(code.strip()[::-1])
print(sizes[1::2])
sizes.remove(41)
print(sizes, 41 in sizes)
print(sizes[-1] // 10, sizes[-1] % 10)
```

```
>>> novanova 4
>>> 6202-AVON
>>> [41, 44]

>>> [38, 35, 44] False
>>> 4 4
```