Project Requirements

Project Name: Mensa@Unibe

Team: 7 – Jan Binzegger, Marc Dojtschinov, Andreas Hohler, Sàndor Török

Customer: Bledar Aga

Revision History

Version	Date	Revision Description
.01	26.09.2013	Initial documentation
.02	01.10.2013	Andi & Sàndor merged, use cases
1.0	02.10.2013	All parts merged (Jan & Marc)

Date: October 2, 2013

Page 1 10/2/2013

Content

1.	Introduction		3
	1.1 P	urpose	3
	1.2 S	takeholders	3
	1.3 D	efinitionsFehler! Textmarke nicht defir	niert.
	1.4 S	ystem overview	3
	1.5 R	eferences	4
2	Overa	II description	5
	2.1 U	se cases	5
	2.1.1	List of all mensas	5
	2.1.2	Details about menu of current day	6
	2.1.3	Details about menu of the coming days	7
	2.1.4	Find closest mensa	
	2.1.5	Way to reach a given mensa	9
	2.1.6	See current day menu of favorite canteen	
	2.1.7	Get notified if menu matches some criteria in my favorite canteen	11
	2.1.8	Read English translation of a menu	12
	2.1.9	Set user name	13
	2.1.10	Choose friends	14
	2.1.11		
	2.1.12		_
	2.1.13	Choose where I plan to go for lunch and get notification if a friend joins me	17
	2.1.14		
	2.1.15	Check how people rated a certain menu	19
	2.2 A	ctor characteristics	20
3	Specif	ic requirements	20
	3.1 F	unctional requirements	20
	3.1.1	Client	
	3.1.2	Server	21
	3.2 N	on-functional requirements	21

1. Introduction

1.1 Purpose

The mensa application has the purpose to serve as a portable and quick accessible menu list with additional features on most Android devices.

It will provide a rating system which will enable users to share there opinion about the daily meal. This will ensure a pleasant lunchtime with a good meal.

Also it will be possible to share the menu trough existing social media as WhatsApp or Facebook. With that you can show your friends, what you recommend to eat that day.

Another purpose is the fast reachability of the nearest mensa when hungry, which will be fulfilled with by including GPS tracking.

1.2 Stakeholders

Our stakeholders are Android using students from the University of Bern (16'000 students 2012, average 75% Android users, 5% having no mobile phone => circa 11'400 potential users), the different mensas of Bern (10 mensas, 7 of them serve menus) and the customer himself.

Our direct customer is Bledar Aga. He needs a perfectly working app within the time schedule.

1.3 System overview

A brief system overview, what functions should be implemented in the application.

- Overview of mensa After Starting a List of Mensas need to be provided.
- Details about menu of current day
 After a Click on a specific Mensa you should see the Menu of the day and be able to switch on an upcoming day.
- Find closest mensa
 Provide a Feature to find the closest Mensa.
- Way of reach a given Mensa
 Provide a Feature to find a specific Mensa.
- Favorite mensa

Provide a possibility to mark a Mensa as favorite and make sure there is quick access to it.

- Get notified if menu matches some criteria in my favorite mensa
- Read English translation of a menu Provide a translation to the German Mensa.
- Set user name
 You should be able to have a nickname.

Page 3 10/2/2013

Choose friends
 A feature to add /delete Friends.

Notifications

Implement Notifications for invitations/messages from friends and favorite Menus. Doing so also implement an option to disable specific notifications.

- Mark Mensa where the user plans to go for lunch A way of marking a Mensa at a given time. And notification if a friend will be there at the same time.
- Rate a Menu Implement a Rating System (Stars) and Comments.
- The Weekly Menu of all Mensa have to available offline after the first synchronization process with the server after a new weekly menu was uploaded.

1.4 References

We will refer to https://github.com/lexruee/Mensa-Unibe-Webservice for our menu data.

We will be using the ActionBarSherlock http://actionbarsherlock.com/ to provide compatibility for earlier versions of Android.

Page 4 10/2/2013

2 Overall description

2.1 Use cases

Check diagram_v2.png for a global overview of all use cases and how they interact.

2.1.1 List of all mensas

1. Actors

User

2. Description

As a costumer, I want to see a complete list, with all mensas of the campus.

3. Trigger

User starts the App and sees the home-screen with the list.

4. Pre-conditions

1. First start: User has an active internet connection.

5. Post-conditions

- 1. User sees a list of all mensas.
- 2. User can choose one mensa.

6. Main scenario

- 1. User opens the app
- 2. System shows a list of all mensas
- 3. User choose a mensa
- 4. System shows brief information about the mensa and options

7. Alternative scenarios

- 2a. System has no internet connection
 - a. System tries to get a cached list of the mensas
 - b. System shows the cached list of the mensas
- 2b. System has no internet connection
 - a. System tries to get a cached list of the mensas
 - b. No cached version available
 - c. System shows error message

8. Special requirements

1. Parse the list of mensas

9. Notes

-

2.1.2 Details about menu of current day

1. Actors

User

2. Description

As a user I want to see details about the menus served at a given mensa in the current day.

3. Trigger

User hits the "Current Day Menu" button of the actual mensa

4. Pre-conditions

1. User chose the mensa

5. Post-conditions

1. User sees the served menus of the current day

6. Main scenario

- 1. User wants to see the served menus
- 2. System shows details of the served menus

7. Alternative scenarios

- 1a. User has no internet connection
 - a. System tries to get a cached version
 - b. Cached version available, shows it
- 1b. User has no internet connection
 - a. System tries to get a cached version
 - b. No cached version available
 - c. System shows error message

8. Special requirements

1. Parse the data about served menus

9. Notes

-

2.1.3 Details about menu of the coming days

1. Actors

User

2. Description

As a user I want to see details about the menus served at a given mensa in the coming days.

Trigger

User hits the "Coming Days Menu" button of the actual mensa

4. Pre-conditions

1. User chose the mensa

5. Post-conditions

1. User sees the served menus of the current day

6. Main scenario

- 1. User wants to see the served menus
- 2. System shows details of the served menus

7. Alternative scenarios

- 1a. User has no internet connection
 - a. System tries to get a cached version
 - b. Cached version available, shows it
- 1b. User has no internet connection
 - a. System tries to get a cached version
 - b. No cached version available
 - c. System shows error message

8. Special requirements

1. Parse the data about served menus

9. Notes

-

2.1.4 Find closest mensa

1. Actors

User

2. Description

As a user I want to know which is the closest mensa

3. Trigger

User hits the "Get Closest Mensa" button.

4. Pre-conditions

- 1. User has enabled GPS
- System has the permission to use the GPS data

5. Post-conditions

1. User sees the closest mensa

6. Main scenario

- 1. User wants to see the closest menu
- 2. System calculates the closest mensa with the GPS data
- 3. System shows the closest mensa

7. Alternative scenarios

- 2a. System has no permission to use the GPS data
 - a. System asks for permission to use GPS data
 - b. User gives the permission to the system
 - c. Back to main scenario
- 2b. System has no permission to use the GPS data
 - a. System asks for permission to use GPS data
 - b. User declines
 - c. System shows error message
- 2c. GPS is not enabled on the device
 - a. System asks to enable the GPS
 - b. User enables the GPS
 - c. Back to main scenario
- 2d. GPS is not enabled on the device
 - a. System asks to enable the GPS
 - b. User does not enable the GPS
 - c. System shows error message

8. Special requirements

- 1. Permission to use the GPS data
- 2. Calculate distance with coordinates

9. Notes

. .

2.1.5 Way to reach a given mensa

1. Actors

User

2. Description

As a user I want to know how to reach a given mensa

Trigger

User hits the "Show Way" button of the actual mensa

4. Pre-conditions

- 1. User chose the mensa
- 2. User has an active internet connection
- 3. User has enabled GPS
- 4. System has the permission to use GPS data

5. Post-conditions

1. User sees the way to a given mensa

6. Main scenario

- 1. User wants to know how to reach a given mensa
- 2. System shows the way with on a Map

7. Alternative scenarios

- 1a. User has no internet connection
 - a. System shows error message
- 1b. GPS is disabled
 - a. System asks user to enable GPS
 - b. User enables GPS
 - c. Go back to main scenario
- 1c. GPS is disabled
 - a. System asks user to enable GPS
 - b. User declines
 - c. System shows error message
- 1d. System has no permission to use the GPS data
 - a. System asks for permission to use GPS data
 - b. User gives the permission to the system
 - c. Back to main scenario
- 1e. System has no permission to use the GPS data
 - a. System asks for permission to use GPS data
 - b. User declines
 - c. System shows error message

8. Special requirements

2. Use Google Maps for leading and showing the way

9. Notes

--

2.1.6 See current day menu of favorite canteen

1. Actors

User

2. Description

As a user I want see the current day menu of a canteen from my favorites list

3. Trigger

User navigates to favorites list

4. Pre-conditions

- 1. User added at least one canteen to favorites list
- 2. Favorite canteens have menu for current day

5. Post-conditions

Insert menu for current day to the specified canteens

6. Main Scenario

- 1. User navigates to favorites list
- 2. System lists favorite canteens
- 3. System checks for current day menus of favorite canteens
- 4. System inserts current day menu to every canteen in this list

7. Alternative Scenarios

- 1a. There are no canteens in favorites list
 - a. System prompts user to add canteens to favorites list
 - b. User selects favorite canteens
 - c. Use Case resumes on step 2
- 1b. There are no canteens in favorites list
 - a. System prompts User to add canteens to favorites list
 - b. User declines
 - c. Use Case finish
- 3a. There is no current day menu for the canteens
 - a. System prompts user to update menu database
 - b. User accepts
 - c. Use Case resumes on step 3
- 3b. There is no current day menu for the canteens
 - a. System prompts user to update menu database
 - b. User declines
 - c. Use Case finish

8. Special Requirements

System lookup and insert (step 4 and 5) cannot take more then 2 seconds.

9. Notes

What to do if alternative scenarios are finishing with user declines? - TBD

Page 10 10/2/2013

2.1.7 Get notified if menu matches some criteria in my favorite canteen

1. Actors

User

2. Description

As a user I want to get notified if a menu served at my favorite canteen matches some criteria

3. Trigger

A menu matches some criteria set by the user

4. Pre-conditions

- 1. User set already at least one criteria
- 2. User set at least one favorite canteen
- 3. A menu matches a previously set criteria
- 4. Matching menu is in a favorite canteen

5. Post-conditions

1. User receives a notification

6. Main scenario

- 1. User sets a criteria for a favorite canteen
- 2. System saves the criteria in interests data
- When menus are updated, system looks if a menu matches a criteria from interests data
- 4. If a menu meets a criteria, system looks if this is a menu of a favorite canteen
- 5. If it is a menu of a favorite canteen, system notifies user

7. Alternative Scenarios

- 3a. There is no interests data available
 - a. Use Case finish

8. Special Requirements

9. Notes

Do not notify user if the availability of menu is already passed Notify user just once If there are more notifications, group them in one

Page 11 10/2/2013

2.1.8 Read English translation of a menu

1. Actors

User

2. Description

As a user I want to be able to read the English translation of a menu

3. Trigger

User clicks the English language button on the menu view

4. Pre-conditions

1. at least one menu has an English translation

5. Post-conditions

1. system presents English translation of current menu

6. Main Scenario

- 1. User navigates to menu view
- 2. System presents the current menus
- 3. System checks if English translation is available for currently viewed menus
- 4. System inserts language button to presented menus
- 5. User clicks language button
- 6. System loads the corresponding English translations
- 7. System presents the English version of the menus

7. Alternative Scenarios

- 3a. There is no English translation available for none of the menus
 - a. Use Case finish

8. Special Requirements

9. Notes

How to get translations for menus? - TBD

Page 12 10/2/2013

2.1.9 Set user name

1. Actors

User

2. Description

As a user I want to be able to set my user name

3. Trigger

no user name is saved

4. Pre-conditions

1. the user doesn't have a user name set up

5. Post-conditions

1. system saves user name

6. Main Scenario

- 1. System prompts user to set up a name
- 2. User sets up the user name
- 3. System saves user name data

7. Alternative Scenarios

- 1a. User declines to set up a name
 - a. Use Case finish

8. Special Requirements

1. user name has to be unique identifier

9. Notes

- 1. What is the best way to not annoy the user? -TBD
- 2. Asking for email address? -TBD
- 3. Asking for accounts data?-TBD

Page 13 10/2/2013

2.1.10 Choose friends

1. Actors

User

2. Description

As a user I want choose my friends which are using the Mensa app

3. Trigger

User clicks choose friends button

4. Pre-conditions

- 1. User set up already a user name
- User has friends in his contact list which are using the Mensa app

5. Post-conditions

System saves friends list data

6. Main Scenario

- 1. User clicks choose friends button
- 2. System checks user phone contacts, who are using the Mensa app
- 3. System lists the matched contacts to choose from
- 4. User selects contacts to add to friends list
- 5. User clicks add button
- 6. System saves the data to friends list

7. Alternative Scenarios

- 2a. There are no contacts using Mensa app
 - a. System notifies user that no contacts matched
 - b. System advises the user to let friends know about the app
 - c. Use Case finish
- 5a. User have not selected any contacts
 - a. User clicks add button
 - b. System prompts user to select contacts
 - c. User accepts
 - d. Use Case jumps to step 3
- 5b. User have not selected any contacts
 - a. User clicks add button
 - b. System prompts user to select contacts
 - c. User declines
 - d. Use Case finish

8. Special Requirements

In case the system is interrupted (an incoming phone call for ex.) step 4 should be saved, to be able to resume

9. Notes

1. How to find out which contacts are using the Mensa app? - TBD

Page 14 10/2/2013

2.1.11 Delete a friend

1. Actors

User

2. Description

As a user I want delete a person from my friends list

3. Trigger

User clicks delete friend button

4. Pre-conditions

1. User has a friends list

5. Post-conditions

System deletes person from friends list

6. Main Scenario

- 1. User navigates to friends list
- 2. System presents the list
- 3. User clicks delete friend button
- 4. System prompts confirm
- 5. User accepts
- 6. System deletes person from friends list

7. Alternative Scenarios

- 4a. User declines confirm
 - a. Use Case finish

8. Special Requirements

9. Notes

. .

Page 15 10/2/2013

2.1.12 Enable/disable notifications for friends

1. Actors

User

2. Description

As a user I want to enable/disable which friends of mine get notifications when I plan to goo for lunch

3. Trigger

User checks enable/disable friends to get notifications check-box

4. Pre-conditions

1. User has a friends list

5. Post-conditions

System enables/disables notifications for selected friends

6. Main Scenario

- 1. User navigates to friends list
- 2. System presents the list
- 3. User checks the enable/disable friend check-box
- 4. User clicks confirms changes
- 5. System enables/disables notifications for friends

7. Alternative Scenarios

- 4a. User cancels changes
 - a. Use Case finish

8. Special Requirements

1.

9. Notes

1. -

2.1.13 Choose where I plan to go for lunch and get notification if a friend joins me

1. Actors

User (primary)

Friends of the user (secondary)

2. Description

As a user I want to let my friends know where I plan to go for lunch. If they want to join me, I want to be notified.

3. Trigger

User clicks mark button on canteen where he plans to go for lunch

4. Pre-conditions

- 1. User has a friends list
- 2. Notification is enabled at least for one friend
- 3. Planned canteen is open at the specified time

5. Post-conditions

- 1. System saves planned time and canteen
- 2. System notifies enabled persons from friends list
- 3. If a friend confirms to join, system sends a join notification

6. Main Scenario

- 1. User navigates to canteens
- 2. System presents the canteen list
- 3. User clicks mark for lunch
- 4. System asks for time
- 5. User sets time
- 6. System validates time
- 7. System saves time and canteen
- 8. System sets expiration time of notification
- 9. System sends join notifications to enabled friends
- 10. Friend receives notification
- 11. Friend confirms join
- 12. System sends join confirmation
- 13. User receives confirmation

7. Alternative Scenarios

- 6a. Planned canteen is closed at the specified time
 - a. System notifies user, that the time is not valid
 - b. Use Case resume at step 4
- 9a. Friend declines to join
 - a. Use Case finish

8. Special Requirements

Notification should have an expiration time, that If it arrives too late, it should be dropped.

Page 17 10/2/2013

2.1.14 Rate menu I have eaten

1. Actors

User

2. Description

As a user I want to be able to rate a menu I have eaten

3. Trigger

User clicks rating stars on viewed menu

4. Pre-conditions

- 1. User has set up a user name
- 2. There is a list with current and past week menus
- 3. The menu is available to eat or it was available in the past week

5. Post-conditions

- 1. System saves rating for menu
- 2. System updates rating for menu database

6. Main Scenario

- 1. User navigates to current and past week menu view
- 2. System presents menu list
- 3. User clicks rating stars on a menu
- 4. System saves rating for corresponding menu
- 5. System updates rating data for menu database

7. Alternative Scenarios

- 3a. User has not set up user name
 - a. System prompts user to set up a user name
 - b. User sets up user name
 - c. Use Case resume on step 4
- 3b. User has not set up user name
 - a. System prompts user to set up a user name
 - b. User declines
 - c. Use Case finish
- 4a. User rated already the same menu before
 - a. System overwrites old rating of user
 - b. Use Case resume on step 5

8. Special Requirements

User shouldn't be able to rate a menu which will be available in the future, hence user did not try the corresponding menu

9. Notes

1. -

2.1.15 Check how people rated a certain menu

1. Actors

User

2. Description

As a user I want to be able to check how other people rated a certain menu

3. Trigger

User navigates to menu view

4. Pre-conditions

1. A menu has at least one rating

5. Post-conditions

System presents rating of corresponding menu

6. Main Scenario

- 1. User navigates to menu view
- 2. System loads menu list
- 3. System loads rating for corresponding menus
- 4. System presents menu list with ratings

7. Alternative Scenarios

- 3a. Corresponding menu has no rating
 - a. System presents corresponding menu 0 rating
 - b. Use Case resume on step 4

8. Special Requirements

Menu rating database should contain an arithmetic mean of the overall ratings

9. Notes

- 1. How to achieve the arithmetic mean?
- 2. Compute in database, when a rating is updated?

Page 19 10/2/2013

2.2 Actor characteristics

The average user is a student or an employee of the University of Bern. He regularly eats in one of the mensas of the University. He is above the average intelligence and likes to have a fast way to get information about the served menus. He should be familiar with using an app on a smartphone.

We except, that the most users will be normal students with common knowledge about the usage of smartphones an apps.

3 Specific requirements

3.1 Functional requirements

3.1.1 Client

Overview of mensa

After Starting a List of Mensas need to be provided.

Details about menu of current day

After a Click on a specific Mensa you should see the Menu of the day and be able to switch on an upcoming day.

Find closest mensa

Provide a Feature to find the closest Mensa.

Way of reach a given Mensa

Provide a Feature to find a specific Mensa.

Favorite mensa

Provide a possibility to mark a Mensa as favorite and make sure there is quick access to it.

- Get notified if menu matches some criteria in my favorite mensa
- Read English translation of a menu

Provide a translation to the German Mensa.

Set user name

You should be able to have a nickname.

Choose friends

A feature to add /delete Friends.

Notifications

Implement Notifications for invitations/messages from friends and favorite Menus. Doing so also implement an option to disable specific notifications.

Mark Mensa where the user plans to go for lunch

Page 20 10/2/2013

A way of marking a Mensa at a given time. And notification if a friend will be there at the same time.

- Rate a Menu Implement a Rating System (Stars) and Comments.
- The Weekly Menu of all Mensa have to available offline after the first synchronization process with the server after a new weekly menu was uploaded.

3.1.2 Server

- Provide up to date information about all mensas including menus, location
- (Provide a user Database)

3.2 Non-functional requirements

- Novice User should be able to learn the app navigation within minutes.
- Client-Server-Communication needs to work properly and availability provided 24 hours 7 days a week. The only exception would be scheduled server maintenance.
- The storage used on the smartphone should be kept under 10 MB in the alpha version (if more feature will be added this amount can increase)
- The Application needs to run stable on all Android devices with Jelly Bean (4.1 or higher).
- Personal data on the server should be treated with the current security standards
- The Implementation should meet the ISO/IEC 9126 standard (http://de.wikipedia.org/wiki/ISO/IEC 9126)
- The user-event-response time should be under 0.1 seconds (Exception: data synchronization with Server Mensa plan and loading maps)
- Data traffic should be kept under 1MB / Usage doesn't include traffic caused by watching the maps.

Page 21 10/2/2013