S-RQ2. Supplementary Material for RQ2 (Industrial-Scale Throughput)

This appendix collects the supplementary tables referenced in the RQ2 results section (Section **??**) of the main manuscript. Tables S1 and S2 give the full throughput numbers at $L = 3$ and $L = 4$; the manuscript main text (Table **??**) reports $L = 2$ only. Tables S3 and S4 give the corresponding time-breakdown values; Table **??** in the manuscript reports the $L = 2$ version. Table S5 gives the full pairwise Wilcoxon results across every (SPL, level pairing, metric) cell; the manuscript (Section **??**) cites only the cells used as evidence. Table S6 gives the per-cell run-to-run stability values for all 256 (SPL, approach, level, metric) cells; the manuscript (Section **??**) summarises these as counts per band. Table S7 ranks the 50 cells with the highest median coefficient of variation. Table S8 gives the peak heap memory measured during test generation across all SPLs, approaches, and coverage levels; Section **??** cites only the syngo.via and Hockerty Shirts $L = 2$ values. Table S9 gives the realised parallel speedup ($T^{\text{ser}}_{pipeline}/T^{\text{wall}}_{pipeline}$) for every cell; the manuscript reports the three industrial speedups inline.

All percentage values are rounded to one decimal place using ROUND_HALF_UP after a six-decimal float-noise scrub. Time values are rendered in seconds, minutes, or hours depending on magnitude (seconds below one minute, minutes below one hour, hours otherwise). Throughput values use two decimal places below 10 products/second and one decimal place above, so that ratios computed from displayed values match those reported in the manuscript.

Table 1
S1: End-to-end throughput at $L = 3$ across the eight SPLs. Layout matches Table **??** in the manuscript; the same definitions of HP, $T^{\text{ser}}_{pipeline}$, $T^{\text{wall}}_{pipeline}$, throughput, and edge coverage apply.

	Software Product Line*							
Approach	**SVM**	**eM**	**EI**	**BAv2**	**SAS**	**Svia**	**Te**	**HS**
Handled products								
Model Once, Generate Any	12	23	42	498	2,664	47,970	426,672	566,909
Structural baseline	12	23	42	498	2,664	36,275	426,672	340,253
Stochastic baseline	12	23	42	498	2,664	47,970	426,672	555,778
$T^{\text{ser}}_{pipeline}$ **(cumulative serial cost)**								
Model Once, Generate Any	2.6 s	7.6 s	20.8 s	1.6 min	9.4 min	11.2 h	56.5 h	442.5 h
Structural baseline	21.0 s	45.9 s	3.9 min	28.4 min	4.8 h	78.7 h	762.4 h	460.8 h
Stochastic baseline	2.1 s	4.9 s	9.8 s	1.2 min	7.0 min	110.4 h	56.0 h	445.1 h
$T^{\text{wall}}_{pipeline}$ **(80-core wall-clock latency)**								
Model Once, Generate Any	0.2 s	0.3 s	0.7 s	1.7 s	8.3 s	10.2 min	45.2 min	5.5 h
Structural baseline	2.1 s	2.5 s	9.1 s	27.1 s	4.2 min	59.1 min	10.7 h	5.8 h
Stochastic baseline	0.1 s	0.2 s	0.3 s	1.6 s	6.9 s	1.5 h	43.7 min	5.7 h
Throughput (products / wall-clock second)								
Model Once, Generate Any	72.0	75.6	63.0	285.4	322.3	78.6	157.2	28.4
Structural baseline	5.73	9.22	4.61	18.4	10.7	10.2	11.1	16.4
Stochastic baseline	85.7	92.0	138.6	313.9	385.4	8.71	162.8	27.2
Edge coverage (%)								
Model Once, Generate Any	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Structural baseline	100.0	75.1	100.0	97.6	85.8	8.8	99.9	30.0
Stochastic baseline	100.0	100.0	100.0	100.0	100.0	99.8	100.0	95.0

* SPL abbreviations as in Table **??**.

Table 2
S2: End-to-end throughput at $L = 4$ across the eight SPLs. Same layout and definitions as Table 1.

	Software Product Line*							
Approach	**SVM**	**eM**	**El**	**BAv2**	**SAS**	**Svia**	**Te**	**HS**
Handled products								
Model Once, Generate Any	12	23	42	498	2,664	47,970	426,672	568,711
Structural baseline	12	23	42	498	2,664	19,526	426,672	338,046
Stochastic baseline	12	23	42	498	2,664	47,970	426,672	555,778
$T^{\text{ser}}_{pipeline}$ **(cumulative serial cost)**								
Model Once, Generate Any	2.6 s	11.2 s	27.8 s	1.6 min	13.9 min	32.5 h	56.8 h	442.3 h
Structural baseline	21.4 s	54.6 s	5.1 min	29.2 min	7.1 h	79.4 h	1037.8 h	461.0 h
Stochastic baseline	2.1 s	4.9 s	9.8 s	1.2 min	7.0 min	110.4 h	56.0 h	445.1 h
$T^{\text{wall}}_{pipeline}$ **(80-core wall-clock latency)**								
Model Once, Generate Any	0.2 s	0.5 s	1.0 s	1.8 s	11.6 s	28.2 min	46.3 min	5.5 h
Structural baseline	2.1 s	3.1 s	12.3 s	28.1 s	6.2 min	59.7 min	14.2 h	5.8 h
Stochastic baseline	0.1 s	0.2 s	0.3 s	1.6 s	6.9 s	1.5 h	43.7 min	5.7 h
Throughput (products / wall-clock second)								
Model Once, Generate Any	68.1	42.8	40.3	279.2	229.1	28.4	153.7	28.5
Structural baseline	5.76	7.52	3.41	17.8	7.22	5.45	8.37	16.3
Stochastic baseline	85.7	92.0	138.6	313.9	385.4	8.71	162.8	27.2
Edge coverage (%)								
Model Once, Generate Any	100.0	96.5	100.0	91.6	100.0	100.0	100.0	100.0
Structural baseline	100.0	82.1	100.0	98.8	86.9	12.0	99.9	31.7
Stochastic baseline	100.0	100.0	100.0	100.0	100.0	99.8	100.0	95.0

* SPL abbreviations as in Table **??**.

Table 3
S3: SAT share and per-product overhead share of $T^{\text{ser}}_{pipeline}$ at $L = 3$. Layout matches Table **??**; the two shares sum to approximately 100% for each cell, with the small remainder being the product-instantiation phase.

	Software Product Line*							
Approach	**SVM**	**eM**	**El**	**BAv2**	**SAS**	**Svia**	**Te**	**HS**
SAT share (%)								
Model Once, Generate Any	34.7	44.2	48.3	81.8	87.1	13.2	99.3	99.9
Structural baseline	4.5	6.9	6.0	10.6	9.1	6.9	16.2	53.6
Stochastic baseline	85.0	86.5	90.4	94.5	95.1	0.6	98.3	91.0
Per-product overhead share (%)								
Model Once, Generate Any	64.6	55.2	51.3	17.8	12.8	86.7	0.7	0.1
Structural baseline	95.4	93.1	94.0	89.4	90.9	93.1	83.8	46.4
Stochastic baseline	12.3	12.0	8.6	5.0	4.5	99.4	1.6	9.0

* SPL abbreviations as in Table **??**.

Table 4
S4: SAT share and per-product overhead share of $T^{\mathrm{ser}}_{pipeline}$ at $L = 4$. Same layout as Table 3.

	Software Product Line*							
Approach	**SVM**	**eM**	**El**	**BAv2**	**SAS**	**Svia**	**Te**	**HS**
SAT share (%)								
Model Once, Generate Any	35.8	35.2	39.8	81.7	83.1	5.3	98.7	99.9
Structural baseline	4.4	6.6	4.4	10.7	7.8	2.4	13.2	53.2
Stochastic baseline	85.0	86.5	90.4	94.5	95.1	0.6	98.3	91.0
Per-product overhead share (%)								
Model Once, Generate Any	63.6	64.5	60.0	17.9	16.8	94.6	1.3	0.1
Structural baseline	95.5	93.4	95.6	89.3	92.3	97.6	86.8	46.8
Stochastic baseline	12.3	12.0	8.6	5.0	4.5	99.4	1.6	9.0

* SPL abbreviations as in Table **??**.

Table 5
S5: Pairwise Wilcoxon signed-rank results on the 80 paired shards per (SPL, level pairing, metric). MO denotes *Model Once, Generate Any*, Struct the structural baseline, and Stoch the stochastic baseline. The reported A_{12} is the Vargha–Delaney effect size (approach A vs. approach B; values close to 1 favour A, values close to 0 favour B). p_{BH} is the Benjamini–Hochberg corrected p-value at $\alpha = 0.05$; cells flagged ^{ns} are not significant after correction.

Pairing	Metric	SPL	n	med. A	med. B	A_{12}	Magn.	p_{BH}
MO L=2 vs Struct L=2	Throughput	SVM	12	9.43	0.62	1.000	large	<0.001
		eM	23	7.33	0.63	1.000	large	<0.001
		EI	42	3.98	0.37	1.000	large	<0.001
		BAv2	80	5.70	0.30	1.000	large	<0.001
		SAS	80	5.83	0.25	1.000	large	<0.001
		Svia	80	2.28	0.24	1.000	large	<0.001
		Te	80	2.10	0.24	1.000	large	<0.001
		HS	80	0.36	0.21	1.000	large	<0.001
	$T_{pipeline}$	SVM	12	0.1 s	1.6 s	0.000	large	<0.001
		eM	23	0.1 s	1.6 s	0.000	large	<0.001
		EI	42	0.3 s	2.7 s	0.000	large	<0.001
		BAv2	80	1.1 s	20.0 s	0.000	large	<0.001
		SAS	80	5.7 s	2.2 min	0.000	large	<0.001
		Svia	80	4.4 min	42.0 min	0.000	large	<0.001
		Te	80	42.4 min	6.3 h	0.000	large	<0.001
		HS	80	5.5 h	5.8 h	0.000	large	<0.001
	Edge cov.	SVM	12	100.0%	100.0%	0.500	negligible	n.s.^{ns}
		eM	23	100.0%	35.3%	1.000	large	<0.001
		EI	42	100.0%	100.0%	0.643	medium	0.003
		BAv2	80	100.0%	96.3%	0.819	large	<0.001
		SAS	80	100.0%	68.9%	1.000	large	<0.001
		Svia	80	100.0%	4.3%	1.000	large	<0.001
		Te	80	100.0%	99.9%	1.000	large	<0.001
		HS	80	100.0%	28.3%	1.000	large	<0.001
	Peak mem.	SVM	12	8.0 MB	9.0 MB	0.083	large	0.002
		eM	23	9.0 MB	10.0 MB	0.239	large	<0.001
		EI	42	10.0 MB	11.0 MB	0.083	large	<0.001
		BAv2	80	10.0 MB	11.0 MB	0.025	large	<0.001
		SAS	80	11.0 MB	12.0 MB	0.009	large	<0.001
		Svia	80	116.4 MB	59.9 MB	1.000	large	<0.001
		Te	80	189.1 MB	194.1 MB	0.000	large	<0.001
		HS	80	1215.5 MB	762.8 MB	1.000	large	<0.001
	T_{gen}	SVM	12	0.1 s	1.5 s	0.000	large	<0.001
		eM	23	0.1 s	1.4 s	0.000	large	<0.001
		EI	42	0.1 s	2.4 s	0.000	large	<0.001
		BAv2	80	0.2 s	17.4 s	0.000	large	<0.001
		SAS	80	0.4 s	2.0 min	0.000	large	<0.001
		Svia	80	3.3 min	29.5 min	0.000	large	<0.001
		Te	80	8.0 s	5.0 h	0.000	large	<0.001
		HS	80	10.7 s	2.6 h	0.000	large	<0.001
MO L=3 vs Struct L=3	Throughput	SVM	12	8.75	0.61	1.000	large	<0.001
		eM	23	5.09	0.54	1.000	large	<0.001
		EI	42	2.45	0.19	1.000	large	<0.001
		BAv2	80	5.15	0.29	1.000	large	<0.001
		SAS	80	4.66	0.15	1.000	large	<0.001
		Svia	80	1.24	0.13	1.000	large	<0.001
		Te	80	2.09	0.16	1.000	large	<0.001
		HS	80	0.36	0.21	1.000	large	<0.001
	$T_{pipeline}$	SVM	12	0.1 s	1.7 s	0.000	large	<0.001
		eM	23	0.2 s	1.8 s	0.000	large	<0.001
		EI	42	0.4 s	5.2 s	0.000	large	<0.001
		BAv2	80	1.2 s	20.8 s	0.000	large	<0.001
		SAS	80	7.1 s	3.6 min	0.000	large	<0.001
		Svia	80	8.1 min	59.0 min	0.000	large	<0.001
		Te	80	42.5 min	9.4 h	0.000	large	<0.001
		HS	80	5.5 h	5.8 h	0.000	large	<0.001
	Edge cov.	SVM	12	100.0%	100.0%	0.500	negligible	n.s.^{ns}
		eM	23	100.0%	76.2%	1.000	large	<0.001
		EI	42	100.0%	100.0%	0.500	negligible	n.s.^{ns}
		BAv2	80	100.0%	97.5%	0.819	large	<0.001
		SAS	80	100.0%	85.7%	1.000	large	<0.001
		Svia	80	100.0%	8.8%	1.000	large	<0.001
		Te	80	100.0%	99.9%	1.000	large	<0.001
		HS	80	100.0%	30.0%	1.000	large	<0.001

Table 6
S6: Per-cell run-to-run stability summary for all 256 (SPL, approach, coverage level, metric) cells. The coefficient of variation $\mathrm{CV\%} = 100 \cdot \mathrm{std}/\mathrm{mean}$ is computed across runs of each shard, then aggregated to the median (column *Median CV*) and maximum (column *Max CV*) across the 80 shards. Stability bands: *very stable* when median CV < 5%, *stable* between 5% and 10%, *notable variance* above 10% (Section **??**).

Scale	SPL	Approach	L	Metric	n	Median CV (%)	Max CV (%)	Stability
Industrial	Svia	MO	L1	$T_{pipeline}$	80	5.40	18.99	stable
			L1	T_{gen}	80	5.40	18.99	stable
			L1	Peak memory	80	4.22	20.30	very stable
			L1	Coverage	80	0.00	0.00	very stable
			L2	$T_{pipeline}$	80	3.26	9.85	very stable
			L2	T_{gen}	80	3.50	10.51	very stable
			L2	Peak memory	80	6.01	13.20	stable
			L2	Coverage	80	0.00	0.00	very stable
			L3	$T_{pipeline}$	80	4.82	9.12	very stable
			L3	T_{gen}	80	4.72	9.09	very stable
			L3	Peak memory	80	5.49	15.06	stable
			L3	Coverage	80	0.00	0.00	very stable
			L4	$T_{pipeline}$	80	1.53	6.00	very stable
			L4	T_{gen}	80	1.57	6.16	very stable
			L4	Peak memory	80	0.53	4.20	very stable
			L4	Coverage	80	0.00	0.00	very stable
		Struct	L2	$T_{pipeline}$	80	2.42	7.60	very stable
			L2	T_{gen}	80	2.68	7.64	very stable
			L2	Peak memory	80	0.00	0.98	very stable
			L2	Coverage	80	0.00	0.00	very stable
			L3	$T_{pipeline}$	80	0.06	0.14	very stable
			L3	T_{gen}	80	0.76	2.15	very stable
			L3	Peak memory	80	0.38	2.47	very stable
			L3	Coverage	80	0.11	0.33	very stable
			L4	$T_{pipeline}$	80	0.09	0.22	very stable
			L4	T_{gen}	80	0.47	2.16	very stable
			L4	Peak memory	80	0.20	3.61	very stable
			L4	Coverage	80	0.15	0.38	very stable
		Stoch	L0	$T_{pipeline}$	80	6.68	13.38	stable
			L0	T_{gen}	80	6.76	13.42	stable
			L0	Peak memory	80	3.89	16.26	very stable
			L0	Coverage	80	0.00	0.00	very stable
	Te	MO	L1	$T_{pipeline}$	80	2.98	13.72	very stable
			L1	T_{gen}	80	4.03	16.62	very stable
			L1	Peak memory	80	0.00	0.00	very stable
			L1	Coverage	80	0.00	0.00	very stable
			L2	$T_{pipeline}$	80	1.58	6.88	very stable
			L2	T_{gen}	80	2.95	9.22	very stable
			L2	Peak memory	80	0.00	0.03	very stable
			L2	Coverage	80	0.00	0.00	very stable
			L3	$T_{pipeline}$	80	2.08	4.48	very stable
			L3	T_{gen}	80	2.38	8.38	very stable
			L3	Peak memory	80	0.00	0.00	very stable
			L3	Coverage	80	0.00	0.00	very stable
			L4	$T_{pipeline}$	80	1.67	3.88	very stable
			L4	T_{gen}	80	2.52	6.53	very stable
			L4	Peak memory	80	0.00	0.00	very stable
			L4	Coverage	80	0.00	0.00	very stable
		Struct	L2	$T_{pipeline}$	80	2.46	7.94	very stable
			L2	T_{gen}	80	2.62	8.22	very stable
			L2	Peak memory	80	0.00	0.30	very stable
			L2	Coverage	80	0.00	0.00	very stable
			L3	$T_{pipeline}$	80	2.60	4.43	very stable
			L3	T_{gen}	80	2.75	4.88	very stable
			L3	Peak memory	80	0.00	0.29	very stable
			L3	Coverage	80	0.00	0.00	very stable
			L4	$T_{pipeline}$	80	3.05	5.48	very stable
			L4	T_{gen}	80	3.25	5.83	very stable
			L4	Peak memory	80	0.00	0.28	very stable
			L4	Coverage	80	0.00	0.00	very stable
		Stoch	L0	$T_{pipeline}$	80	3.55	6.49	very stable
			L0	T_{gen}	80	5.87	15.33	stable

Table 8
S7: Top 50 cells with the highest median coefficient of variation across the 80 shards. The small and medium-sized SPLs dominate this ranking because their absolute timing values are small (milliseconds per shard), so a few milliseconds of JVM jitter inflates the relative spread. The same effect was discussed for RQ1 in Section **??**.

#	Scale	SPL	Approach	L	Metric	Median CV	Max CV	Stability
1	Small/Medium	SVM	Stoch	L0	$T_{pipeline}$	48.97%	66.08%	notable variance
2	Small/Medium	EI	Stoch	L0	T_{gen}	42.46%	90.94%	notable variance
3	Small/Medium	SVM	MO	L1	$T_{pipeline}$	39.76%	70.77%	notable variance
4	Small/Medium	eM	MO	L1	$T_{pipeline}$	38.21%	65.84%	notable variance
5	Small/Medium	SVM	MO	L1	T_{gen}	37.58%	67.60%	notable variance
6	Small/Medium	EI	Stoch	L0	$T_{pipeline}$	37.52%	68.60%	notable variance
7	Small/Medium	eM	Stoch	L0	$T_{pipeline}$	35.06%	67.10%	notable variance
8	Small/Medium	eM	MO	L1	T_{gen}	31.32%	63.48%	notable variance
9	Small/Medium	BAv2	Stoch	L0	T_{gen}	31.27%	63.56%	notable variance
10	Small/Medium	eM	Stoch	L0	T_{gen}	31.13%	80.14%	notable variance
11	Small/Medium	SVM	MO	L4	$T_{pipeline}$	29.51%	35.90%	notable variance
12	Small/Medium	EI	MO	L1	T_{gen}	29.15%	48.01%	notable variance
13	Small/Medium	EI	MO	L1	$T_{pipeline}$	28.92%	55.09%	notable variance
14	Small/Medium	SVM	MO	L4	T_{gen}	26.52%	38.98%	notable variance
15	Small/Medium	SVM	MO	L2	T_{gen}	26.39%	46.22%	notable variance
16	Small/Medium	SVM	MO	L2	$T_{pipeline}$	25.92%	54.44%	notable variance
17	Small/Medium	SVM	MO	L3	$T_{pipeline}$	25.46%	39.34%	notable variance
18	Small/Medium	BAv2	MO	L1	T_{gen}	25.43%	42.77%	notable variance
19	Small/Medium	BAv2	MO	L2	T_{gen}	25.33%	37.12%	notable variance
20	Small/Medium	EI	MO	L2	T_{gen}	25.14%	39.65%	notable variance
21	Small/Medium	eM	MO	L2	$T_{pipeline}$	25.05%	44.41%	notable variance
22	Small/Medium	BAv2	MO	L3	T_{gen}	23.50%	33.90%	notable variance
23	Small/Medium	BAv2	MO	L4	T_{gen}	23.41%	47.16%	notable variance
24	Small/Medium	eM	MO	L2	T_{gen}	22.69%	45.76%	notable variance
25	Small/Medium	eM	MO	L3	T_{gen}	22.42%	51.18%	notable variance
26	Small/Medium	EI	MO	L3	T_{gen}	22.35%	36.97%	notable variance
27	Small/Medium	eM	MO	L3	$T_{pipeline}$	22.15%	53.59%	notable variance
28	Small/Medium	EI	MO	L3	$T_{pipeline}$	21.47%	35.13%	notable variance
29	Small/Medium	eM	MO	L4	T_{gen}	21.32%	36.93%	notable variance
30	Small/Medium	EI	MO	L2	$T_{pipeline}$	21.12%	35.67%	notable variance
31	Small/Medium	BAv2	MO	L1	$T_{pipeline}$	21.05%	52.33%	notable variance
32	Small/Medium	EI	MO	L4	T_{gen}	20.75%	31.89%	notable variance
33	Small/Medium	SVM	MO	L3	T_{gen}	20.53%	35.67%	notable variance
34	Small/Medium	BAv2	Stoch	L0	$T_{pipeline}$	20.46%	66.26%	notable variance
35	Small/Medium	eM	MO	L4	$T_{pipeline}$	20.41%	35.19%	notable variance
36	Small/Medium	SVM	Stoch	L0	T_{gen}	19.41%	123.99%	notable variance
37	Small/Medium	EI	MO	L4	$T_{pipeline}$	19.25%	37.13%	notable variance
38	Small/Medium	SAS	Stoch	L0	T_{gen}	17.01%	24.22%	notable variance
39	Small/Medium	SAS	MO	L2	T_{gen}	16.38%	28.82%	notable variance
40	Small/Medium	BAv2	MO	L4	$T_{pipeline}$	16.22%	74.78%	notable variance
41	Small/Medium	BAv2	MO	L2	$T_{pipeline}$	14.29%	55.12%	stable
42	Small/Medium	BAv2	MO	L3	$T_{pipeline}$	12.95%	46.97%	stable
43	Small/Medium	SAS	MO	L3	T_{gen}	12.76%	19.82%	stable
44	Small/Medium	SAS	MO	L1	T_{gen}	12.02%	22.95%	stable
45	Small/Medium	eM	Struct	L2	T_{gen}	10.97%	17.13%	stable
46	Small/Medium	SVM	Struct	L3	T_{gen}	10.04%	18.55%	stable
47	Small/Medium	eM	Struct	L4	T_{gen}	9.86%	19.00%	stable
48	Small/Medium	SAS	MO	L1	$T_{pipeline}$	9.85%	20.07%	stable
49	Small/Medium	eM	Struct	L2	$T_{pipeline}$	9.66%	16.46%	stable
50	Small/Medium	SAS	MO	L4	T_{gen}	9.53%	17.27%	stable

Table 9
S8: Per-shard median peak heap memory (MB) during test generation, across all SPLs, approaches, and coverage levels. The article main text (Section **??**) cites only the syngo.via and Hockerty Shirts values at $L = 2$; this table gives the complete set.

		Software Product Line*							
Approach	L	**SVM**	**eM**	**El**	**BAv2**	**SAS**	**Svia**	**Te**	**HS**
	2	8.0	10.0	11.0	10.0	11.0	129.2	189.2	1242.4
Model Once, Generate Any	3	8.0	11.0	15.0	11.0	13.0	261.9	200.4	1238.0
	4	9.0	15.0	31.8	11.0	20.0	441.7	223.5	1246.2
	2	9.0	10.0	11.0	12.0	14.0	61.0	195.1	781.2
Structural baseline	3	9.0	10.0	13.0	12.0	14.0	62.4	201.1	774.8
	4	9.0	11.0	15.0	12.0	16.0	64.9	211.7	782.8
Stochastic baseline	—	6.0	8.0	8.0	10.0	11.0	709.1	205.0	1512.5

* SPL abbreviations as in Table **??**. Memory values are per-shard medians in MB.

Table 10
S9: Realised parallel speedup of the 80-core sharded deployment, computed as $T^{\text{ser}}_{pipeline}/T^{\text{wall}}_{pipeline}$ for every (SPL, approach, coverage level) cell. The article main text (Section **??**) reports the three industrial values for *Model Once, Generate Any* inline; this table gives the complete set.

		Software Product Line*							
Approach	L	**SVM**	**eM**	**El**	**BAv2**	**SAS**	**Svia**	**Te**	**HS**
	2	17.9×	25.4×	33.4×	53.1×	67.8×	64.1×	75.5×	79.8×
Model Once, Generate Any	3	15.5×	25.0×	31.2×	54.2×	68.1×	66.0×	75.0×	79.9×
	4	14.9×	20.8×	26.7×	53.9×	71.6×	69.1×	73.7×	79.9×
	2	10.2×	18.4×	34.4×	62.8×	70.7×	70.8×	73.0×	79.9×
Structural baseline	3	10.0×	18.4×	25.7×	62.8×	69.2×	79.9×	71.1×	79.9×
	4	10.3×	17.8×	25.0×	62.5×	69.6×	79.8×	73.3×	79.9×
Stochastic baseline	—	15.1×	19.7×	32.2×	46.6×	60.7×	72.2×	76.9×	78.4×

* SPL abbreviations as in Table **??**. Speedup is the ratio of $T^{\text{ser}}_{pipeline}$ (serial sum across the 80 shards) to $T^{\text{wall}}_{pipeline}$ (maximum across shards). The ideal speedup on this 80-core deployment is 80×.