

# **HisabDo Internship Bootcamp**

**Software Quality Assurance (SQA) Track**

**Day 4 – REST API Testing Using Postman**

**Submitted By:**  
Eshal Kamal

**Internship Duration:**  
60-Day Internship Bootcamp

**Organization:**  
HisabDo

**Submission Date:**  
4<sup>th</sup> August, 2026

# API Used for Testing

**API Name:** JSONPlaceholder REST API

**Base URL:** <https://jsonplaceholder.typicode.com/>

## API Test Cases

### API Test Case 1:

**Scenario:** Retrieve all posts.

|                      |                                                                                                     |
|----------------------|-----------------------------------------------------------------------------------------------------|
| Method               | GET                                                                                                 |
| Endpoint             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a> |
| Request              | None                                                                                                |
| Expected Status Code | 200 OK                                                                                              |
| Actual Status Code   | 200 OK                                                                                              |
| Expected Response    | A list of all posts should be returned in JSON format.                                              |
| Actual Response      | A list of all posts was returned successfully in JSON format.                                       |
| Result               | Pass                                                                                                |

The screenshot displays a REST client interface with the following details:

- Method:** GET
- Endpoint:** <https://jsonplaceholder.typicode.com/posts>
- Status:** 200 OK
- Response Time:** 269 ms
- Response Size:** 7.99 KB
- Response Format:** JSON
- Response Content:**


```
[{"userId": 1, "id": 1, "title": "sunt aut facere repellat provident occaecati excepturi optio reprehenderit", "body": "quia et suscipit\nsuscipit recusandae consequuntur expedita et cum\nreprehenderit molestiae ut ut quas totam\nnostrum rerum est autem sunt rem eveniet architecto"}, {"userId": 1, "id": 2, "title": "qui est esse", "body": "est rerum tempore vitae\nsequi sint nihil reprehenderit dolor beatae ea dolores neque\nfugiat blanditiis voluptate porro vel nihil"}]
```

The interface also shows a sidebar with collections, environments, and documents, and a bottom bar with navigation options like Connect Git, Terminal, Console, Globals, Vault, and Tools.

## API Test Case 2:

**Scenario:** Retrieve a single post using a valid ID.

|                             |                                                                                                         |
|-----------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                     |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts/1">https://jsonplaceholder.typicode.com/posts/1</a> |
| <b>Request</b>              | None                                                                                                    |
| <b>Expected Status Code</b> | 200 OK                                                                                                  |
| <b>Actual Status Code</b>   | 200 OK                                                                                                  |
| <b>Expected Response</b>    | Details of post with ID 1 should be returned in JSON format.                                            |
| <b>Actual Response</b>      | Post with ID 1 was returned successfully in JSON format.                                                |
| <b>Result</b>               | Pass                                                                                                    |




## API Test Case 3:

**Scenario:** Retrieve a post using an invalid ID

|                 |                                                                                                               |
|-----------------|---------------------------------------------------------------------------------------------------------------|
| <b>Method</b>   | GET                                                                                                           |
| <b>Endpoint</b> | <a href="https://jsonplaceholder.typicode.com/posts/9999">https://jsonplaceholder.typicode.com/posts/9999</a> |
| <b>Request</b>  | None                                                                                                          |


|                             |                                                                      |
|-----------------------------|----------------------------------------------------------------------|
| <b>Expected Status Code</b> | 404 Not Found                                                        |
| <b>Actual Status Code</b>   | 404 Not Found                                                        |
| <b>Expected Response</b>    | The API should return a "Not Found" response for an invalid post ID. |
| <b>Actual Response</b>      | The API returned 404 Not Found with an empty response {}.            |
| <b>Result</b>               | Pass                                                                 |



## API Test Case 4:

**Scenario:** Verify response structure for a valid post.


|                             |                                                                                                         |
|-----------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                     |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts/1">https://jsonplaceholder.typicode.com/posts/1</a> |
| <b>Request</b>              | None                                                                                                    |
| <b>Expected Status Code</b> | 200 OK                                                                                                  |
| <b>Actual Status Code</b>   | 200 OK                                                                                                  |
| <b>Expected Response</b>    | The response should contain the fields userId, id, title and body in JSON format.                       |
| <b>Actual Response</b>      | The response contained all the required fields (userId, id, title and body) in JSON format.             |
| <b>Result</b>               | Pass                                                                                                    |



## API Test Case 5:

**Scenario:** Verify response format (JSON).


|                             |                                                                                                     |
|-----------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                 |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a> |
| <b>Request</b>              | None                                                                                                |
| <b>Expected Status Code</b> | 200 OK                                                                                              |
| <b>Actual Status Code</b>   | 200 OK                                                                                              |
| <b>Expected Response</b>    | The API should return the response in JSON array format.                                            |
| <b>Actual Response</b>      | The API returned the response successfully in JSON array format.                                    |
| <b>Result</b>               | Pass                                                                                                |



## API Test Case 6:

**Scenario:** Verify retrieval of all posts.


|                             |                                                                                                     |
|-----------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                 |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a> |
| <b>Request</b>              | None                                                                                                |
| <b>Expected Status Code</b> | 200 OK                                                                                              |
| <b>Actual Status Code</b>   | 200 OK                                                                                              |
| <b>Expected Response</b>    | The API should return a JSON array containing all available posts.                                  |
| <b>Actual Response</b>      | The API returned a JSON array containing 100 posts with the fields userId, id, title and body.      |
| <b>Result</b>               | Pass                                                                                                |



## API Test Case 7:

**Scenario:** Verify Get Comments API returns all comments successfully.

|                             |                                                                                                                                     |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                                                 |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/comments">https://jsonplaceholder.typicode.com/comments</a>                           |
| <b>Request</b>              | None                                                                                                                                |
| <b>Expected Status Code</b> | 200 OK                                                                                                                              |
| <b>Actual Status Code</b>   | 200 OK                                                                                                                              |
| <b>Expected Response</b>    | The API should return a list of comments in JSON array format. Each comment should contain postId, id, name, email and body fields. |
| <b>Actual Response</b>      | The API returned a JSON array containing comments with postId, id, name, email and body fields.                                     |
| <b>Result</b>               | Pass                                                                                                                                |




## API Test Case 8:

**Scenario:** Verify Get Comment by ID API returns the correct comment.

|                             |                                                                                                               |
|-----------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                           |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/comments/1">https://jsonplaceholder.typicode.com/comments/1</a> |
| <b>Request</b>              | None                                                                                                          |
| <b>Expected Status Code</b> | 200 OK                                                                                                        |
| <b>Actual Status Code</b>   | 200 OK                                                                                                        |
| <b>Expected Response</b>    | The API should return a single comment in JSON format containing postId, id, name, email and body fields.     |
| <b>Actual Response</b>      | The API returned a single comment in JSON format with postId = 1, id = 1, name, email and body fields.        |
| <b>Result</b>               | Pass                                                                                                          |








## API Test Case 10:

**Scenario:** Verify Get Posts by User ID API returns posts for the specified user.


|                             |                                                                                                                                                                                                           |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                                                                                                                       |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts?userId=5">https://jsonplaceholder.typicode.com/posts?userId=5</a>                                                                                     |
| <b>Request</b>              | None                                                                                                                                                                                                      |
| <b>Expected Status Code</b> | 200 OK                                                                                                                                                                                                    |
| <b>Actual Status Code</b>   | 200 OK                                                                                                                                                                                                    |
| <b>Expected Response</b>    | The API should return a JSON array containing only posts with <code>userId = 5</code> . Each post should include <code>userId</code> , <code>id</code> , <code>title</code> and <code>body</code> fields. |
| <b>Actual Response</b>      | The API returned a JSON array containing posts for <code>userId = 5</code> with <code>userId</code> , <code>id</code> , <code>title</code> and <code>body</code> fields.                                  |
| <b>Result</b>               | Pass                                                                                                                                                                                                      |



## API Test Case 11:

**Scenario:** Verify a new post can be created successfully.


|                             |                                                                                                                                |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | POST                                                                                                                           |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a>                            |
| <b>Request</b>              | { "title": "My First API Test", "body": "Testing POST request using Postman", "userId": 1 }                                    |
| <b>Expected Status Code</b> | 201 Created                                                                                                                    |
| <b>Actual Status Code</b>   | 201 Created                                                                                                                    |
| <b>Expected Response</b>    | The API should create a new post and return the created record with a unique id.                                               |
| <b>Actual Response</b>      | The API created a new post successfully and returned the record with id = 101, along with the provided title, body and userId. |
| <b>Result</b>               | Pass                                                                                                                           |



## API Test Case 12:

**Scenario:** Verify creating a new post with an empty title.


|                             |                                                                                                                     |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | POST                                                                                                                |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a>                 |
| <b>Request</b>              | { "title": "", "body": "Testing empty title", "userId": 1 }                                                         |
| <b>Expected Status Code</b> | 201 Created                                                                                                         |
| <b>Actual Status Code</b>   | 201 Created                                                                                                         |
| <b>Expected Response</b>    | The API should create a new post and return the submitted data with a new id, even though the title field is empty. |
| <b>Actual Response</b>      | The API created the post successfully and returned the submitted data with an empty title and id = 101.             |
| <b>Result</b>               | Pass                                                                                                                |



## API Test Case 13:

**Scenario:** Verify creating a new post with an empty body.


|                             |                                                                                                                    |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | POST                                                                                                               |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a>                |
| <b>Request</b>              | { "title": "API Testing", "body": "", "userId": 1 }                                                                |
| <b>Expected Status Code</b> | 201 Created                                                                                                        |
| <b>Actual Status Code</b>   | 201 Created                                                                                                        |
| <b>Expected Response</b>    | The API should create a new post and return the submitted data with a new id, even though the body field is empty. |
| <b>Actual Response</b>      | The API created the post successfully and returned the submitted data with an empty body and a new id.             |
| <b>Result</b>               | Pass                                                                                                               |



## API Test Case 14:

**Scenario:** Update an entire post using PUT.


|                             |                                                                                                            |
|-----------------------------|------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | PUT                                                                                                        |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts/1">https://jsonplaceholder.typicode.com/posts/1</a>    |
| <b>Request Body</b>         | json { "id": 1, "title": "Updated API Test", "body": "This post has been updated using PUT", "userId": 1 } |
| <b>Expected Status Code</b> | 200 OK                                                                                                     |
| <b>Actual Status Code</b>   | 200 OK                                                                                                     |
| <b>Expected Response</b>    | The API should return the updated post with all modified fields.                                           |
| <b>Actual Response</b>      | The API returned the updated post containing the new title, body, id and userId.                           |
| <b>Result</b>               | Pass                                                                                                       |



## API Test Case 15:

**Scenario:** Partially update the title using PATCH.

|                             |                                                                                                                                          |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | PATCH                                                                                                                                    |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts/1">https://jsonplaceholder.typicode.com/posts/1</a>                                  |
| <b>Request Body</b>         | { "title": "Updated Title using PATCH" }                                                                                                 |
| <b>Expected Status Code</b> | 200 OK                                                                                                                                   |
| <b>Actual Status Code</b>   | 200 OK                                                                                                                                   |
| <b>Expected Response</b>    | The API should return the updated post with the modified title while keeping the other fields unchanged.                                 |
| <b>Actual Response</b>      | The API returned the post with the updated title "Updated Title using PATCH", while the existing userId, id and body remained unchanged. |
| <b>Result</b>               | Pass                                                                                                                                     |




## API Test Case 16:

**Scenario:** Delete an existing post.

|                             |                                                                                                                      |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | DELETE                                                                                                               |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts/1">https://jsonplaceholder.typicode.com/posts/1</a>              |
| <b>Request</b>              | None                                                                                                                 |
| <b>Expected Status Code</b> | 200 OK                                                                                                               |
| <b>Actual Status Code</b>   | 200 OK                                                                                                               |
| <b>Expected Response</b>    | The API should successfully delete the specified post and return an empty response body.                             |
| <b>Actual Response</b>      | The API returned an empty JSON object ( <code>{}</code> ), indicating the delete request was processed successfully. |
| <b>Result</b>               | Pass                                                                                                                 |






## API Test Case 17:

**Scenario:** Delete a post with an invalid ID.


|                             |                                                                                                                                                                            |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | DELETE                                                                                                                                                                     |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts/9999">https://jsonplaceholder.typicode.com/posts/9999</a>                                                              |
| <b>Request</b>              | None                                                                                                                                                                       |
| <b>Expected Status Code</b> | 200 OK                                                                                                                                                                     |
| <b>Actual Status Code</b>   | 200 OK                                                                                                                                                                     |
| <b>Expected Response</b>    | The API should handle the invalid post ID request gracefully and return a successful response without any errors.                                                          |
| <b>Actual Response</b>      | The API returned an empty JSON object ( <code>{}</code> ), indicating that the delete request was processed successfully even though the specified post ID does not exist. |
| <b>Result</b>               | Pass                                                                                                                                                                       |



## API Test Case 18:

**Scenario:** Create a new post without providing all required fields.


|                             |                                                                                                                                                                                                             |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | POST                                                                                                                                                                                                        |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a>                                                                                                         |
| <b>Request</b>              | json { "title": "Test Post with Missing Data" }                                                                                                                                                             |
| <b>Expected Status Code</b> | 400 Bad Request (API should reject the request due to missing required fields.)                                                                                                                             |
| <b>Actual Status Code</b>   | 201 Created                                                                                                                                                                                                 |
| <b>Expected Response</b>    | The API should return an error response indicating that required fields are missing and the post should not be created.                                                                                     |
| <b>Actual Response</b>      | The API returned a 201 Created status code with the response body { "title": "Test Post with Missing Data", "id": 101 }, indicating that the post was successfully created despite missing required fields. |
| <b>Result</b>               | Fail                                                                                                                                                                                                        |



## API Test Case 19:

**Scenario:** Create a new post by providing invalid data types in request fields.

|                             |                                                                                                                                                                                                                              |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | POST                                                                                                                                                                                                                         |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/posts">https://jsonplaceholder.typicode.com/posts</a>                                                                                                                          |
| <b>Request</b>              | json { "title": 12345, "body": true, "userId": "abc" }                                                                                                                                                                       |
| <b>Expected Status Code</b> | 400 Bad Request (API should reject the request due to invalid data types.)                                                                                                                                                   |
| <b>Actual Status Code</b>   | 201 Created                                                                                                                                                                                                                  |
| <b>Expected Response</b>    | The API should validate the input data types and return an error response indicating invalid field values.                                                                                                                   |
| <b>Actual Response</b>      | The API returned a 201 Created status code with the response body { "title": 12345, "body": true, "userId": "abc", "id": 101 }, indicating that the post was successfully created despite invalid data types being provided. |
| <b>Result</b>               | Fail                                                                                                                                                                                                                         |



## API Test Case 20:

**Scenario:** Send a GET request using an invalid endpoint.

|                             |                                                                                                                                                        |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Method</b>               | GET                                                                                                                                                    |
| <b>Endpoint</b>             | <a href="https://jsonplaceholder.typicode.com/postss/1">https://jsonplaceholder.typicode.com/postss/1</a>                                              |
| <b>Request</b>              | None                                                                                                                                                   |
| <b>Expected Status Code</b> | 404 Not Found                                                                                                                                          |
| <b>Actual Status Code</b>   | 404 Not Found                                                                                                                                          |
| <b>Expected Response</b>    | The API should return an error response indicating that the requested endpoint does not exist.                                                         |
| <b>Actual Response</b>      | The API returned a 404 Not Found status code with an empty JSON object response {}, indicating that the requested endpoint was invalid or unavailable. |
| <b>Result</b>               | Pass                                                                                                                                                   |

Workspace: Eshal Kamal's Workspace

Search

Invited Upgrade

HisabDo SQA Day 4 > Get Post Using Invalid Endpoint

GET https://jsonplaceholder.typicode.com/postss/1

Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings Cookies

Query Params

| Key | Value | Description | Bulk Edit | ... |
|-----|-------|-------------|-----------|-----|
| Key | Value | Description |           |     |

Body

404 Not Found • 968 ms • 1.07 KB • Save Response

{ } JSON Preview Debug with AI

```
1 {}
```

COLLECTIONS

- GET Verify Response Structure
- GET Verify Response Format
- GET Verify GET Status Code
- GET Get Comments
- GET Get Comment by ID
- GET Get Invalid Comment by ID
- GET Get Posts by User ID
- POST Create New Post
- POST Create Post with Empty Title
- POST Create Post with Empty Body
- PUT Update Post Using PUT
- PATCH Update Post Title Using PATCH
- DEL Delete Existing Post
- DEL Delete Invalid Post ID
- POST Missing Required Data
- POST Create Post with Invalid Data Type
- GET Get Post Using Invalid Endpoint**

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWS

Connect Git Terminal Console

Globals Vault Tools

New Chat

Add negative tests for 404

Tighten create-post invalid tests

Parameterize post creation cases

Describe what you need. Press @ for context, / for Skills.

Auto