



QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, Factory address: Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

Qingdao Vikas Industry Agricultural Machinery Catalogue

1. Mini Tractor(12hp,15hp,18hp,20hp,22hp,25hp)





QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, Factory address: Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

VIKAS INDUSTRY MINI TRACTOR 12HP/15HP/18HP/20HP/22HP/25HP						
Model	V120	V150	V180	V200	V220	V250
Engine	12HP(8.82kw)	15HP(11kw)	18HP(13.3kw)	20HP(14.7kw)	22HP(16.18kw)	25HP(18.4kw)
Engine Type	1cylinder,4-stroke,horizontal,water-cooled,diesel					
Fuel Tank	8L	8.5L	8.5L	12L	12L	12L
Rated Speed	2200rpm	2200rpm	2200rpm	2200rpm	2200rpm	2200rpm
Gear Style	6+2	6+2	6+2	6+2	6+2	6+2
Rear Wheel	850mm-1200mm adjustable			850mm-1200mm adjustable		
Suspension	Ordinary suspension or three-point					
Forward Speed	6F+2R ,1.68,2.61,4.22,6.79,10.57,17.08					
Reverse Speed	1.29,5.22					
Working Weight	460kg	480kg	485kg	490kg	490kg	510kg
Hydraulic system	Single-way floating valve up and down control					
Tire	500-10/600-12		500-12/600-14			
Transmission style	Belt	Belt	Belt	Belt	Belt	Belt
Starter	Electric start/hand crank					
Battery	45A	60A	60A	60A	60A	60A
Brakes	Two side wheel brake					
Rotary Tiller Width	1000mm			1200mm		
Ground Clearance	25cm			28cm		
Working depth	150mm-250mm					
Blades of tiller	18pcs	18pcs	18pcs	24pcs	24pcs	24pcs
Overall Dimension	2100*1200*1200mm			2150*1200*1200mm		
Packing	2000*1100*2580mm			2000*1100*2580mm		

2. GASOLINE POWER TILLER GSL-4WD

VIKAS Multifunctional GASOLINE POWER TILLER GSL-4WD			
Model	170F	177F	190F
Engine	7.5HP	9HP	15HP
Transmission Type	Belt drive or Gear drive		
Start Model	Manual starter		
Working Width	700mm		
Working Depth	150mm	200mm	200mm
Size Of Wheel	350-6		
Adjustment of Handle Bar	360 degree horizon and 45 degree vertical		
Fuel Consumption	≤10kh/ha		
Fuel Tank	5L		
Weight	150KG	155KG	160KG
Working Efficiency	0.2-0.4acre/h		
Working Speed	>18m/min		
Packing Size	1100*650*750mm		



QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, Factory address: Jiaozhou Bay Industrial Park, Qingdao, Shandong, China



DIESEL POWER TILLER DSL-4WD

VIKAS Multifunctional Diesel POWER TILLER DSL-4WD				
Model	173F	178F	186F	192F
Engine	7.5HP	9HP	12HP	15HP
Transmission Type	Belt drive or Gear drive			
Start Model	Manual /electric starter			
Working Width	700mm			
Working Depth	150mm	200mm	200mm	200mm
Size Of Wheel	350-6			
Adjustment of Handle Bar	360 degree horizon and 45 degree vertical			
Fuel Consumption	≤10kh/ha			
Fuel Tank	5L			
Weight	160KG	165KG	170KG	180KG
Working Efficiency	0.2-0.4acre/h			
Working Speed	>18m/min			



QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, **Factory address:** Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

Packing Size

1200*650*750mm





QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, Factory address: Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

3. 7.5HP Gasoline Power Weeder



VIKAS Multifunctional Gasoline Power Weeder		
Model	2WD	4WD
Engine	7.5HP 170F Gasoline Engine	
Transmission Type	Belt drive	
Functions	Weeding/Tilling/Ditching	
Start Model	Recoil start	
Working Width	200mm/260mm/380mm	
Number of blades	6pcs/9pcs/12pcs	
Working Depth	200mm	
Size Of Wheel	400-8/350-6	
Fuel Consumption	≤10kh/ha	
Fuel Tank	4L	
Weight	55KG	65KG
Working Efficiency	0.2acre/h	
Dimension	1200x530x950mm	
Package Size	900*530*750mm	



QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, Factory address: Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

4. 10HP ,12HP,15HP,18HP, 20HP Walking Tractor



Model	10HP Walking Tractor	12HP Walking Tractor	15HP Walking Tractor	18HP Walking Tractor	20HP Walking Tractor
Chassis model	101	101	151	151	151
Form	Traction and driving combined				
Cooling	Water cooling				
Fuel efficiency	≤244.8gl/kw.hr				
Gear	6 Forward gear and 2 Reverse gear				
Speed(km/h)	Forward 1.39, 2.47, 4.15, 5.14, 9.12, 15.30 ,Reverse 1.10, 4.10				
Rated speed	2000rpm				
Start	Hand Crank/electric start				
Tyres	6.00-12				
Working width	900mm				
Ground clearance	210mm				
Dimensions(LxWxH)	2170×890×1150mm		2680×960×1250mm		
Wheel base	640-680mm				
Triangular belts	2pcs B1800				
Weight	430KG	430KG	450KG	450KG	450KG



QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, Factory address: Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

5. Chain Tiller



VIKAS Multifunctional Chain Tiller

Model	170F gasoline	177F gasoline	173F diesel	178F diesel
Engine	7.5HP	9HP	7.5HP	9HP
Transmission Type	Belt drive			
Start Model	Recoil or electric start			
Chain Width	150mm			
Tilling Width	200mm			
Working Depth	200mm			
Weeding Width	500mm			
Rated Speed	3600rpm			
Material of Chain	cast steel			
Adjustment of Handle Bar	fixed or 360 degree horizon			
Fuel Consumption	≤10kh/ha			
Fuel Tank	4L			
Net Weight	65KG	70KG	80KG	85KG
Working Efficiency	0.4acre/h			
Working Speed	>18m/min			
Package Size	1130*510*850mm			



QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, Factory address: Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

6. Gasoline Engine Multi Functional Seeder (3rows to 13rows)



7. 7.5hp Gasoline Engine Garlic Seeder and Tractor Mounted Garlic Seeder (3rows to 13rows)





QINGDAO VIKAS INDUSTRY CO., LTD.

Mob/whatsapp/wechat: 0086-13210172150 www.vikas-cn.com

Email: owen@vikas-cn.com, **Factory address:** Jiaozhou Bay Industrial Park, Qingdao, Shandong, China

8.Reaper For Rice And Wheat

Model	GSL-750 Reaper	DSL-750 Reaper
Cutting Width(mm)	1000	1000
Mini Cutting Height(mm)	≥50	≥50
Cutting Rows	3	3
Placing Type	Sidewise & Banded Placed	Sidewise & Banded Placed
Productivity(m ² /h)	1300-2000	1300-2000
Engine	7.5HP Gasoline Engine	7.5HP Diesel Engine
Fuel Consumption (L/H)	1L	1L
Net Weight(kg)	190	210
Gross Weight(kg)	220	250
Packing Size(L*W*H)mm	1300*800*800	1300*800*800

