```
<h6 class="owner">MADE BY MUKHTAR ANSARII</h6>
    <input type="text" placeholder="0" id="inputBox">
         <button class="op">AC</button>
         <button class="op">DEL</putton>
         <button class="op">%</button>
        <button class="op">/</button>
 </div>
        <button>7</button>
         <button>8</button>
         <button>9</button>
 </div>
         <button>4</button>
        <button>5</button>
         <button>6</button>
         <button>1</button>
         <button>2</button>
         <button>3</button>
         <button class="op">+</button>
         <button>00</button>
         <button>0</button>
         <button class="op">.</button>
         <button class="equal8tn">=</button>
</div>
 <script src="script.js"></script>
```


```
@import url('https://fonts.googleapis.com/css2?family=Poppins
 :wght@500&display=swap');
*{
    margin: 0;
    padding: 0;
   box-sizing: border-box;
    font-family: 'Poppins', sans-serif;
body{
   width: 100%;
   height: 100vh;
   display: flex;
    justify-content: center;
   align-items: center;
   background: linear-gradient(45deg, #0a0a0a, #3a4452);
.calculator{
   border: 1px solid #717377;
    padding: 20px;
   border-radius: 16px;
    background: transparent;
   box-shadow: 0px 3px 15px rgba(133, 115, 119, 0.5);
input{
   width: 320px;
    border: none;
    padding: 24px;
   margin: 10px;
    background: transparent;
    box-shadow: Opx 3px 15px rgbs(84, 84, 84, 0.1);
    font-size: 40px;
    text-align: right;
    cursor: pointer;
    color: #ffffff;
input::placeholder{
    color: #ffffff;
```

```
11:22 🔤 🥯 🕶 • 🔌 🥱 📞 🔠 📈 📆 🗂 📆
```

```
button{
    border: none;
    width: 60px;
   height: 60px;
   margin: 10px;
    border-radius: 50%;
   background: transparent;
   color: #ffffff;
   font-size: 20px;
    box-shadow: -8px -8px 15px rgba(255, 255, 255, 0.1);
   cursor: pointer;
.equal8tn{
    background-color: #fb7c14;
.op{
   color: aqua;
.owner{
   color: white;
    font-size: 10px;
```







```
let input = document.getElementById('inputBox');
let buttons = document.querySelectorAll('button');
let string = "";
let arr = Array.from(buttons);
arr.forEach(button => {
   button.addEventListener('click', (e) =>{
        if(e.target.innerHTML == '='){
            string = eval(string);
           input.value =string;
       else if(e.target.innerHTML == 'AC'){
            string = "";
            input.value= string;
       else if(e.target.innerHTML == 'DEL'){
            string = string.substring(0, string.length-1);
            input.value = string;
       else{ string += e.target.innerHTML;
            input.value = string;
```

RESPONSIVE FOR ALL DEVICE