



Installation & Setup

Oracle 26

(Database 26ai, Apex 26 , ORDS 26)



Essam Shokair

ITIL Expert , PMP , P2

IT General Manager

Oracle Application Development

Consultant

01003455535

Eshokair@gmail.com



Build Oracle Apex Package

Enhance your experience



Installation & Setup

Oracle 26

(Database 26ai, Apex 26 , ORDS 26)



Oracle APEX Architecture




Figure 1. Oracle APEX Architecture



How to:



1. Install Oracle Database 26ai
2. Oracle Apex 26.1 ai
3. Install Web Server (ORDS or TOMCAT)



Pre-Installations

(1) Download The Following :



1. Oracle database 26ai
2. Oracle Apex 26.1
3. ORDS 26.1.1




Pre-Installations

Create Folders (with any drive D: , E:)

1. **Oracle26** (E:\Oracle26)

- **DB** (E:\Oracle26\DB)
- **Apex** (E:\Oracle26\Apex)
- **ORDS** (E:\Oracle26\ORDS26)
- Optional :
 - Downloads (E:\oracle26\downloads)
 - SQL-Developer (E:\oracle26\SQLDEVELOPER)






Install
Oracle
DB 26ai

1. Extract Oracle database 26ai in F:/oracle26/DB
2. Install Oracle database 26ai : and follow the wizard

1. Requirements (mandatory) :

- Windows user should be Admin.
- If you have old database running , temporary , un-set **ORACLE_HOME** , and **TNS_NAME** variables (Windows variables).

Phase 1: DB Setup






Install
Oracle
DB 26ai

3. RUN CMD as administrator
4. Run F:\oracle26\DB\Setup.exe **as administrator**
5. **Follow the wizard ;**
6. Set The location of the DB installation files..... (example: F\oracle26\DB\products)

Phase 1: DB Setup





When Done, Connect using Sqlplus.exe as : / **as sysdba**

```
Enter user-name: / as sysdba

Connected to:
Oracle AI Database 26ai Free Release 23.26.1.0.0 - Develop, Learn, and Run for Free
Version 23.26.1.0.0

SQL>
```

- Understanding the connection info:

Phase 1: DB Setup

- **User** : sys
- **Password**: orcl (set when install)
- **Host** :localhost (or you machine IP)
- **Port**: the port of your database (1521 as default , or **Other** like 1522 for second database)
- **Service Name** (pluggable Database name) : FREEPDB1

localhost:1522/FREEPDB1



Oracle APEX

Install Oracle Apex 26



Oracle Apex 26



Install Oracle Apex 26

Oracle APEX



1. Un-Zip oracle apex zip file to folder F:\Oracle26\Apex
2. From folder "F:\Oracle26\Apex\" Run SQLPLUS.exe (as Administrator)

Connect as : **sys/SYS user Password@localhost:1522/freepdb1 as sysdba**

1- Run Installation SQL Script :

```
SQL> @apexins.sql SYSAUX SYSAUX Temp /i/ ;
```

2- Wait Wait Wait Wait Wait Wait Wait Finished

3- Run Change password script (to change oracle apex admin user) ,run SQLPLUS and connect again if you logged out):

```
SQL> @apxchpwd.sql ;
```

- Admin user : **admin**
- Password : **Apex_26**
- Email: **xxxxxx@gmail.com** (For example).



Install Oracle ORDS



Oracle REST Data Services

Oracle ORDS



Install Oracle ORDS



1. Un-Zip oracle ORDS zip file to folder : F:/Oracle26/ORDS26
2. Create a new folder "Config" : F:/Oracle26/ORDS26/config\
2. Settings :

Windows Environment Variables :

- **User Variables (add or update):**
 - JAVA_HOME: C:\Program Files\Java\jdk26.1\
 - JDK_HOME: C:\Program Files\Java\jdk26.1\
 - ORDS_CONFIG : F:\Oracle26\ORDS26 \CONFIG
- **System Variables (add or update) :**
 - JAVA_TOOL_OPTIONS: -Dconfig.url=D F:\Oracle26\ORDS26\CONFIG
 - Add the ORDS paths to system variables: F:\Oracle26\ORDS26\bin , and F:\Oracle26\ORDS26



Install Oracle ORDS



Environment Variables

User variables for Eshokair

Variable	Value
MOZ_PLUGIN_PATH	C:\Program Files (x86)\Foxit Software\Foxit PDF Reader\plugi...
OneDrive	C:\Users\Eshokair\OneDrive
OneDriveConsumer	C:\Users\Eshokair\OneDrive
ORACLE_HOME	D:\Oracle\DB21
ORDS_CONFIG	F:\Oracle26\ORDS26\config
Path	C:\Program Files\Java\jdk-26.0.1\bin;C:\Users\Eshokair\AppData...
TEMP	C:\Users\%ESHOKAIR%\AppData\Local\Temp
TMP	C:\Users\%ESHOKAIR%\AppData\Local\Temp
TNS_ADMIN	F:\TNS_ADMIN


[New...](#)[Edit...](#)[Delete](#)

System variables

Variable	Value
D:\ORDS23\CONFIG	F:\Oracle26\ORDS\config
DriverData	C:\Windows\System32\Drivers\DriverData
JAVA_TOOL_OPTIONS	-Dconfig.url=F:\Oracle26\ORDS26\config
NUMBER_OF_PROCESSORS	8
OS	Windows_NT
Path	C:\Program Files\Common Files\Oracle\Java\javapath;F:\orac...
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
PROCESSOR_ARCHITECTU...	AMD64
PROCESSOR_IDENTIFIER	Intel64 Family 6 Model 60 Stepping 3, GenuineIntel



Install Oracle ORDS





Install Oracle ORDS



1. From F:\Oracle26\ORDS26\bin run CMD (as administrator) :

`ords.exe --config F:\Oracle26\ORDS26\config install`

```
Administrator: C:\WINDOWS\System32\cmd.exe - ords.exe --config F:\Oracle26\ORDS26\config install
db.port=1522
db.servicename=freepdb1
db.username=ORDS_PUBLIC_USER
feature.sdw=true
plsql.gateway.mode=proxied
restEnabledSql.active=true
security.requestValidationFunction=ords_util.authorize_plsql_gateway
database.api.enabled=true
standalone.doc.root=F:\Oracle26\ORDS26\config\global\doc_root
standalone.http.port=8080
config.required=true
db.password=*****
conf.use.wallet=true

2026-05-21T21:43:32.702Z WARNING      *** jdbc.MaxLimit in configuration |default|lo| is using a value of 10, this settin
g may not be sized adequately for a production environment ***
2026-05-21T21:43:33.051Z INFO        Created Pool: |default|lo|-2026-05-21T21-43-32.581065800Z at: 2026-05-21T21:43:32.5
81065800Z
2026-05-21T21:43:33.257Z INFO

Mapped local pools from F:\Oracle26\ORDS26\config\databases:
/ords/                               => default                               => VALID

2026-05-21T21:43:33.271Z INFO        Oracle REST Data Services initialized
Oracle REST Data Services version : 25.4.0.r3641739
Oracle REST Data Services server info: jetty/12.0.25
Oracle REST Data Services java info: Java HotSpot(TM) 64-Bit Server VM (build 26.0.1+8-34 mixed mode, sharing)
```



- Change the ORDS Port No. and The Location of Apex images folder

To change this settings , Open file “settings.xml”, you can find the in path

: F:\Oracle26\ORDS26\config\global\ settings.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE properties SYSTEM "http://java.sun.com/dtd/properties.dtd">
<properties>
<comment>Saved on Thu May 21 21:43:26 UTC 2026</comment>
<entry key="database.api.enabled">>true</entry>
<entry key="standalone.doc.root">F:\Oracle26\ORDS26\config\global\doc_root</entry>
<entry key="standalone.http.port">8084</entry>
<entry key="standalone.static.path">F:\Oracle26\APEX\images</entry>
</properties>
```

Restart ORDS .



Install Oracle ORDS



Start ORDS automatically

Batch File

NSSM Directly

Build your own batch file
use NSSM to create windows service and
upload the Batch file.

use NSSM Directly to set the information
about windows service you want to create



Install Oracle ORDS

Start ORDS automatically

Batch File



Step: 1

Create batch file “ords26_service”

Write the below code .

Remember to change the paths of oracle ords

```
@echo off
REM Set environment variables
SET ORDS_HOME=F:\Oracle26\ORDS26\
SET CONFIG_DIR=F:\Oracle26\ORDS26\config


REM Navigate to the ORDS directory
cd /d "%ORDS_HOME%\bin"

REM Start the ORDS standalone server
ords.exe --config "%CONFIG_DIR%" serve

pause
```

Step: 2

Under the folder you un-zip nssm.exe run CMD as administrator.



A GUI window will pop up. Configure the Application tab exactly like this:

Path: batch file

Startup directory : The path of the batch file

Arguments : leave blank

Service Name : any name you want (example : **Oracle-Ords26-Server**)



Install Oracle ORDS

Start ORDS automatically Option 2



If you want to start ORDS Automatically (each time windows startup) , you need to create windows service .

- Download tool nssm.exe , and keep the file in folder f:\orac126\ords26
- From Folder f:\orac126\ords26 run CMD as administrator , then RUN the following:
 - nssm install Oracle-Ords26-Server "F:\Oracle26\ORDS26\bin\ords.exe"
 - nssm set Oracle-Ords26-Server **AppParameters** "--config F:\Oracle26\ORDS26\config serve"
 - nssm set Oracle-Ords26-Server **AppDirectory** "F:\Oracle26\ORDS26\bin"
 - nssm set Oracle-Ords26-Server **Start SERVICE_AUTO_START**
 - nssm start Oracle-Ords26-Server



Install Oracle ORDS

Test




- Run ORDS service
- Run Apex : your host:your port /ords

Example: <http://localhost:sdro/8084>

- **What if ORDS service not running ?**

Sometimes it gives you that the service is ruing , but actually it does not.

This is because of the lake of permission on the folder where you run ORDS.





Install Oracle ORDS

Test




- Run ORDS service
- Run Apex : your host:your port /ords

Example: <http://localhost:sdro/8084>

- **What if ORDS service not running ?**

Solution:

- Change the properties of the service
- Set the account to be the admin account
- Stop and restart the service again





Install Oracle ORDS



Stop / Remove ORDS Windows Service

To Stop the service

Just stop ORDS service from running

```
nssm stop Oracle-Ords26-Server
```

To Remove the service

Remove ORDS windows service

Take care when write the command

```
nssm remove Oracle-Ords26-Server confirm
```




RUN Oracle Apex 26

Oracle APEX



Run Oracle Apex 26



To run oracle apex , you need to startup ORDS



Oracle APEX

RUN Oracle Apex 26

Start ORDS:




Option 1: Manually

From folder F:\Oracle26\ORDS26\bin> Run SMD as administrator , then run :

F:\Oracle26\ORDS26\bin> **ords.exe --config F:\Oracle26\ORDS26\config serve**

Option 2: Using windows Service






Oracle APEX

RUN Oracle Apex 26



http://localhost:gnidnal/_/sdro/8084





Oracle APEX

RUN Oracle Apex 26





Oracle APEX

Build intelligent enterprise apps you can trust

Copyright © 1999, 2026, Oracle and/or its affiliates.

Welcome

Sign in to your workspace to continue

 dev

 DEV

 ... 

☒ Remember Workspace and Username 

Sign In

Quick actions

 Reset Password

 Find My Workspace

 Administration



Oracle APEX

RUN Oracle Apex 26



Oracle APEX Home

localhost:8084/ords/r/apex/workspace/home?session=8024206873933

Enable Generative AI

Accelerate development with AI-assisted coding, debugging, and app generation. [Learn More...](#)

Enable AI

App Builder

Create and manage applications.

SQL Workshop

Develop and manage database objects.

Data Reporter

Create reporting applications based on datasets.

Gallery

Install and explore sample applications.

Top Apps

Top Users

Essam Shokair

19

Summary

6 Applications

166 Tables

1 Developers

0 Reporting Applications

Workspace Message

No Workspaces Message

Available Updates

System is up-to-date

About

Oracle APEX is a low-code development platform that enables you to build scalable, secure enterprise apps, with world-class features, that can be deployed anywhere.

Team Development

Team Development

Learn More

APEX Website

Blog

Tutorials

Videos

Educational Resources

Ideas & Feature Requests

apex.world

Social

dev dev en Enable AI

Copyright © 1999, 2026, Oracle and/or its affiliates.

Oracle APEX 26.1.0



Oracle APEX

RUN Oracle Apex 26



Applications - App Builder

localhost:8084/ords/r/apex/app-builder/apps?session=8024206873933

Enable Generative AI

Accelerate development with AI-assisted coding, debugging, and app generation. [Learn More...](#)

Enable AI

Create

Create a new application in this workspace.

Import

Import an existing application into this workspace.

Dashboard

View workspace usage, activity, and health metrics.

Workspace Utilities

Access workspace-level maintenance and monitoring tools.

About

The App Builder enables you to design, develop and deploy applications which are beautiful and responsive.

[Learn More ...](#)

Recent

Privileges - 9999

DSS - 1010

Global Data - 9998

Main_App - 1001

HR - 1009

DSS - 10101

Tasks

[Manage Backups](#)

[Export Applications](#)

[Browse by Facets](#)

[Create Library Application](#)

Search

Actions

Create

Application	Name	Alias	Pages	Updated By	Updated	Working Copies	Actions
1010	DSS	dss	125	dev	3 hours ago	0	Refresh Play
10101	DSS	dss10101	125			0	Refresh Play
9998	Global Data	gd	26	dev	3 hours ago	0	Refresh Play
1009	HR	human-resources100911	65	dev	3 hours ago	0	Refresh Play
1001	Main_App	main_app	6	dev	3 hours ago	0	Refresh Play
9999	Privileges	priv	102	dev	3 hours ago	0	Refresh Play

dev

dev

en

Enable AI

Copyright © 1999, 2026, Oracle and/or its affiliates.

Oracle APEX 26.1.0



حل المشكلات :



إذا كان لديك نسخة قديمة من تطبيقاتك ، اوقمت بعمل Export and Import

إذا أعطاك رسالة بأن المستخدم مغلق Locked

تحديث الـ Theme الخاص بكل تطبيق



إذا كان لديك نسخه قديمة من تطبيقاتك ، اوقمت بعمل Export and Import :



أذا كان لديك ملفات لـ CSS أو Fonts أو JavaScript أو صور متعدد - هنا يجب ان توجه الـ ORDS بمكان (folders) لهذه الملفات ، وإلا سوف يعمل نظام ولكن بدون هذه الملفات




RUN Oracle Apex 26

Oracle APEX

إذا كان لديك نسخة قديمة من تطبيقاتك ، اوقمت بعمل Export and Import :



الحل : - إنشاء Folder تحت المسار الموجود به صور ابكس (Apex Image path) ،



```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE properties SYSTEM "http://java.sun.com/dtd/properties.dtd">
<properties>
<comment>Saved on Thu May 21 21:43:26 UTC 2026</comment>
<entry key="database.api.enabled">>true</entry>
<entry key="standalone.doc.root">F:\Oracle26\ORDS26\config\global\doc_root</entry>
<entry key="standalone.http.port">8084</entry>
<entry key="standalone.static.path">F:\Oracle26\APEX\images</entry>
</properties>

```

- ضع كل مقتنياتك الثمينة في هذا المسار :

- F:\Oracle26\Apex\images\eshokair


- أعد تشغيل الـ ORDS مروا أخري ليقرأ هذا المسار الجديد



RUN Oracle Apex 26

Oracle APEX

إذا أعطاك رسالة بأن المستخدم مغلق Locked





RUN Oracle Apex 26

Oracle APEX

إذا أعطاك رسالة بأن المستخدم مغلق Locked



Oracle APEX - Sign In

localhost:8084/ords/r/apex/workspace-sign-in/oracle-apex-sign-in?session=8...

Oracle APEX

Build intelligent enterprise apps you can trust

Copyright © 1999, 2026, Oracle and/or its affiliates.

Welcome

Sign in to your workspace to continue

dev

DEV

...

☒ Remember Workspace and Username

Sign In

Quick actions

Reset Password Find My Workspace

Administration

الحل : المرحلة الأولى

1. أعمل Login باستخدام administrator



RUN Oracle Apex 26

Oracle APEX

إذا أعطاك رسالة بأن المستخدم مغلق Locked



الحل : المرحلة الأولى

Account Privileges

* Workspace DEV (1000001) ?

Default Schema DEV ?

Accessible Schemas (null for all) ?

User is an administrator: ☒ Yes ☐ No ?

User is a developer: ☒ Yes ☐ No ?

App Builder Access Yes ?

SQL Workshop Access Yes ?

Team Development Access Yes ?

Data Reporter Builder Access Yes ?

Data Reporter Role Administrator ?

Account Availability Locked ?

2. ثم قم باختيار user find

3. ثم قم بمراجعة بيانات المستخدم المنشأ لك workspace

4. ستجد ان المستخدم locked

5. قم بتغييره الى unlocked

6. Apply Changes



Run Oracle Apex 26

Oracle APEX

إذا أعطاك رسال بأن المستخدم مغلق Locked



الحل : المرحلة الثانية

	APP_CODE	PAGE_REPORT	DOMAIN_NAME	SERVER_NAME	SERVER_PORT
1	1010	...	Report	http://localhost: ...	/jri/report ... 8090
2	9998	...	Report	http://localhost: ...	/jri/report ... 8090
3	1114	...	Page	http://localhost: ...	/ords ... 8083
4	9999	...	Page	http://localhost: ...	/ords ... 8083
5	9998	...	Page	http://localhost: ...	/ords ... 8083
6	1009	...	Page	http://localhost: ...	/ords ... 8083
7	1010	...	Page	http://localhost: ...	/ords ... 8083
8	9999	...	Report	http://localhost: ...	/jri/report ... 8090
9	1009	...	Report	http://localhost: ...	/jri/report ... 8090
*	...	...	...	...	...



	APP_CODE	PAGE_REPORT	DOMAIN_NAME	SERVER_NAME	SERVER_PORT
5	9998	...	Page	http://localhost: ...	/ords ... 8084
6	1009	...	Page	http://localhost: ...	/ords ... 8084
7	1010	...	Page	http://localhost: ...	/ords ... 8084
4	9999	...	Page	http://localhost: ...	/ords ... 8084
3	1114	...	Page	http://localhost: ...	/ords ... 8084
8	9999	...	Report	http://localhost: ...	/jri/report ... 8090
9	1009	...	Report	http://localhost: ...	/jri/report ... 8090
2	9998	...	Report	http://localhost: ...	/jri/report ... 8090
1	1010	...	Report	http://localhost: ...	/jri/report ... 8090

- تغيير بيانات ال Web server م قاعدة البيانات (احتاج فقط الى تغيير رقم المنفذ - port no من رقم 8083 الى

8084



RUN Oracle Apex 26

إذا أعطاك رسالة بأن المستخدم مغلق Locked



Oracle APEX

إختيارات عامة

إغلاق

نسخة عن المطور

تغيير كلمة المرور

شاشة الدخول

فرع دمياط - الميدان

دريم ستور

الفروع/المعارض

فرع شبرا الخيمة - المحطة

فرع المهندسين رقم 1

فرع المهندسين - رقم 2

فرع البدرشين

فرع الحوامدية

المركز الرئيسية - القاهرة

فرع دمياط - الميدان

فرع الهرم - الطالبة

فرع 6 أكتوبر - الحصري

فرع الهرم - الليبي

الإدارة الإقليمية - الجنوب

الإدارة الإقليمية - الشمال

الإدارة الإقليمية - القاهرة والوسط

التطبيقات

دريم - DSS
نظام دريم لإدارة محلات الموبايلات
والأكسسوارات

نظام الشؤون الإدارية
إدارة شؤون العاملين

نظام الصلاحيات والتحكم
إدارة أمن المعلومات الخاصة بالأنظمة ومنح
الصلاحيات

البيانات العامة
تسجيل كافة البيانات الأساسية التي يحتاج إليها
الأنظمة

ESHOKAIR

Friday, May 22, 2026


رسائل النظام

الصفحة الرئيسية للأنظمة

عصام جاد شقير - UID109 / 6007



- عند فتح التطبيق – قد تجد رسالة في اعلي صفحة الـ Apex تشير الى " يوجد نسخه محدثه من الـ Theme ، تستطيع تحديث التطبيق للإستفادة من التحديثات في الـ اوراكل ابكس ومعالجة المشكلات "



- رجاء لا تتسرع في الضغط على زر "تحديث" ، لأنه قد يحث لك مشكله في الـ Theme مما قد يؤدي الى تشويه كامل لتصميم الصفحات لديه ، وخاصة اذا كنت قد أجريت عمليات تغير على تطبيقات ثم بعد ذلك تريد عمل تحديث للـ Theme
- يمكنك تجربة التحديث للـ theme أولا ، فإن نجحت العملية ، قم بعد ذلك بعمل ما تريده من تحديثات على تطبيقك

Un-Install



To Remove ORDS :

1. RUN CMD as Administrator
2. Run Command: **F:\Oracle26\ORDS26\bin \ords --config F:\Oracle26\ORDS26\ config uninstall**



To Remove oracle Apex :

1. From **F:\Oracle26\APEX** RUN CMD as Administrator .
2. Run SQLPLUS (Connect using sys user as sysdba) :
sys/xxxxxx@localhost:1522/freepdb1 as sysdba
3. SQL> **@apxremov.sql**



Oracle APEX

