





Jenkins FSE-API-Projects #4



Back to Project



Status



Changes



Console Output



View as plain text



Edit Build Information



Git Build Data



Previous Build

Timestamps

View as plain text

- System clock time
 - Use browser timezone
- Elapsed time
- None



Console Output

19:15:46 Started by user admin

19:15:46 Running as SYSTEM

19:15:46 Building in workspace C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects

19:15:46 using credential 9c9b5fe0-f4fa-4ece-be55-3171f6b4e429

19:15:46 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe rev-parse --is-inside-work-tree
timeout=10

19:15:46 Fetching changes from the remote Git repository

19:15:46 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe config remote.origin.url

https://github.com/eshwaram/FSE-Users-API.git # timeout=10

19:15:47 Fetching upstream changes from https://github.com/eshwaram/FSE-Users-API.git

19:15:47 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe --version # timeout=10

19:15:47 using GIT ASKPASS to set credentials Jenkins

19:15:47 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe fetch --tags --force --progress

-- https://github.com/eshwaram/FSE-Users-API.git +refs/heads/*:refs/remotes/origin/* # timeout=10

19:15:50 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe rev-parse

"refs/remotes/origin/master^{commit}" # timeout=10

19:15:50 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe rev-parse

"refs/remotes/origin/origin/master^{commit}" # timeout=10

19:15:51 Checking out Revision 0884aff7972b0aa0a8c56269ecac7d37db2328e6

(refs/remotes/origin/master)

19:15:51 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe config core.sparsecheckout #
timeout=10

19:15:51 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe checkout -f

0884aff7972b0aa0a8c56269ecac7d37db2328e6 # timeout=10

```
19:15:52 Commit message: "Add files via upload"
19:15:52 > C:\Program Files\Git\mingw64\libexec\git-core\git.exe rev-list --no-walk
0884aff7972b0aa0a8c56269ecac7d37db2328e6 # timeout=10
```

```
Jenkins FSE-API-Projects #4
```

BootstrapContext using constructor [public

```
S\.jenkins\plugins\maven-plugin\WEB-INF\lib\maven33-agent-1.13.jar;E:\Program Files\Apache
Software Foundation\apache-maven-3.3.9\boot\plexus-classworlds-2.5.2.jar;E:\Program Files\Apache
Software Foundation\apache-maven-3.3.9/conf/logging" jenkins.maven3.agent.Maven33Main "E:\Program
Files\Apache Software Foundation\apache-maven-3.3.9" "C:\Users\Eshwaram S\.jenkins\war\WEB-
INF\lib\remoting-4.2.jar" "C:\Users\Eshwaram S\.jenkins\plugins\maven-plugin\WEB-INF\lib\maven33-
interceptor-1.13.jar" "C:\Users\Eshwaram S\.jenkins\plugins\maven-plugin\WEB-INF\lib\maven3-
interceptor-commons-1.13.jar" 59664
19:15:57 <===[JENKINS REMOTING CAPACITY]===>channel started
19:15:59 Executing Maven: -B -f C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects\pom.xml
clean package
19:16:01 [INFO] Scanning for projects...
19:16:02 [INFO]
19:16:02 [INFO] ------
19:16:02 [INFO] Building users-service 1
19:16:02 [INFO] ------
19:16:04 [INFO]
19:16:04 [INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ users-service ---
19:16:04 [INFO] Deleting C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects\target
19:16:04 [INFO]
19:16:04 [INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ users-service ---
19:16:05 [INFO] Using 'UTF-8' encoding to copy filtered resources.
19:16:05 [INFO] Copying 1 resource
19:16:05 [INFO] Copying 0 resource
19:16:05 [INFO]
19:16:05 [INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ users-service ---
19:16:05 [INFO] Changes detected - recompiling the module!
19:16:05 [INFO] Compiling 6 source files to C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-
Projects\target\classes
19:16:07 [INFO]
19:16:07 [INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ users-
service ---
19:16:07 [INFO] Using 'UTF-8' encoding to copy filtered resources.
19:16:07 [INFO] skip non existing resourceDirectory C:\Users\Eshwaram S\.jenkins\workspace\FSE-
API-Projects\src\test\resources
19:16:07 [INFO]
19:16:07 [INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ users-service
19:16:07 [INFO] Changes detected - recompiling the module!
19:16:07 [INFO] Compiling 1 source file to C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-
Projects\target\test-classes
19:16:08 [INFO]
19:16:08 [INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ users-service ---
19:16:09 [INFO]
19:16:09 [INFO] ------
19:16:09 [INFO] T E S T S
19:16:09 [INFO] ------
19:16:12 [INFO] Running com.projectmanager.microservices.usersservice.UsersServiceApplicationTests
19:16:12 19:16:12.247 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
19:16:12 19:16:12.274 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
```

```
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.springframework.test.context.CacheAwareContextLoaderDelegate)]
```

19:16:12 19:16:12.322 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating

```
Jenkins FSE-API-Projects #4
```

[org.springtramework.boot.test.context.springsoot|estcontextsootstrapper]

19:16:12 19:16:12.357 [main] INFO

 $\verb|org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither| \\$

@ContextConfiguration nor @ContextHierarchy found for test class

- Did not detect default resource location for test class

[com.projectmanager.microservices.usersservice.UsersServiceApplicationTests], using

SpringBootContextLoader
19:16:12 19:16:12.366 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader

[com.projectmanager.microservices.usersservice.UsersServiceApplicationTests]: class path resource [com/projectmanager/microservices/usersservice/UsersServiceApplicationTests-context.xml] does not exist

19:16:12 19:16:12.367 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class

[com.projectmanager.microservices.usersservice.UsersServiceApplicationTests]: class path resource [com/projectmanager/microservices/usersservice/UsersServiceApplicationTestsContext.groovy] does not exist

19:16:12 19:16:12.367 [main] INFO org.springframework.test.context.support.AbstractContextLoader - Could not detect default resource locations for test class

[com.projectmanager.microservices.usersservice.UsersServiceApplicationTests]: no resource found for suffixes {-context.xml, Context.groovy}.

19:16:12 19:16:12.368 [main] INFO

org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class

[com.projectmanager.microservices.usersservice.UsersServiceApplicationTests]:

UsersServiceApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration.

19:16:12 19:16:12.455 [main] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type

[org.springframework.test.context.ActiveProfiles] and class

[com.projectmanager.microservices.usersservice.UsersServiceApplicationTests]

19:16:12 19:16:12.568 [main] DEBUG

org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-

Projects\target\classes\com\projectmanager\microservices\usersservice\UsersServiceApplication.class]

19:16:12 19:16:12.572 [main] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found

@SpringBootConfiguration com.projectmanager.microservices.usersservice.UsersServiceApplication for test class com.projectmanager.microservices.usersservice.UsersServiceApplicationTests

19:16:12 19:16:12.774 [main] DEBUG

org.spring framework.boot.test.context.Spring Boot Test Context Bootstrapper - @Test Execution Listeners is not present for class

[com.projectmanager.microservices.usersservice.UsersServiceApplicationTests]: using defaults.

19:16:12 19:16:12.776 [main] INFO

org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default

TestExecutionListener class names from location [META-INF/spring.factories]:

[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,

 $\verb|org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener|, \\$

 $\verb|org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener|, \\$

org.spring framework.boot.test.autoconfigure.web.client. Mock Rest Service Server Reset Test Execution Listener,

org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionList ener, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,

```
org.springframework.test.context.web.ServletTestExecutionListener,
org.spring framework.test.context.support.Dirties Context Before Modes Test Execution Listener, and the support of the context of the support of the context of the conte
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
                    ► FSE-API-Projects
                                                        ▶ #4
org.spring+ramework.test.context.jabc.SqiScripts:estExecutionListener,
org.springframework.test.context.event.EventPublishingTestExecutionListener]
19:16:12 19:16:12.855 [main] INFO
org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using
TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@4b013c76,
org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener@53fb3dab,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@cb0755b,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@330
65d67, org.springframework.test.context.support.DirtiesContextTestExecutionListener@712625fd,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@7bba5817,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@742ff096,
org.springframework.test.context.event.EventPublishingTestExecutionListener@75437611,
\verb|org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@350aac89|, \\
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@1c5920df,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionList
ener@17f9d882,
org.spring framework.boot.test.autoconfigure.web.servlet. \texttt{MockMvcPrintOnlyOnFailureTestExecutionList} \\
ener@79e4c792,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@196a42c3]
19:16:12 19:16:12.870 [main] DEBUG
org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test
class: context [DefaultTestContext@909217e testClass = UsersServiceApplicationTests, testInstance
= [null], testMethod = [null], testException = [null], mergedContextConfiguration =
[WebMergedContextConfiguration@18271936 testClass = UsersServiceApplicationTests, locations =
'{}', classes = '{class com.projectmanager.microservices.usersservice.UsersServiceApplication}',
contextInitializerClasses = '[]', activeProfiles = '{}', propertySourceLocations = '{}',
propertySourceProperties =
'{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}',
contextCustomizers =
set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@694abbdc,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObject
ContextCustomizer@5ffead27, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@515aebb0,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customiz
er@7f3b84b8], resourceBasePath = 'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes =
map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' ->
true]], class annotated with @DirtiesContext [false] with mode [null].
19:16:12 19:16:12.947 [main] DEBUG
org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined properties to
environment: {spring.jmx.enabled=false,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true, server.port=-1}
19:16:18
19:16:18
19:16:18 /\\ _
19:16:18 ( ( )\__ | '_ | '_| | '_ \/ ` | \ \ \
19:16:18 \\/ ___)| |_)| | | | | | | (_| | ) ) )
19:16:18 ' |___| .__| | | | | | | | | | | /__, | / / / /
19:16:18 =======|_|======|___/=/_/_/
19:16:18 :: Spring Boot ::
                                                    (v2.2.5.RELEASE)
```

19:16:18

```
19:16:18 2020-03-19 19:16:18.229 INFO 10316 --- [
                                                             main]
c.c.c.ConfigServicePropertySourceLocator : Fetching config from server at : http://localhost:8888
19:16:20 2020-03-19 19:16:20.408 INFO 10316 --- [
                                                             main]
           ▶ FSE-API-Projects
19:16:20 2020-03-19 19:16:20.409 WAKN 10316 --- [
c.c.c.ConfigServicePropertySourceLocator : Could not locate PropertySource: I/O error on GET
request for "http://localhost:8888/user-service/default": Connection refused: connect; nested
exception is java.net.ConnectException: Connection refused: connect
19:16:20 2020-03-19 19:16:20.424 INFO 10316 --- [
c.p.m.u.UsersServiceApplicationTests
                                         : No active profile set, falling back to default
profiles: default
19:16:21 2020-03-19 19:16:21.849 INFO 10316 --- [
                                                             main]
.s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT
mode.
19:16:21 2020-03-19 19:16:21.963 INFO 10316 --- [
.s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 97ms. Found
1 JPA repository interfaces.
19:16:22 2020-03-19 19:16:22.417 INFO 10316 --- [
                                                             main]
                                        : BeanFactory id=13407a43-eeb5-3e8f-9fbb-603b38372a54
o.s.cloud.context.scope.GenericScope
19:16:23 2020-03-19 19:16:23.428 INFO 10316 --- [
                                                             main]
com.zaxxer.hikari.HikariDataSource
                                         : HikariPool-1 - Starting...
19:16:25 2020-03-19 19:16:25.275 INFO 10316 --- [
com.zaxxer.hikari.HikariDataSource
                                         : HikariPool-1 - Start completed.
19:16:25 2020-03-19 19:16:25.415 INFO 10316 --- [
                                                             mainl
o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name:
default]
19:16:25 2020-03-19 19:16:25.562 INFO 10316 --- [
                                                             main | org.hibernate.Version
: HHH000412: Hibernate ORM core version 5.4.12.Final
19:16:25 2020-03-19 19:16:25.864 INFO 10316 --- [
                                                             mainl
                                        : HCANN000001: Hibernate Commons Annotations
o.hibernate.annotations.common.Version
{5.1.0.Final}
19:16:26 2020-03-19 19:16:26.275 INFO 10316 --- [
                                                             main] org.hibernate.dialect.Dialect
: HHH000400: Using dialect: org.hibernate.dialect.MySQL8Dialect
19:16:27 2020-03-19 19:16:27.843 INFO 10316 --- [
                                                             main]
o.h.e.t.j.p.i.JtaPlatformInitiator
                                         : HHH000490: Using JtaPlatform implementation:
[org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
19:16:27 2020-03-19 19:16:27.859 INFO 10316 --- [
j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence
unit 'default'
19:16:29 2020-03-19 19:16:29.044 WARN 10316 --- [
JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default.
Therefore, database queries may be performed during view rendering. Explicitly configure
spring.jpa.open-in-view to disable this warning
19:16:30 2020-03-19 19:16:30.169 INFO 10316 --- [
                                                             main]
o.s.s.concurrent.ThreadPoolTaskExecutor : Initializing ExecutorService 'applicationTaskExecutor'
19:16:33 2020-03-19 19:16:33.656 INFO 10316 --- [
                                                             mainl
o.s.cloud.commons.util.InetUtils
                                         : Cannot determine local hostname
19:16:33 2020-03-19 19:16:33.810 INFO 10316 --- [
                                                             main]
o.s.b.a.e.web.EndpointLinksResolver
                                        : Exposing 2 endpoint(s) beneath base path '/actuator'
19:16:33 2020-03-19 19:16:33.996 INFO 10316 --- [
                                                             mainl
c.p.m.u.UsersServiceApplicationTests
                                     : Started UsersServiceApplicationTests in 21.026 seconds
(JVM running for 22.991)
19:16:34 [INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 22.148 s - in
\verb|com.projectmanager.microservices.usersservice.UsersServiceApplicationTests|\\
19:16:34 2020-03-19 19:16:34.512 INFO 10316 --- [extShutdownHook]
o.s.s.concurrent.ThreadPoolTaskExecutor : Shutting down ExecutorService 'applicationTaskExecutor'
19:16:34 2020-03-19 19:16:34.516 INFO 10316 --- [extShutdownHook]
```

j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default' **19:16:34** 2020-03-19 19:16:34.520 INFO 10316 --- [extShutdownHook] ▶ FSE-API-Projects ▶ #4 com.zaxxer.nikari.HikariDataSource : HikariPooi-i - Snutdown completed. **19:16:34** [INFO] 19:16:34 [INFO] Results: **19:16:34** [INFO] 19:16:34 [INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0 **19:16:34** [INFO] 19:16:35 [JENKINS] Recording test results **19:16:38** [INFO] 19:16:38 [INFO] --- maven-war-plugin:3.2.3:war (default-war) @ users-service ---19:16:38 [INFO] Packaging webapp 19:16:38 [INFO] Assembling webapp [users-service] in [C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects\target\users-service-1] 19:16:38 [INFO] Processing war project **19:16:39** [INFO] Webapp assembled in [877 msecs] 19:16:39 [INFO] Building war: C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects\target\users-service-1.war **19:16:41** [INFO] 19:16:41 [INFO] --- spring-boot-maven-plugin:2.2.5.RELEASE:repackage (repackage) @ users-service -19:16:42 [INFO] Replacing main artifact with repackaged archive **19:16:45** [INFO] ------------19:16:45 [INFO] BUILD SUCCESS 19:16:45 [INFO] ------**19:16:45** [INFO] Total time: 44.179 s **19:16:45** [INFO] Finished at: 2020-03-19T19:16:45+05:30

Projects\target\users-service-1.war to container Tomcat 9.x Remote with context /user 19:17:08 [C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects\target\users-service-1.war] is

19:17:08 [C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects\target\users-service-1.war] is not deployed. Doing a fresh deployment.

 $\begin{tabular}{ll} \bf 19:17:08 & Deploying $$ [C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-Projects\target\users-service-1.war] \end{tabular}$

19:17:05 [DeployPublisher][INFO] Deploying C:\Users\Eshwaram S\.jenkins\workspace\FSE-API-

19:17:04 [DeployPublisher][INFO] Attempting to deploy 1 war file(s)

19:19:23 Finished: SUCCESS