

Generated by eb16003 on 02 December 2016, 14:03:28

This report has been generated automatically by Madanalysis 5.

Please cite:

E. Conte, B. Fuks and G. Serret,

MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology, Comput. Phys. Commun. **184** (2013) 222-256, arXiv:1206.1599 [hep-ph].

To contact us:

 ${\bf http://madanalysis.irmp.ucl.ac.be} \\ {\bf ma5team@iphc.cnrs.fr}$

Co	ontei	nts	
1	Set	up	2
	1.1	Command history	2
	1.2	Configuration	2
2	Da	tasets	3
	2.1	ppwjets	3
	2.2	ppzjets	3
3	His	itos and cuts	5
	3.1	Histogram 1	5
	3.2	Cut 1	6
	3.3	Cut 2	7
	3.4	Cut 3	8
	3.5	Cut 4	9
	3.6	Cut 5	10
	3.7	Histogram 2	11
4	Sur	nmary	12
	4.1	Cut-flow chart	13

1 Setup

1.1 Command history

```
ma5>set main.fastsim.package = delphes
ma5>set main.fastsim.detector = atlas
ma5># luminosity in fb^-1
ma5>set main.lumi = 12.9
ma5># set variable to normalize plots by
ma5>set main.normalize = lumi
ma5>set main.outputfile = "bkgtest.lhe"
ma5># import the signal/background files
ma5># W+jets and Z+jets account for 90% of total background in this DM process
ma5>import ./Input/ppWjets* as ppWjets
ma5>import ./Input/ppZjets* as ppZjets
ma5># declare the imported files as signal/background
ma5>set ppWjets.type = background
ma5>set ppZjets.type = background
ma5>define 1 = 1+ 1- #e mu mu_isol
ma5>plot MET 20 200 1000 [logY]
ma5>#plot PT(j) 20 0 1000 [logY]
ma5># apply cuts and plot histograms
ma5># plot <variable> <N_NBINS> <X_MIN> <X_MAX>
ma5># basically trial and error determining the number of bins
ma5>reject PT(j) < 100
ma5>reject MET < 200
ma5>reject ETA(j) > 2.5
ma5>reject PT(1) > 0
ma5>reject PT(b) > 0
ma5>plot MET 20 200 1000 [logY]
ma5># Output folder
ma5>submit bkgtest
```

1.2 Configuration

- MadAnalysis version 1.4 (2016/07/20).
- Histograms given for an integrated luminosity of 12.9fb⁻¹.

2 Datasets

2.1 ppwjets

• Sample consisting of: background events.

• Generated events: 978991 events.

 \bullet Normalization to the luminosity: 240243279+/- 0 $\,$ events.

• Ratio (event weight): 245 - warning: please generate more events (weight larger than 1)!

Paths to the event files	Nr. of events	Cross section (pb)	Negative wgts (%)
${\rm Input/ppWjets1.hep.gz}$	50000	21449	0.0
Input/ppWjets10.hep.gz	50000	21449	0.0
Input/ppWjets11.hep.gz	50000	21449	0.0
Input/ppWjets12.hep.gz	50000	21449	0.0
Input/ppWjets13.hep.gz	50000	21449	0.0
Input/ppWjets14.hep.gz	50000	21449	0.0
Input/ppWjets15.hep.gz	50000	21449	0.0
Input/ppWjets16.hep.gz	50000	21449	0.0
Input/ppWjets17.hep.gz	50000	21449	0.0
Input/ppWjets18.hep.gz	50000	21449	0.0
${\rm Input/ppWjets19.hep.gz}$	50000	21449	0.0
${\rm Input/ppWjets2.hep.gz}$	49230	0.0 @ 0.0%	0.0
Input/ppWjets20.hep.gz	30531	0.0 @ 0.0%	0.0
Input/ppWjets3.hep.gz	50000	21449	0.0
Input/ppWjets4.hep.gz	50000	21449	0.0
Input/ppWjets5.hep.gz	49230	0.0 @ 0.0%	0.0
Input/ppWjets6.hep.gz	50000	21449	0.0
Input/ppWjets7.hep.gz	50000	21449	0.0
Input/ppWjets8.hep.gz	50000	21449	0.0
$\overline{\rm Input/ppWjets9.hep.gz}$	50000	21449	0.0
Sum	978991	18623	0.0

2.2 ppzjets

• Sample consisting of: background events.

• Generated events: 1000000 events.

• Normalization to the luminosity: 150501720+/-0 events.

• Ratio (event weight): 150 - warning: please generate more events (weight larger than 1)!

Paths to the event files	Nr. of events	Cross section (pb)	Negative wgts (%)
Input/ppZjets1.hep.gz	50000	11666	0.0
${\rm Input/ppZjets10.hep.gz}$	50000	11666	0.0
Input/ppZjets11.hep.gz	50000	11666	0.0
${\rm Input/ppZjets12.hep.gz}$	50000	11666	0.0
Input/ppZjets13.hep.gz	50000	11666	0.0
Input/ppZjets14.hep.gz	50000	11666	0.0
Input/ppZjets15.hep.gz	50000	11666	0.0
Input/ppZjets16.hep.gz	50000	11666	0.0
Input/ppZjets17.hep.gz	50000	11666	0.0
Input/ppZjets18.hep.gz	50000	11666	0.0
Input/ppZjets19.hep.gz	50000	11666	0.0
${\rm Input/ppZjets2.hep.gz}$	50000	11666	0.0
Input/ppZjets20.hep.gz	50000	11666	0.0
Input/ppZjets3.hep.gz	50000	11666	0.0
Input/ppZjets4.hep.gz	50000	11666	0.0
${\bf Input/ppZjets5.hep.gz}$	50000	11666	0.0
Input/ppZjets6.hep.gz	50000	11666	0.0
Input/ppZjets7.hep.gz	50000	11666	0.0
Input/ppZjets8.hep.gz	50000	11666	0.0
${\rm Input/ppZjets9.hep.gz}$	50000	11666	0.0
Sum	1000000	11666	0.0

3 Histos and cuts

Histogram 1 3.1

* Plot: MET

Table 1. Statistics table

Dataset	Integral	/ events	Mean	RMS	%Underfl	%Overflow
ppwjets	240242542	1.0	13.1545	22.38	99.96	0.0
ppzjets	150501720	1.0	11.1555	23.74	99.9	0.0




Figure 1.

3.2 Cut 1

Cut: reject PT (j) $< 100.0\,$

Dataset	Events kept: K	Rejected events: R	Efficiency: K /- (K + R)	Cumul. efficiency: K / Initial
ppwjets	240243278	0.0 +/- 0.0	1.0	1.0
ppzjets	150501720	0.0 +/- 0.0	1.0	1.0

3.3 Cut 2

 $Cut: \ reject \ MET < 200.0$

Dataset	Events kept: K	Rejected events: R	Efficiency: K /- (K + R)	Cumul. efficiency: K / Initial
nnwieta	91534 +/-	240151744	3.81e-04 +/-	3.81e-04 +/-
ppwjets	302	+/- 302	1.26e-06	1.26e-06
pozieta	156521 +/-	150345198	1.04e-03 +/-	1.04e-03 +/-
ppzjets	395	+/- 395	2.63e-06	2.63e-06

3.4 Cut 3

Cut: reject ETA (j) > 2.5

Dataset	Events kept: K	Rejected events: R	Efficiency: K /- (K + R)	Cumul. efficiency: K / Initial
ppwjets	91534 +/- 302	0.0 +/- 0.0	1.0	3.81e-04 +/- 1.26e-06
ppzjets	156521 +/- 395	0.0 +/- 0.0	1.0	1.04e-03 +/- 2.63e-06

3.5 Cut 4

Cut: reject PT (l) > 0.0

Dataset	Events kept: K	Rejected events: R	Efficiency: K /- (K + R)	Cumul. efficiency: K / Initial
novi et e	13006 +/-	78527 +/-	0.14209 +/-	5.41e-05 +/-
ppwjets	114	280	0.00115	4.75e-07
pozieta	85183 +/-	71337 +/-	0.54423 +/-	5.66e-04 +/-
ppzjets	291	267	0.00126	1.94e-06

3.6 Cut 5

Cut: reject PT (b) > 0.0

Dataset	Events kept: K	Rejected events: R	Efficiency: K /- (K + R)	Cumul. efficiency: K / Initial
ppwjets	13006 +/- 114	0.0 +/- 0.0	1.0	5.41e-05 +/- 4.75e-07
ppzjets	85183 +/- 291	0.0 +/- 0.0	1.0	5.66e-04 +/- 1.94e-06

3.7 Histogram 2

* Plot: MET

Table 2. Statistics table

Dataset	Integral	Entries / events	Mean	RMS	%Underfl	%Overflow
ppwjets	13006	1.0	246.99	60.39	0.0	0.0
ppzjets	85183	1.0	256.103	60.9	0.0	0.0




Figure 2.

4 Summary

4.1 Cut-flow chart

 \bullet How to compare signal (S) and background (B): S/sqrt(S+B) .

 Table 3. Signal and Background comparison

Cuts		Signal (S)	Background (B)	S vs B
Initial cut)	(no		390744999	
Cut 1			390744999	
Cut 2			248055 + / - 497	
Cut 3			248055 + /- 497	
Cut 4			98190 +/- 313	
Cut 5			98190 +/- 313	