SIL PROCUREMENT, SUPPLY CHAIN & INVENTORY

Point of sale

For cashiers and supervisors

User manual · 28 October 2026

Figures, limits and approval chains are the system defaults; your hospital may have changed them.

Contents

1. Open your shift
2. Selling
    - Items that need a pharmacist
    - Safety check
3. Taking payment
4. Voids and refunds
5. Working offline
6. Cash-up and closing
7. For supervisors
8. Common messages


Point of sale (cashiers and supervisors)

For cashiers selling over the counter at a pharmacy till, and for supervisors (pharmacists, finance) who approve sales, overrides and cash-up variances. Read Getting started first.

Your menu: *Point of sale → Till* (cashiers); supervisors also have *Shifts & cash-up*, *POS reports* and *POS setup*.

---

1. Open your shift



The till

1. *Point of sale → Till*, choose your **till**.
2. *Open shift*: count the drawer and enter the *Opening float (cash in the drawer)*.

You can have only one open shift, and a till only one cashier at a time.

2. Selling

1. **Add items**: scan the barcode, or search by brand, generic or code. **Enter** adds the item; **F2** jumps to search; **F9** goes to payment. Quantities are in base units, so you can sell loose tablets from a pack. Stock left and *Low stock* are shown.
2. **Customer** (optional): pick a registered customer for their price list, credit account, loyalty points, or a KRA PIN on the invoice (business buyers).

3. **Discounts and promotions**: promotions apply automatically. You may give a manual discount up to your limit (cashier **5 %**, pharmacist 15 %); above it a supervisor with override rights enters their username and password.

Items that need a pharmacist

Sales class	Rule
OTC	Sell freely
P (pharmacy only)	A pharmacist approves: *Pharmacist approval*, their username and password
POM (prescription only)	Pharmacist approval **and** a *Prescription reference*
CD (controlled)	**Cannot be sold at the till**

Some medicines have a **limit per sale** (e.g. paracetamol) across all brands.

Safety check

The basket is checked for interactions (and against the customer's recent purchases, allergies and pregnancy when they are a registered patient). A blocking interaction needs a pharmacist and a *Reason to proceed despite the interaction*.

3. Taking payment

- **Cash**: enter *Cash tendered*; the change is shown.
- **M-Pesa**:
  - **STK push**: enter the *Customer phone* → *Send prompt*. The customer confirms on their phone and the payment is recorded automatically. If they don't answer in time, try again or choose another method;
  - **Paid to the till / paybill**: pick the customer's payment from the list of confirmations;
  - **Typed code**: enter the M-Pesa code from the customer's SMS. It is accepted but flagged until Safaricom confirms it (your hospital may require the match).
- **Card**: enter the slip number.
- **Split**: combine methods until the total is covered.
- **On account**: for customers with a credit limit.
- **Loyalty points**: 1 point per KES 100 paid; each point is worth KES 1 once the customer has at least 50.

Then *Print receipt* (80 mm) and *Next customer*.

eTIMS. Every sale is a tax invoice sent to KRA eTIMS. The receipt carries the control-unit number and a QR code. If eTIMS hasn't answered within a few seconds, the receipt says **"eTIMS PENDING — not an official receipt"**. The sale is sent as soon as possible and the signed receipt can be reprinted later from *Sales & receipts*.

4. Voids and refunds

- **Void** (current shift only): open the sale → *Void* with a reason. Needs void rights or a supervisor.
- **Refund**: *Refund* the items and quantities, with a reason (refund rights or a pharmacist / supervisor).

Both create a **credit note** and put the stock back on its batch. Cash paid out comes off **your** drawer. M-Pesa refunds are not automatic: refund in cash, or ask finance for a manual M-Pesa payment.

Every void, refund, override and approval is logged.

5. Working offline

If the connection drops, the till **keeps selling** from its saved catalog:

- each sale is queued on the till and the receipt says eTIMS PENDING;
- **no controlled drugs**; P / POM only if you are a pharmacist; M-Pesa only by typed code (STK needs the connection).

When the connection returns, the queue is sent automatically and each sale becomes an invoice **once**. A sale refused at sync (for example, no stock left, or too old) is listed on the till; tell your supervisor. **Don't close the shift until the queue has been sent.**

6. Cash-up and closing

1. *X report* at any time: sales by payment method, voids, refunds, discounts, payments on account, M-Pesa codes not yet confirmed, and the **expected cash**.
2. At the end: *Cash up* → count the drawer by denomination.
3. Within **KES 50** of the expected cash, the shift closes and the **Z report** prints.
4. A bigger variance waits for a **supervisor**, who can *Accept the variance* or *Reject (follow up with the cashier)* under *Point of sale → Shifts & cash-up*. A cashier can never approve their own variance.

7. For supervisors

- **Shifts & cash-up**: open and closed shifts, expected vs counted cash, variances to decide.
- **POS reports**: sales by cashier, shift, item, category, payment method or hour, OTC margin, and the voids / refunds / overrides log (CSV).
- **POS setup** (manager): tills (store and default price list), customers and credit limits, promotions, and the M-Pesa connection (Daraja sandbox / production or mock, till or paybill, keys, callback address).

8. Common messages

Message	What to do
Controlled drug cannot be sold	Refer the customer to the dispensing pharmacy with a prescription
Pharmacist approval required	Call the pharmacist to enter their credentials
Above your discount limit	A supervisor authorises
Limit per sale exceeded	Reduce the quantity
M-Pesa prompt timed out	Send again, or take another method
Variance outside tolerance	Recount; if it is right, the supervisor decides