

SPORTS CUP

HTML5/CSS3 SPORTS BOOTSTRAP TEMPLATE

by IwThemes

General documentation and how-to guide for
setting up and customizing SportsCup.

Version 1.0

Thank you for purchasing one of our themes!

Thank you so much for purchasing this theme. I'd be glad to help you
if you have any questions relating to this theme. No guarantees, but I'll
do my best to assist.

We hope you will enjoy working with our themes.

support@iwthemes.com

SPORTS CUP

Getting Started 1

- 1.1 Before Start
- 1.2 Installation
- 1. 3 Html Structure
- 1. 4 Css Structure
- 1. 5 Javascript Structure

Custom 2

- 2.1 Skins Theme
- 2.2 Twitter
- 2. 3 Flickr
- 2. 4 Google map
- 2. 5 Mailchip
- 2. 6 Contact Form

Credits 3

1. Getting Started

1.1. Before Start

Before start you should have a basic knowledge in html, css3. Is very easy to configure, remember that you can contact us and do your questions, well. We recommend to use as editor [sublime text](#).

You can view this template in any web browser from your desktop computer. Because the files are written in HTML, you do not need an internet connection in order to display or edit the template.

Once you have downloaded the files from ThemeForest, open the html template folder. this folder you will find five folders js, css, img, fonts and php. you will find 29 html.

1.2. Installation

- ✓ It's important to understand that you must either have your own server space or use someone elses. The server space can be purchased at many different places around the internet. You need somewhere to put the files that you purchased so others can find them online.

- ✓ Start your FTP client (I personally use Filezilla which is free) and login. Login to your server. You will need your server name (often times this will be your domain name), username, and password that you setup with the hosting company.
- ✓ Find the folder you want to upload domain template files to your server. You will want to click and drag all the files that you have marked. within the html folder, which includes the 5 folders (css, images, fonts, php and js) files. html you want to display.
- ✓ Once the files are made up, you can access the site.

1.3. Html Structure

This theme has a responsive design with variation of column layouts depending on the page. This theme is based on bootstrap 3.1 - 1170px (12 columns), which will help streamline any customization you want to perform. If you are unfamiliar with grid system, be sure to read about it [here](#).

The main structure of this site is wrapped in a "container" div, followed by a "row" div. These div Within each section is given a site's home grid size equaling all 12 columns long.

This topic has the following structure has aslide or section, and footer content, this is the following structure:

```

tion class="section-title img-about">
<div class="overlay-bg"></div>
<div class="container">
  <h1>About Us</h1>
</div>
ction>
End Section Title -->

Section Area - Content Central -->
tion class="content-info">

<div class="crumbs">
  <div class="container">
    <ul>
      <li><a href="index.html">Home</a></li>
      <li></li>
      <li>About Us</li>
    </ul>
  </div>
</div>

<div class="semiboxshadow text-center">

```

1.4. Css Structure

We are using a master file of CSS (style.css). We have ten additional stylesheets. Style sheets are located in the folder "CSS" and its subfolder, Only recommended modifying the file in which will be able to change the theme colors, and is in css / skins / name_color.css

We have a content list:

```

16
17 01. Import styles
18   - bootstrap.css - include resets ( Media queries, grid-responsive, layout).
19   - bootstrap-theme.css
20   - megafish.css (Principal Nav Styles)
21   - jquery.fancybox.css (Ligbox Styles)
22   - theme-options.css (Skins And Layouts Options)
23   - animate.css (Animations Styles)
24   - owl.carousel.css - Carousel (Works, sponsors and Services)
25   - flickr.css
26   - camera.css - Slide
27   - font-awesome.min.css - Incons
28   - Google Fonts - Open sans And Raleway
29
30 02. Basic Elements
31   - Standar Styles
32   - Panel Box
33   - Titles
34   - Hover efect
35   - Semibox Layout
36   - List
37
38 0.3. HEADER
39   - Header
40   - Header 2
41   - Header 3
42   - Logo Template
43   - Main Navigation
44   - Section Title
45
46 0.4. GENERAL STRUCTURE
47   - Counter
48   - Footer
49   - Social
50   - Footer Down
51   - toTop
52   - Accordion
53   - Progress
54   - Testimonials
55   - Filter

```

1.5. Javascript Structure

The Javascript folder is "js" and Inside it, there are folders, too. the name of each folders does references to the function of each files.

For example, in the folder "js" there is a folder with name "fancybox", this folder does reference to the lightbox's functions.

Also, in the javascript folder there are one files called "main.js", this file executes the functions of the scripts that are in the folders. this file is divided with the next structure:

```
<!-- ===== JQuery libs ===== -->
<!-- jQuery local-->
<script src="js/jquery.js"></script>
<!--Nav-->
<script type="text/javascript" src="js/nav/tinynav.js"></script>
<script type="text/javascript" src="js/nav/hoverIntent.js"></script>
<script type="text/javascript" src="js/nav/superfish.js"></script>
<script src="js/nav/jquery.sticky.js" type="text/javascript"></script>
<!--Totop-->
<script type="text/javascript" src="js/totop/jquery.ui.totop.js" ></script>
<!--Accorodion-->
<script type="text/javascript" src="js/accordion/accordion.js" ></script>
<!--Slide-->
<script type="text/javascript" src="js/slide/camera.js" ></script>
<script type="text/javascript" src="js/slide/jquery.easing.1.3.min.js"></script>
<!-- Maps -->
<script src="js/maps/gmap3.js"></script>
<!--Ligbox-->
<script type="text/javascript" src="js/fancybox/jquery.fancybox.js"></script>
<!-- carousel.js-->
<script src="js/carousel/carousel.js"></script>
<!-- Filter -->
<script src="js/filters/jquery.isotope.js" type="text/javascript"></script>
<!-- Twitter Feed-->
<script src="js/twitter/jquery.tweet.js"></script>
<!-- flickr Feed-->
<script src="js/flickr/jflickrfeed.min.js"></script>
<!-- Counter -->
<script src="js/counter/jquery.countdown.js"></script>
<!--Theme Options-->
<script type="text/javascript" src="js/theme-options/theme-options.js"></script>
<script type="text/javascript" src="js/theme-options/jquery.cookies.js"></script>
<!-- Bootstrap.js-->
<script type="text/javascript" src="js/bootstrap/bootstrap.js"></script>
<!--MAIN FUNCTIONS-->
<script type="text/javascript" src="js/main.js"></script>
<!-- ===== End JQuery libs ===== -->
```

2. Custom

2.1. Skins Theme

if you want to change some color in the website, you should go to this url <js/theme-options/theme-options.js> you will find some like this:

```
function interface(){
  // Skin value

  var skin = "green"; // green (default), red ,yellow,purple,blue,
  orange, purple, pink, cocoa, custom

  // Boxed value

  var layout = "layout-semiboxed"; // layout-semiboxed(default),
  layout-boxed, layout-boxed-margin ,layout-wide

  //Only in boxed version

  var bg = "none"; // none (default), bg1, bg2, bg3, bg4, bg5, bg6,
  bg7, bg8, bg9, bg10, bg11

  // Theme Panel - disable panel options

  var themepanel = "1"; // 1 (default - enable), 0 ( disable)

  $(".skin").attr("href", "css/skins/"+ skin + "/" + skin + ".css");
  $("#layout").addClass(layout);
  $("body").addClass(bg);
  $("#theme-options").css('opacity' , themepanel);

  return false;
}

interface();
```


Where say:

```
var skin = "blue";  
var layout = "layout-semiboxed";  
var bg = "none";  
var themepanel = "0";
```

you will change your prefer color...

Other way:

But,the other way to change it, is changing the url....So, you have to go to top of your .html and change this url:

```
< link href="css/skins/blue/blue.css" rel="stylesheet"  
media="screen"  
class="skin" >
```

For yours:

```
< link href="css/skins/name_skin/name_skin.css" rel="stylesheet"  
media="screen" class="skin" >
```

More easy:

Also, if you want a different color,go to css/skins/ and duplicate the file and replace the color for yours:

```
.color,  
.new-about a,
```

```

.testimonials .active,
#menu li.active a,
.gallery p a,
.gallery p a:hover,
blockquote h2,
.popover-title,
.table-price,
.fa-hover a:hover i,
/* Backgrounds-----*/
.camera_prevThumbs, .camera_nextThumbs, .camera_prev, .camera_next
, .camera_commands, .camera_thumbs_cont,
.camera_wrap .camera_pag .camera_pag_ul li.cameracurrent > span,
.btn-primary,
.btn-primary:hover,
.style-caption h1,
.nav-tabs li.active a,
.info-player h4 a,
.tooltip-inner,
.portfolioFilter .current,
.portfolioFilter a:hover,
.owl-theme .owl-controls .owl-buttons div,
#theme-options .layout-style li.active,
.thumbs li:hover,
.owl-theme .owl-controls .owl-page.active span,
.owl-theme .owl-controls.clickable .owl-page:hover span,
.pagination > .active > a,
.pagination > .active:hover > a{
    background: #755C3B;
    background-color: #755C3B;
}
.
.
.

```

and use whatever option that you want! (with the theme-options.js or with the link in the website)

2.2. Twitter

Please edit: js/main.js line 21 and change by your username.

```
//===== Twitter Feed =====//  
  
$("#twitter").tweet({  
  modpath: 'js/twitter/index.php',  
  username: "envato", // Change for Your Username  
  count: 5,  
  loading_text: "Loading tweets..."  
});
```

2.3. Flickr

Please edit: js/main.js line 31, Flickr Set ID as you prefer.

```
//===== Flickr Feed =====//  
  
$("#flickr").jflickrfeed({  
  limit: 8, //Number of Images to be displayed  
  qstrings: {  
    id: '31238496@484' //Change this to any Flickr Set ID as you prefer in http://idgettr.com/  
  },  
  itemTemplate: '<li><a href="{{image_b}}" class="fancybox"></a></li>  
});
```

2.4. Google Map

Please edit: js/main.js line 67 and 68, Change four your values6.

```
// Map Markers
var mapMarkers = [{
  address: "217 Summit Boulevard, Birmingham, AL 35243",
  html: "<strong>Alabama Office</strong><br>217 Summit Boulevard, Birmingham, AL 35243<br><
  icon: {
    image: "img/img-theme/pin.png",
    iconsize: [26, 46],
    iconanchor: [12, 46]
  }
}, {
  address: "645 E. Shaw Avenue, Fresno, CA 93710",
  html: "<strong>California Office</strong><br>645 E. Shaw Avenue, Fresno, CA 93710<br><br>
  icon: {
    image: "img/img-theme/pin.png",
    iconsize: [26, 46],
    iconanchor: [12, 46]
  }
}, {
  address: "New York, NY 10017",
  html: "<strong>New York Office</strong><br>New York, NY 10017<br><br><a href='#' onclick=
  icon: {
    image: "img/img-theme/pin.png",
    iconsize: [26, 46],
    iconanchor: [12, 46]
  }
}
}];

// Map Initial Location
var initLatitude = 38.09024;
var initLongitude = -98.71289;
```

2.5. Mailchip

Please edit: php/mailchip/inc/config.inc.php line 7, Change four your value.

```

1  <?php
2  //API Key - see http://admin.mailchimp.com/account/api
3  $apikey = 'f4cc558d88651c208d129bec6f55e43-us3'; //YOUR MAILCHIMP APIKEY
4
5  // A List Id to run examples against. use lists() to view all
6  // Also, login to MC account, go to List, then List Tools, and look for the List ID
7  $listId = '7bf609a7a9'; //YOUR LIST ID
8
9  // A Campaign Id to run examples against. use campaigns() to view all
10 $campaignId = 'YOUR MAILCHIMP CAMPAIGN ID - see campaigns() method';
11
12 //some email addresses used in the examples:
13 $my_email = 'jdrendon@imaginacionweb.net';
14 $boss_man_email = 'jmartinez@imaginacionweb.net';
15
16 //just used in xml-rpc examples
17 $apiUrl = 'http://api.mailchimp.com/1.3/';
18
19 ?>
20

```

2.6. Contact Form

The file that you need is located in php/send-mail.php

This is the structure:

```

<?php

$addres = "jmartinez@imaginacionweb.net"; /*CHANGE !!! Your
Email*/

$subject = "Messsage from Stanum Template"; /*Issue*/

$date = date ("l, F jS, Y");
$time = date ("h:i A");

$Email=$_REQUEST['Email'];

$msg=""

Name: $_REQUEST[Name]
Email: $_REQUEST[Email]
Subject: $_REQUEST[subject]

Message sent from website on date  $date, hour: $time.\n

```

```
Message:

$_REQUEST[Message]";

if ($Email=="") {

echo "<div class='alert alert-danger'>Please enter your email</div>";

}

else{

mail($addres, $subject, $msg, "From: $_REQUEST[Email]");

echo "<div class='alert alert-success'>Thank you for your message..</div>";

}

?>
```

3.Credits

Image

<http://www.flickr.com/photos/jonjonc/>

Image

<https://www.flickr.com/photos/jonjonc/sets/72157635742976263/with/9865272575/>

SCRIPTS

Menu

<http://tinynav.viljamis.com/>

http://users.tpg.com.au/j_birch/plugins/superfish/examples/

<http://stickyjs.com/>

Lightbox

[jquery.fancybox](http://jquery.fancybox.com/)

totop

<http://mattvarone.com/web-design/uitotop-jquery-plugin/>

carousel

<http://owlgraphic.com/owlcarousel>

Camera Slider

<http://www.pixedelic.com/plugins/camera/>

Maps

<http://gmap3.net/>

Twitter Plugin

<http://tweet.seaofclouds.com/>