



Part 2

1. CourseRepository




```
src > main > java > com > example > appdev > capendit31 > repository > CourseRepository.java > Language Support for Java(TM) by Red Hat > CourseRepository
1 package com.example.appdev.capendit31.repository;
2
3 import com.example.appdev.capendit31.entity.Course;
4 import org.springframework.data.jpa.repository.JpaRepository;
5 import org.springframework.stereotype.Repository;
6
7 @Repository
8 public interface CourseRepository extends JpaRepository<Course, Integer> {
9 }
```

TeacherRepository



```
src > main > java > com > example > appdev > capendit31 > repository > TeacherRepository.java > Language Support for Java(TM) by Red Hat > TeacherRepository
1 package com.example.appdev.capendit31.repository;
2
3 import com.example.appdev.capendit31.entity.Teacher;
4 import org.springframework.data.jpa.repository.JpaRepository;
5 import org.springframework.stereotype.Repository;
6
7 @Repository
8 public interface TeacherRepository extends JpaRepository<Teacher, Integer> {
9 }
```

2. CourseService



```
src > main > java > com > example > appdev > capendit31 > service > CourseService.java > Language Support for Java(TM) by Red Hat > CourseService

1  package com.example.appdev.capendit31.service;
2
3  import com.example.appdev.capendit31.entity.Course;
4  import com.example.appdev.capendit31.repository.CourseRepository;
5  import org.springframework.beans.factory.annotation.Autowired;
6  import org.springframework.stereotype.Service;
7
8  import java.util.List;
9
10 @Service
11 public class CourseService {
12
13     @Autowired
14     private CourseRepository courseRepository;
15
16     public List<Course> getAllCourses() {
17         return courseRepository.findAll();
18     }
19
20     public Course addCourse(Course course) {
21         return courseRepository.save(course);
22     }
23
24     public Course updateCourse(Course course) {
25         return courseRepository.save(course);
26     }
27
28     public void deleteCourse(int id) {
29         courseRepository.deleteById(id);
30     }
31 }
```

TeacherService

```
src > main > java > com > example > appdev > capendit31 > service > TeacherService.java > Language Support for Java(TM) by Red Hat > TeacherService

1 package com.example.appdev.capendit31.service;
2
3 import com.example.appdev.capendit31.entity.Teacher;
4 import com.example.appdev.capendit31.repository.TeacherRepository;
5 import org.springframework.beans.factory.annotation.Autowired;
6 import org.springframework.stereotype.Service;
7
8 import java.util.List;
9
10 @Service
11 public class TeacherService {
12
13     @Autowired
14     private TeacherRepository teacherRepository;
15
16     public List<Teacher> getAllTeachers() {
17         return teacherRepository.findAll();
18     }
19
20     public Teacher addTeacher(Teacher teacher) {
21         return teacherRepository.save(teacher);
22     }
23
24     public Teacher updateTeacher(Teacher teacher) {
25         return teacherRepository.save(teacher);
26     }
27
28     public void deleteTeacher(int id) {
29         teacherRepository.deleteById(id);
30     }
31 }
```

3. CourseController

```
J TeacherController.java x J Teacher.java J CourseController.java x application.properties
src > main > java > com > example > appdev > capendit31 > controller > J CourseController.java > Language Support for Java(TM) by Red Hat > CourseController

1 package com.example.appdev.capendit31.controller;
2
3 import com.example.appdev.capendit31.entity.Course;
4 import com.example.appdev.capendit31.service.CourseService;
5 import org.springframework.beans.factory.annotation.Autowired;
6 import org.springframework.web.bind.annotation.*;
7
8 import java.util.List;
9
10 @RestController
11 @RequestMapping("/course")
12 @CrossOrigin(origins = "http://localhost:3000")
13 public class CourseController {
14
15     @Autowired
16     private CourseService courseService;
17
18     @GetMapping("/all")
19     public List<Course> getAllCourses() {
20         return courseService.getAllCourses();
21     }
22
23     @PostMapping("/add")
24     public Course addCourse(@RequestBody Course course) {
25         return courseService.addCourse(course);
26     }
27
28     @PutMapping("/update")
29     public Course updateCourse(@RequestBody Course course) {
30         return courseService.updateCourse(course);
31     }
32
33     @DeleteMapping("/delete/{id}")
34     public String deleteCourse(@PathVariable int id) {
35         courseService.deleteCourse(id);
36         return "Course deleted successfully!";
37     }
38 }
```

TeacherController

```
J TeacherController.java x J Teacher.java J CourseController.java application.properties
src > main > java > com > example > appdev > capendit31 > controller > J TeacherController.java > Language Support for Java(TM) by Red Hat > TeacherController

1 package com.example.appdev.capendit31.controller;
2
3 import com.example.appdev.capendit31.entity.Teacher;
4 import com.example.appdev.capendit31.service.TeacherService;
5 import org.springframework.beans.factory.annotation.Autowired;
6 import org.springframework.web.bind.annotation.*;
7
8 import java.util.List;
9
10 @RestController
11 @RequestMapping("/teacher")
12 @CrossOrigin(origins = "http://localhost:3000")
13 public class TeacherController {
14
15     @Autowired
16     private TeacherService teacherService;
17
18     @GetMapping("/all")
19     public List<Teacher> getAllTeachers() {
20         return teacherService.getAllTeachers();
21     }
22
23     @PostMapping("/add")
24     public Teacher addTeacher(@RequestBody Teacher teacher) {
25         return teacherService.addTeacher(teacher);
26     }
27
28     @PutMapping("/update")
29     public Teacher updateTeacher(@RequestBody Teacher teacher) {
30         return teacherService.updateTeacher(teacher);
31     }
32
33     @DeleteMapping("/delete/{id}")
34     public String deleteTeacher(@PathVariable int id) {
35         teacherService.deleteTeacher(id);
36         return "Teacher deleted successfully!";
37     }
38 }
```

MySQL Workbench

Local instance mysql - Warning - n.x Local instance mysql - Warning - n.x

File Edit View Query Database Server Tools Scripting Help

Query 1 course teacher course

Limit to 1000 rows

SQL Additions

Jump to

1 • `SELECT * FROM dbappdevg01capendit.course;`

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

	id	description	units
1	CSIT123		3
*	NULL	NULL	NULL

Form Editor

Field Types

Query Stats

Execution Plan

Administration Schemas

Information

Table: **course**

Columns:

- id int(11) AI PK
- description varchar(255)
- units int(11)

course 1 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	20:38:53	SELECT * FROM dbappdevg01capendit.course LI...	0 row(s) returned	0.000 sec / 0.000 sec
✓ 2	20:39:28	SELECT * FROM dbappdevg01capendit.teacher LI...	0 row(s) returned	0.000 sec / 0.000 sec
✓ 3	20:45:59	SELECT * FROM dbappdevg01capendit.course LI...	1 row(s) returned	0.000 sec / 0.000 sec

4.

5.

App Dev - Capendit

Add Course

CST1123

3

Add Course

Add Teacher

Pinex

Capendit

CCS

Add Teacher