

6.1 Definition

Dangerous goods are articles or substances which are capable of posing a hazard to health, safety, property or the environment and which are shown in the list of dangerous goods in the IATA DGR which are classified according to those regulations.

In practice, the key words are "when transported by air". Because the characteristics of air transport (vibration, pressure and temperature changes) can have such an effect on articles, substances and packaging so as to pose a hazard to the aircraft and its passengers and crew, that may not be apparent on the ground. There are obviously some items that pose such a hazard at any time, whether they are being transported or not.

There is a commercial demand for many products classified as dangerous goods such as paints and batteries and especially time-sensitive ones like radioisotopes for medical treatment, and goods that must be kept refrigerated for a considerable time.

Sometimes air transport or travelling by air is the only way to reach remote places. Some dangerous goods are even required on an aircraft for its airworthiness or operation. Items such as aircraft fuel, batteries, fire extinguishers and slide rafts. Duty free goods, such as perfumes and alcoholic beverages are needed for cabin service during flight. The aircraft operator is excepted from the provisions of the DGR when carrying such items.

More importantly, if the hazard can be identified then it may often be eliminated, in which case the transport by air can be accomplished safely by maintaining strict controls and responsibilities. Then the article or substance is extremely dangerous and is prohibited from being carried under any circumstances. Special care is taken to ensure that such goods are not accepted for air transport.

Certain goods are considered to be too dangerous for carriage by air in the normal course of events. However, in exceptional circumstances and under exemption of the States concerned, these goods may be carried at the discretion of the airline provided all the conditions of the exemption granted are complied.

A great many dangerous goods may be carried on aircraft as controlled cargo provided they are properly prepared for transport in accordance with the DGR, which also defines and controls the standard of packaging that must be used. The List of Dangerous Goods itemizes nearly three thousand of the most commonly shipped dangerous goods by name and indicates the maximum quantities of such goods permitted per package on a Passenger and/or all-Cargo Aircraft. They are not permitted in passenger or crew checked or carry-on baggage.

It is possible that the limitations placed on dangerous goods in the DGR may be further restricted by national governments and individual airlines. These restrictions are referred to as State and Operator Variations and are always more restrictive than the DGR.

6.2 General Philosophy

Dangerous goods can be transported safely by air transport provided certain principles are strictly followed. These principles and procedures include:

- correct classification of the dangerous goods
- ensuring that prohibited items are not shipped by air, unless exempted
- use of packaging that meets the prescribed specifications, and ensuring quantity per package limitations are observed
- all relevant staff have regular mandated job-specific training
- correct declaration of the dangerous goods
- the Captain is advised of the location of the dangerous goods aboard the aircraft, and all categories of staff check for hidden hazards.

The IATA Dangerous Good Regulations is the reference source of this manual based on the International Civil Aviation Organization (ICAO) Technical Instructions. It incorporates additional operational requirements which provide a harmonized system for operators (THAI) to accept and transport dangerous goods safely and efficiently.

Classification

The DGR include a detailed list of dangerous goods specifying the United Nations classification of each article or substance and their acceptability for air transport as well as the conditions for their transport. Since no listing can be complete, the list also includes many generic or "not otherwise specified" entries to assist in the classification of those articles or substances not listed by name.

Prohibitions

Some dangerous goods have been identified as being too dangerous to be carried on any aircraft under any circumstances; others are forbidden under normal circumstances but may be carried with specific approvals from the States concerned; some are restricted to carriage on all cargo aircraft most however, can be safely carried on passengers aircraft as well, provided certain requirements are met.

Packaging

Packaging is the essential component in the safe transport of dangerous goods by air. The IATA Dangerous Goods Regulations provide Packing Instructions for all dangerous goods acceptable for air transport with a wide range of options for inner, outer and single packaging. The packing instructions normally require the use of UN performance-tested specification packaging; however these are not required when dangerous goods are shipped under the provisions of Limited Quantity "Y" Packing Instructions. The quantity of dangerous goods permitted within these packaging is strictly limited by the DGR so as to minimize the hazard should an incident occur.

Training

Training is an essential element in maintaining a safe regulatory regime. It is necessary for all individuals involved in the preparation or transport of dangerous goods to be properly trained to carry out their responsibilities. Depending on the job-function, this may entail only familiarization training or may also include more detailed training in the intricacies of the DGR. It should be noted that the record of training and a copy of the certification must be maintained.

The training programs are subject to review and approval as determined by the CAAT. Recurrent training must take place within 24 months of previous training to ensure knowledge is current, unless a competent authority has defined a shorter period. A test must be undertaken following the training to verify understanding of the regulations.

Declaration

The proper declaration of dangerous goods by the shipper ensures that all in the transportation chain know what dangerous goods they are transporting, how to properly load and handle them and what to do if an incident or accident occurs either inflight or on the ground.

Notification to Captain

The PIC must know what is on board the aircraft in order to properly deal with an emergencies which may occur. The pilot must also convey this information if possible to air traffic services to aid in the response to any aircraft incident or accident.

Avoiding Hidden Hazards

Information regarding "Hidden Dangerous Goods" must also be conveyed to passengers and shippers to assist them in recognizing dangerous goods which they are not permitted to carry on their person, in their baggage, or as cargo and which may not be readily recognizable as being dangerous.

Incident Reporting

Lastly, dangerous goods accidents or incidents must be reported, so that an investigation by the relevant authorities can establish the cause and take corrective action. Also, if as a result of these investigations changes are required in the DGR, appropriate regulatory action can be taken without delay.

6.3 Training Requirements

6.3.1 General

Training is mandated to gain an understanding of the philosophy and requirements of the Technical Instructions. There is a need for All personnel involved in transportation of Dangerous Goods, handling of general cargo, passengers services/handling, baggage handling, and all customer services staff, load control staff including those of agencies employed to act on their behalf of THAI to receive initial DGR training prior to being assigned to enable them to carry out the functions for which they are responsible with regard to the transport of dangerous goods, passengers and their baggage, cargo, and mail, either for familiarization or to provide detailed knowledge according to IATA Dangerous Goods Training Guidance (Edition 1), so that the individual's responsibilities can be met.

An assessment must be undertaken and successfully completed following the training to verify understanding of the DGR. After successful completion of the initial training, recurrent training must be taken within the next twenty-four (24) months, unless the competent authority has defined a shorter period.

The successful application of the DGR greatly depends on the understanding of the hazard involved and knowledge of the DGR. The training required by each functions for which they are responsible in the transport of dangerous goods by air is detailed in the THAI Dangerous Goods Training Manual (DGTm).

6.3.1.1 Recurrent Training Policy

Personnel must receive recurrent training and assessment within 24 months of previous training and test or assessment to ensure that their knowledge or competency has been maintained.

However, if recurrent training and assessment are completed within the final three (3) months of validity of the previous training and assessment, the period of validity extends from the month on which the recurrent training and assessment were completed until 24 months from the expiry month of that previous training and assessment.

6.3.1.2 Approval of Dangerous Goods Training Programmes and Manuals

Dangerous Goods training programmes and manuals must be reviewed and approved by CAAT including any change in the content must be submitted to CAAT for approval.

6.3.1.3 Validation of Qualifications

1. Personnel identified in Dangerous Goods Training Guidance (Edition 1), Table 7.1.A to Table 7.10.A on section 7.1 (Ref.: <https://www.iata.org/dangerousgoods/>).
2. Personnel who have received DGR training but who are assigned to new functions must be assessed to determine their knowledge and competence in respect of their new responsibility. If knowledge and competency are not demonstrated, appropriate additional training must be provided.

Table 6.1.D—Suggested Actions Based on the Duration of Absence (Refer to: IATA Dangerous Goods Training Guidance)

Duration of Absence	Suggested Action
Up to 3 months	Provide the employees with regulatory or business requirements changes or updates and ensure their understanding of these changes.
Between 3 and 12 months	In addition to the above, undergo a practical assessment for example "on the job session" or simulation. The employer must provide a brief observation report for the employee with any identified gaps to be filled and with information to be complemented in order to reach the currently required competency again.
More than 12 months	Recurrent training program

6.3.1.4 Renewal of Expired Qualifications

A DGR initial training is required for the one who absences from recurrent course for more than 24 months of previous training.

6.3.1.5 Training and Assessment Material

All training material, (e.g. textbook, exercise, assessment material, lesson plan) to be used for actual training shall refer to Appendix on Dangerous Goods Training Manual (DGTM).

6.3.1.6 Training Providers

The initial and recurrent DGR training for THAI staff at BKK, domestic stations and station abroad shall provide by the following THAI training departments:

- Cargo Training Team (DX-A)
- Ground Service Training & Support Team (DG-A)
- Crew Safety & CRM Team (OD-A).

6.3.2 Training Curricula

Personnel must receive training and assessment commensurate with the functions for which they are responsible. The training must include:

General familiarization training	personnel must be trained to be familiar with the general provisions.
Function specific training	personnel must be trained to competently perform the function for which they are responsible.
Safety training	personnel must be trained on how to recognize the hazards presented by dangerous goods, on the safe handling of dangerous goods and on emergency response procedures.

The various categories of personnel must be familiar with the minimum subject matter as indicated in the IATA Dangerous Goods Training Guidance (Edition 1).

Recurrent training is required within 24 months to ensure your knowledge is up-to-date. The training required by each category of personnel involved in the movement of dangerous goods by air is detailed in the DGR.

General information on the provisions for dangerous goods carried by passengers and crew ([see Chapter 6.10—Table 9-1—Table of Provision for Dangerous Goods Carried by Passenger or Crew on THAI](#) (Ref. IATA DGR Table 2.3A_Page 1) should be included in training courses, as appropriate.

Table of Task Lists and Training Syllabus

From 1 July 2023, Competency-Based Approach to Dangerous Goods Training and Assessment (CBTA) implemented. *Refer DGTM—APPENDIX F and DGTM—APPENDIX A1-A24.*

6.3.3 Training and Assessment Records

Record of training and assessment must be maintained, which must include:

- the individual's name
- the most recent training and assessment completion date/month/year
- a description, copy or reference to training and assessment materials used to meet the training and assessment requirements
- the name and other information that identifies the organization providing the training and assessment (e.g. registered address)
- evidence, which shows that personnel have been assessed as competent to perform any function for which they are responsible.

Training and assessment records must be retained by the employer for a minimum period of 36 months from the most recent training and assessment completion month and must be made available upon request to the employee or appropriate national authority.

6.3.4 Dangerous Goods Training Schedules

WARNING: The Dangerous Goods Training Schedules provided in this section is intended for information and planning purpose only and is subject to change without notice. Users may contact each training department for updated version of Dangerous Goods Training Schedules.

- BKKOD-A: <http://thaisphere/ThaiBT/Pages/BTHomePages.aspx>

6.3.5 Instructor Qualifications

Refer to DGTM 3.1—Instructor Qualifications.

6.4 Provision and Regulations

6.4.1 The Regulations

- THAI use the IATA Dangerous Goods Regulations and latest Addendum as the everyday field document. These fully comply with the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air and in some cases are more restrictive, by taking account of industry practices or operational considerations.
- As a rule, the latest IATA Dangerous Goods Regulations (DGR) and latest Addendum must be available at appropriate ground handling facilities. The Temporary Revision will be released to functions concerned such as DGC members and training units. Temporary Revision Form can be obtained from QAM A—Appendix for the update of the IATA DGR Addendum.

6.4.2 Dangerous Goods Acceptable

6.4.2.1 General

The dangerous goods may be transported on an aircraft as cargo if they are properly prepared, labeled and declared in accordance with the IATA Dangerous Goods Regulations. The items are listed in DGR 4.2 is the most commonly shipped dangerous goods by name and indicates the maximum quantity of such goods permitted per package on Passenger and/or Cargo Aircraft.

However, they are not permitted in passengers and crew checked and carry-on baggage or as carry-on articles, **see Chapter 6.10—Provision for Dangerous Goods Carried By Passengers or Crew for THAI Flights**. Items forbidden as baggage may be acceptable as cargo, provided the article or substance is prepared in compliance with all provisions of the DGR.

6.4.2.2 Limitations

Some Dangerous Goods are too dangerous to be carried by aircraft, others may be carried on cargo aircraft only and some are acceptable on both cargo and passenger aircraft.

A number of limitations are placed on Dangerous Goods, which are permitted to be transported by air.

These limitations are established in the IATA DGR. Both states and operators may impose further restrictions called variations.

6.4.2.3 Forbidden Dangerous Goods

Refer to DGR 2.1.1.

Any article or substance which, as presented for transport, is liable to explode, dangerously react, produce a flame or dangerous evolution of heat or dangerous emission of toxic, corrosive or flammable gases or vapours under conditions normally encountered in transport must not be carried on aircraft under any circumstance.

- Notes:**
1. Certain dangerous goods known to meet the description above have been included in light type and without a UN number in the List of Dangerous Goods Subsection (refer to DGR 4.2) with the word "Forbidden" shown in Column G/H, I/J and K/L. It must be noted that it is impossible to list all dangerous goods which are forbidden in aircraft under any circumstances. It is therefore essential that appropriate care be exercised to ensure that no such goods are offered for transport.
 2. DGR 2.1.1 is intended to include articles being returned to the manufacturer for safety reasons, e.g. defective lithium batteries, refer to Special Provision A154.

6.4.2.4 Dangerous Goods Forbidden Unless Exempted

Refer to DGR 2.1.2.

The dangerous goods described hereunder must be forbidden on aircraft unless exempted by the States concerned under the provisions of DGR 1.2.6.1 is at the discretion of THAI:

- radioactive material which is:
 - in vented type B(M) packages
 - in packages which require external cooling by an ancillary cooling system
 - in packages subject to operational controls during transport
 - explosive
 - a pyrophoric liquid.
- unless otherwise provided, articles and substances (including those described as "not otherwise specified") with a UN number, which are identified in the List of Dangerous Goods as being forbidden
- infected live animals
- liquids having a vapour inhalation to toxicity which requires Packing Group I packaging
- substances that are offered for transport in a liquid state at temperatures equal to or exceeding 100 deg. C (212 deg. F), or in a solid state at temperatures equal to or exceeding 240 deg. C (464 deg. F)
- any other articles or substances as specified by the appropriate national authority.

6.4.2.5 State and Operator Variations

Refer to DGR 2.8.

States (countries) and operators (airlines) may submit their own variations to the DGR. For example, several governments require that prior authorization must be obtained before certain classes of dangerous goods may be shipped to, from or through their country. Some do not permit the use of certain packaging. Various airlines also have similar restrictions.

It is always necessary for the shipper to check the applicable variations under the appropriate State(s) listing in DGR 2.8.2 and operator(s) listing in DGR 2.8.4 to ensure the compliance.

6.4.2.6 TG Variations

- TG-01** Dangerous goods in excepted quantities will not be accepted for carriage. *Refer to DGR Subsection 2.6.*
- TG-02** All Dangerous goods packed in single packaging UN specification "1A1 or 1A2 steel drums" or composite packaging plastic receptacle with outer steel drum (6HA1) are not acceptable for carriage unless overpacked with a suitably rigid pallet/material to protect the top and the base of the packaging.
- TG-03** All kinds of explosives in class 1 will not be accepted for carriage, except substances and articles of Division 1.4 S. that fall under the shipment of THAI, urgent aircraft spare parts carried to/from home base or line station or AOG and supplies.
- TG-04** Only radioactive materials with maximum TI not exceeding 3.0 which is intended for medical purpose will be accepted for carriage.
- TG-05** Radioactive materials packed in Type B(U), Type B(M) packages; SCO or LSA packed in industrial packages will not be accepted for carriage.
- TG-06** The shipper must provide a 24 hour emergency telephone number of a person/agency who is knowledgeable of the hazards, characteristics, and actions to be taken in the case of an accident or incident concerning each of the dangerous goods being transported. This telephone number, including the country and area code, preceded by the words "24-hour number" or an abbreviation of these words, must be inserted on the Shipper's Declaration for Dangerous Goods, preferably in the "Additional Handling Information" box. *Refer to DGR 8.1.6.11 and 10.8.3.11.*
- TG-07** The shipments under State approval in accordance with Special Provision A1 or A2 are not accepted.
- TG-08** UN 3481, Lithium ion batteries/UN 3552, Sodium ion batteries packed with and contained in equipment and UN 3091, Lithium metal batteries packed with and contained in equipment in accordance with Section I of packing instructions 966, 967, 969, 970, 977 and 978 are not accepted as cargo on Thai Airways aircraft.
- TG-09** Not used.
- TG-10** Small lithium ion, lithium metal and sodium ion battery powered vehicles (UN 3556, 3557 and UN 3558) are forbidden as carry-on or checked in baggage and cargo. This prohibition also applies, including but not limited to air wheels, solo wheels, balance wheels and hover boards.
- TG-11** Oxygen or air gaseous, cylinders required for medical uses are prohibited as carry-on or checked baggage and on one's person *Refer to DGR 2.3.4.1.* Should a passenger require supplementary oxygen, an advance request must be made to THAI reservation office or contact center. This will be provided by THAI with additional fee.
- TG-12** UN 3356 Oxygen generator chemical will not be accepted for carriage.
- TG-13** Fissile material will not be accepted for carriage. *Refer to DGR 10.3.7 and 10.5.13*
- TG-14** UN 3480 Lithium ion batteries, UN 3090 Lithium metal batteries and UN 3551 Sodium ion batteries packed in accordance with Section IA of Packing Instruction 965, 968 and 976 will not be accepted for carriage as cargo on TG aircraft.

6.4.2.7 Transport Hidden of Dangerous Goods

Refer to DGR 2.2.

6.4.2.7.1 General

Cargo declared under a general description and passenger baggage may contain hazardous articles that are not apparent.

Note: The hidden dangerous goods may also call undeclared dangerous goods (ICAO TI).

With the aim of preventing undeclared Dangerous Goods from being loaded on an aircraft and passengers from taking aboard Dangerous Goods, cargo and passenger acceptance staff should seek confirmation from shippers and passengers about the contents of any item of cargo or baggage where there are suspicions that it may contain Dangerous Goods.

The passenger or crew member may not be aware that their items are considered dangerous, and are not permitted. There are many examples of items which may contain or indicate the presence of dangerous goods.

There may be certain groups of passengers, whose reason for travel may also be an indication of their carrying dangerous goods, and they may be doing so unknowingly or purposefully. These passengers often use the articles or substances in their everyday work environment and therefore often do not recognize the hidden hazards of the articles or substances that they are carrying.

There are articles and substances that do not fall within the scope of the DGR but which, in the event of leakage, may cause a serious clean-up problem or contribute to corrosion of aircraft structures on a long-term basis. These must be checked to ensure that the packaging is adequate to prevent leakage during transport.

Even if the passenger is carrying the dangerous goods to a meeting for example, and this is the sole purpose of the journey, the dangerous goods are still not permitted as baggage.

Typical examples of items that may contain or indicate the presence of dangerous goods are described in section 5.2—Table of Hidden Dangerous Goods.

Articles and substances which do not fall within the definitions of dangerous goods as shown in the ICAO TI/IATA DGR and which in the event of leakage may cause a serious clean-up problem or corrosion to aluminum on a long term basis must be checked by the acceptance to at least ensure that the packaging is adequate to prevent leakage during transportation. These may include brine, powered or liquids dyes, pickled foodstuffs, etc.

6.4.2.7.2 General Description of Hidden Dangerous Goods**Table 5-1**

Aircraft Spare Parts/Aircraft Equipment/ Aircraft on Ground (AOG) Spares	May contain items meeting any of the criteria for dangerous goods. For example, explosives (flares or fire bottle cartridges), chemical oxygen generators, cylinders of compressed gas (such as oxygen, carbon dioxide, nitrogen or fire extinguishers), paint, adhesives, life-saving appliances (life jackets, escape slides), fuel in equipment, first aid kits, wet cell or lithium batteries, matches, etc.
Automobiles, Automobile Parts/Supplies	(car, motor, motorcycle) May contain ferro-magnetic material which may not meet the definition for magnetized material but which may be subject to special stowage requirements due to the possibility of affecting aircraft instruments. <i>Refer to DGR 3.9.2.2.</i> May also contain engines, carburetors or fuel tanks which contain or have contained fuel, wet cell or lithium batteries, compressed gases in tire inflation devices, fire extinguishers, shocks/struts with nitrogen, air bag inflators/air bag modules, flammable adhesives, paints, sealants and solvents, etc.
Battery-powered Devices/Equipment	May contain wet cell or lithium batteries.
Breathing Apparatus	May indicate cylinders of compressed air or oxygen, chemical oxygen generators or refrigerated liquefied oxygen.
Camping/Equipment	May contain flammable gases (butane, propane, etc.), flammable liquids (kerosene, gasoline, etc.), flammable solids (hexamine, matches, etc.) or other dangerous goods.
Cars, Car Parts	See Automobiles, etc.
Chemicals	May contain items meeting any of the criteria for dangerous goods, particularly flammable liquids, flammable solids, oxidizers, organic peroxides, toxic or corrosive substances.
COMAT (Company Materials)	Such as aircraft parts, may contain dangerous goods as an integral part, e.g. chemical oxygen generators in a Passenger Service Unit (PSU), compressed gas, flammable liquid, corrosive material, magnetized material, etc.
Consolidated Consignments (Groupages)	May contain any of the defined classes of dangerous goods.
Cryogenic (Liquid)	The refrigerated liquefied gases for example argon, helium, neon and nitrogen.
Cylinders	Indicates compressed or liquefied gases.
Dental Apparatus	May contain flammable resins or solvents, compressed or liquefied gas, mercury and radioactive material.
Diagnostic Specimens	May contain infectious substances.
Diving Equipment	May include air cylinders which usually contain compressed air or a special gas mixture. Emptied cylinders (pressure gauge reads zero) are acceptable. Diving lamps may contain rechargeable lead acid batteries and high intensity diving lamps which can generate extremely high heat when operated in air. In order to be carried safely, the bulb or battery must be disconnected.

Drilling or Mining Equipment	May contain explosives and/or other dangerous goods.
Dry Shipper (Vapour Shipper)	May contain free liquid nitrogen. Dry shippers are subject to the DGR when they permit the release of any free liquid nitrogen irrespective of the orientation of the package.
Electrical Equipment/Electronic Equipment	May contain magnetized material or mercury in switch gear and electron tubes, wet cell or lithium batteries, fuel cells or fuel cell cartridges that contain or have contained fuel.
Electrically Powered Apparatus (wheelchairs, mobility aids, lawn mowers, golf carts, etc.)	May contain wet cell batteries, wet cell or lithium batteries, fuelcells or fuel cell cartridges that contain or have contained fuel.
Expeditionary Equipment	May contain explosives (flares), flammable liquids (gasoline), flammable gas (propane, camping gas) or other dangerous goods.
Film Crew or Media Equipment	May include explosive pyrotechnic devices, generators incorporating internal combustion engines, wet cell or lithium batteries, fuel and heat producing items.
Frozen Embryos	May contain refrigerated liquefied gas or carbon dioxide, solid (dry ice).
Frozen Fruits/Vegetables, etc.	May be packed in carbon dioxide, solid (dry ice), which can adversely affect live animals and humans.
Fuels	May contain flammable liquids, flammable solids or flammable gasses.
Fuel Control Unit	May contain flammable liquids.
Hot Air Balloon	May contain cylinders with flammable gas, fire extinguishers, engines internal combustion, batteries, etc.
Household Goods	May contain items meeting any of the criteria for dangerous goods including flammable liquids such as solvent based paint, adhesives, polishes, aerosols (for passengers, those not permitted under TDGM Section 9), bleach, corrosive oven or drain cleaners, ammunition, matches, etc.
Instruments	May conceal barometers, manometers, mercury switches, rectifier tubes, thermometers, etc. containing mercury.
Laboratory/Testing Equipment	May contain items meeting any of the criteria for dangerous goods, particularly flammable liquids, flammable solids, oxidizers, organic peroxide, toxic or corrosive substances, lithium batteries, cylinders of compressed gas, etc.
Machinery Parts	May contain adhesives, paints, sealants, solvents, wet and lithium batteries, mercury, cylinders of compressed or liquefied gas, etc.
Magnets and Other Items of Similar Materials	May individually or cumulatively meet the definition of magnetized material. <i>Refer to DGR 3.9.2.2.</i>
Medical Supplies/Equipment	May contain items meeting any of the criteria for dangerous goods, particularly flammable liquids, flammable solids, oxidizers, organic peroxides, toxic or corrosive substances or lithium batteries.
Metal Construction Material/Metal Piping/Metal Fencing	May contain ferro-magnetic material, which may be subject to special stowage requirements due to the possibility of affecting aircraft instruments. <i>Refer to DGR 3.9.2.2.</i>

Pharmaceuticals	May contain items meeting any of the criteria for dangerous goods, particularly radioactive material, flammable liquids, flammable solids, oxidizers, organic peroxides, toxic or corrosive substances.
Photographic Supplies/Equipment	May contain items meeting any of the criteria for dangerous goods, particularly heat-producing devices, flammable liquids, flammable solids, oxidizers, organic peroxides, toxic or corrosive substances or lithium batteries.
Racing car or Motorcycle Team Equipment	May contain engines, carburetors or fuel tanks which contain fuel or residual fuel, flammable aerosols, cylinders of compressed gases, nitromethane, other fuel additives, wet or lithium batteries, etc.
Passenger Baggage/Promotional Material	May contain items meeting any of the criteria for dangerous goods. Examples include fireworks, flammable household liquids, corrosive oven or drain cleaners, flammable gas or liquid lighter refills or camping stove cylinders, matches, ammunition, bleach, aerosols (those not permitted under TDGM Section 9), etc.
Refrigerators	May contain liquefied gases or an ammonia solution.
Repair Kits	May contain organic peroxides, and flammable adhesives, solvents based paints, resins, etc.
Samples for Testing	May contain items meeting any of the criteria for dangerous goods, particularly infectious substances, flammable liquids, flammable solids, oxidizers, organic peroxides, toxic or corrosive substances.
Semen	May be packed with carbon dioxide, solid (dry ice) or refrigerated liquefied gas. See also "Dry Shipper".
Ships' Spares	May contain explosives (flares), cylinders of compressed gas (life rafts), paint, lithium batteries (emergency locator transmitters), etc.
Show, Motion Picture, Stage Special Effects Equipment	May contain flammable substances, explosives or other dangerous goods.
Sporting Goods/Sports Team Equipment	May contain cylinders of compressed or liquefied gas (air, carbon dioxide, etc.), lithium batteries, propane torches, first aid kits, flammable adhesives, aerosols, etc.
Swimming Pool Chemicals	May contain oxidizing or corrosive substances.
Switches in Electrical Equipment or Instruments	May contain mercury.
Tool Boxes	May contain explosives (power rivets), compressed gases or aerosols, flammable gasses (butane cylinders or torches), flammable adhesives or paints, corrosive liquids, lithium batteries, etc.
Torches	Micro torches and utility lighters may contain flammable gas and be equipped with an electronic starter. Larger torches may consist of a torch head (often with a self-igniting switch) attached to a cylinder of flammable gas.
Unaccompanied Passenger Baggage/ Personal Effects	May contain items meeting any of the criteria for dangerous goods such as fireworks, flammable household liquids, corrosive oven or drain cleaners, flammable gas or liquid lighter refills or camping stove cylinders, matches, bleach, aerosols, etc. (those not permitted under TDGM chapter 9).
Vaccines	May be packed in carbon dioxide, solid (dry ice).

6.4.2.8 Airworthiness and Operational Items

Refer to DGR 2.5.

The Dangerous Goods Regulations do not apply to the articles and substances of 2.8.1 through 2.8.5.

6.4.2.8.1 Aircraft Equipment

Articles and substance which would otherwise be classified as dangerous goods but which are required to be aboard the aircraft in accordance with pertinent airworthiness requirements and operating regulations or that are authorized by CAAT to meet special requirements.

6.4.2.8.2 Consumer Goods

Aerosols, alcoholic beverages, perfumes, colognes, liquefied gas lighter, and portable electronic devices containing lithium-ion or lithium metal cell or batteries, batteries are meet the provision described in TDGM 9.5.3.4 —Portable Electronic Devices (PED) (Including Medical Devices) Containing Batteries and Spare Batteries (watt-hour rating of not more than 100 Wh.), carried aboard an aircraft by THAI for use or sale on the aircraft during the flight, or series of flights, but excluding non-refillable gas lighters and those lighters liable to leak when exposed to reduced pressure.

6.4.2.8.3 Carbon Dioxide, Solid (Dry Ice)

Carbon dioxide, solid (dry ice) for use in food and beverage service aboard the aircraft.

6.4.2.8.4 Hygiene Products

Alcohol-based hand sanitizers and alcohol-based cleaning products carried aboard an aircraft by the operator for use on the aircraft during the flight or series of flights for the purposes of passenger and crew hygiene.

6.4.2.8.5 Battery—Powered Electronic Equipment

Electronic devices, The Maintenance Laptop Computer (ML), Portable Maintenance Device (PMD), Cabin Crew Tablet and Handheld Computer with a credit card reader, containing lithium metal or lithium-ion cells or batteries and spare lithium batteries for Handheld Computer with credit card reader carried abroad an aircraft for company's use during the flight or series of flights, provided that the batteries meet the provisions of TDGM 9.3—Dangerous Goods Permitted may be carried by Passengers or Crew.

Use of batteries and spare batteries [*Refer to OM-A 8.3.15.9—Portable Electronic Devices (PED)*]. Batteries shall be periodically functional checks to ensure that they do not experience degraded or other damage. Before loading and using, the visual inspection on PED is required to prevent the accident and serious injury resulting from PED's lithium battery damages. The PED shall not be installed or operated if the lithium battery becomes overheating or rupture or smoke or gas releases from the devices or acid leakage is found on the battery.

Spare lithium batteries for Handheld Computer with credit card reader will be individually protected in the specifically designed pouch to prevent short circuits when not in use.

6.4.2.8.6 Aircraft Spares

- Unless otherwise authorized by The Civil Aviation Authority of Thailand (CAAT), articles and substances intended as replacements for those referred to in section 2.8.1 section above or articles and substances referred to in section 2.8.1 which have been removed for replacement, must be transported in accordance with the provisions of the ICAO TI/IATA DGR, except that when consigned by THAI, they may be carried in containers specially designed for their transport, provided such containers are capable of meeting at least the requirements for the packaging specified in the ICAO TI/IATA DGR for the items packed in the containers. All other applicable provisions of ICAO TI/IATA DGR apply.
- When consigned by THAI, these articles or substances may be carried in containers specially designated for their transport, provided such containers are capable of meeting at least the requirements for the packaging specified in the ICAO TI/IATA DGR for the items packed in the containers. All other applicable provisions of ICAO TI/IATA DGR apply.
- Unless otherwise authorized by The Civil Aviation Authority of Thailand (CAAT), articles and substances intended as replacements for those referred to in item 2.8.2—Consumer Goods, item 2.8.3—Carbon Dioxide, Solid (Dry Ice) and 2.8.4—Hygiene Products above must be transported in accordance with the provisions of the ICAO TI/IATA DGR.
- Unless otherwise authorized by The Civil Aviation Authority of Thailand (CAAT), battery-powered devices and spare batteries intended as replacements for this referred to section 2.8.5—Battery– Powered Electronic Equipment must be transported in accordance with the provision of the ICAO TI/IATA DGR.
- COMAT (Company Material) and AOG spare parts consist of Dangerous Goods, must be shipped in accordance with Dangerous Goods Regulations. (*Refer. TTPM—JB707 for the handling procedure of aircraft spare parts*).

6.4.2.9 Dangerous Goods in Excepted Quantities

Refer to DGR 2.6

According to the variation TG-01 filed by THAI (*refer to TDGM 2.6—TG Variations*), any packages containing excepted quantities of dangerous goods as defined in DGR Sub-section 2.6, will not be accepted for transport by THAI.

6.4.2.10 Dangerous Goods in Limited Quantities

Refer to DGR 2.7.

In reasonably limited quantities, many Dangerous Goods present a reduced hazard during transport and can be safely carried as cargo in good quality of the types specified in the IATA DGR packaging (not UN-performance tested). Packages containing Limited Quantities of Dangerous Goods must be marked with the diamond shaped "Limited Quantities Mark" (Y).

6.5 Classes and Divisions

6.5.1 General

Dangerous goods are divided into 9 classes reflecting the type of hazard involved. Some classes of dangerous goods are further subdivided into divisions. In such cases, reference is made only to the division and not the class, e.g. Division 5.2, not Class 5, Division 2.

Each hazard class/division has specific criteria that are used to determine whether a substance belongs to that class or division. *Refer to DGR Section 3.*

The order in which the classes and divisions are numbered is for convenience and does not imply a relative degree of danger, for example, Class 1—Explosives is not necessarily less dangerous than Class 5—Organic Peroxide. *Refer to DGR 3.0.2.*

Cargo IMP (Interline Message Procedures) Codes are assigned to each class/division to facilitate recognition of the presence of dangerous goods on various flight documents, such as cargo manifests and Special Load—Notification to Captain (NOTOC). *Refer to DGR Appendix B2.2.4.*

6.5.2 Classifications

The dangerous goods into nine classes reflecting the type of hazard involved. In some cases, these classes are further sub-divided into "Divisions" to identify a particular hazard, within that class. In such cases, reference is made only to the Division and not the Class.

Example

Division 5.2, not Class 5, Division 2.

The order in which the classes and divisions are numbered in for convenience and do not imply a relative degree of danger. This means that Class 1 is not necessarily more dangerous than Class 2 or 3, etc.

Each class of division has specific criteria that are used to determine whether an article or substance belongs to that class or division. These criteria are technically detailed and classification of an item requires specialist knowledge of the criteria. These classes are:

- Class 1—Explosives:
 - Division 1.1—Articles and substances having a mass explosion hazard
 - Division 1.2—Articles and substances having a projection hazard but not a mass explosion hazard
 - Division 1.3—Articles and substances having a fire hazard, a minor blast hazard and/or a minor projection hazard but not a mass explosion hazard
 - Division 1.4—Articles and substances presenting no significant hazard
 - Division 1.5—Very insensitive substances having a mass explosion hazard
 - Division 1.6—Extremely insensitive articles which do not have a mass explosion hazard.
- Class 2—Gases:
 - Division 2.1—Flammable gas
 - Division 2.2—Non-flammable, non-toxic gas
 - Division 2.3—Toxic gas.
- Class 3—Flammable liquids: This class has no sub-divisions.
- Class 4—Flammable solids; Substances Liable to Spontaneous Combustion; Substances which, in Contact with Water, Emit Flammable Gases:
 - Division 4.1—Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives
 - Division 4.2—Substances liable to spontaneous combustion
 - Division 4.3—Substances which, in contact with water, emit flammable gases.
- Class 5—Oxidizing substances and Organic Peroxides:
 - Division 5.1—Oxidizer
 - Division 5.2—Organic peroxides.
- Class 6—Toxic and Infectious substances:
 - Division 6.1—Toxic substances
 - Division 6.2—Infectious substances.
- Class 7—Radioactive Material: This class has no sub-divisions.
- Class 8—Corrosives: This class has no sub-divisions.
- Class 9—Miscellaneous dangerous; Substances and Articles, Including Environmentally Hazardous Substances: This class has no sub-divisions.

When examining, accepting, or assisting passengers with their baggage prior to a flight, great care must be taken to ensure that no dangerous goods, other than those permitted, as described earlier, are carried on board the aircraft as baggage.

Confirmation should be sought from a passenger about the contents of any item where there are suspicions that it might contain dangerous goods.

6.6 Labeling

6.6.1 General

THAI is responsible for replacing marks required by TDGM 7.1, 6.3.3, 6.3.4 or 6.3.8 or labels that become lost, detached or illegible during transport in accordance with the information provided on the "Shipper's Declaration for Dangerous Goods" or other transport document, such as an air waybill, when applicable. This process does not apply where the marks and labels are found to be missing or illegible at time of acceptance (*Refer to DGR 9.3.7*) for cargo shipment but also the labels for checked and/or carry-on baggage. Nevertheless, the cargo shipper is fully responsible for labeling a package or overpack containing Dangerous goods as follow:

1. Remove or obliterate any irrelevant labelling already on the package or overpack
2. Use only labels of durable quality and correct specification
3. Inscribe on each label, in a durable manner, any required additional information
4. Affix the appropriate label(s) in the correct location(s) and in a secure manner
5. Ensure that the responsibilities for labelling are completely fulfilled when the package or overpack is presented to the operator for shipment. (*Refer to DGR 7.2.1*).

There are two types of labels:

- hazard labels
- handling labels.

6.6.2 Hazard Labels

Packages containing dangerous goods are normally identified with special hazard labels, intended to alert you to the hazard inherent to the contents. Each class or division has a unique identification label that must be displayed on the outside of each package. These hazard labels must conform to detailed specifications covering such items as size, color, symbols and class/division number. Most labels will have the text of the hazard, but some may not.

Hazard labels are in the shape of a square set at an angle of 45° (Diamond shaped), and have minimum dimension of 100 × 100 mm.

Text indicating the nature of the hazard may be shown in the lower half of the hazard label (*refer to DGR 7.2.2.4*) but is not mandatory, except for Radioactive Material (Class 7), unless there is a State or airline variation that requires the text.

Articles and substances that have a subsidiary hazard require labels identifying all of the hazards that the article or substance pose. The hazard labels identifying these primary and subsidiary hazard must carry the Class or Division number in the bottom corner. *Refer to DGR 7.2.3.2.*

Class 1, Explosives labels also require the Compatibility Group to be shown above the Class number in the bottom corner.

Note: For small packages containing infectious substances (Division 6.2) hazard label in a smaller dimension of 50 × 50 mm. may be used.

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 1— EXPLOSIVES			
Division 1.1 REX	Figure 6-1 	Articles and substances having a mass explosion hazard.	THESE EXPLOSIVES ARE NORMALLY FORBIDDEN FOR CARRIAGE BY AIR. e.g. TNT, Dynamite or Torpedoes.
Division 1.2 REX	Figure 6-2 	Articles and substances having a projection hazard but not a mass explosion hazard.	
Division 1.3 REX RCX* RGX* * When permitted	Figure 6-3 	Articles and substances having a fire hazard and/ or minor blast or projection hazard, but not a mass explosion hazard.	

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
Division 1.4 REX	Figure 6-4 	Articles and substances which present no significant hazard.	
Division 1.5 REX	Figure 6-5 	Very insensitive substances which have a mass explosion hazard.	
Division 1.6 REX	Figure 6-6 	Extremely insensitive articles which do not have a mass explosion hazard.	
RXB RXC RXD RXE RXG	Figure 6-7 		Compatibility Group Assignment according to DGR Table 3.1 A e.g. distress signals, fuse igniters.
RXS	Figure 6-8 	Articles and substances which present no significant hazard. Effect from accidental functioning is confined within the package.	e.g. Ammunition for hand weapons, for signal, safety Fuses, some types of Fireworks, etc.


Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 2— GASES			
Division 2.1 Flammable gas RFG	Figure 6-9 	Any gas which, when mixed with air in certain proportions, forms a flammable mixture.	e.g. Butane, Hydrogen, Propane, Acetylene, Lighters.
Division 2.2 Non-flammable gas, non-toxic gas RNG RCL	Figure 6-10 	Any non-flammable, non-toxic gas, or low-temperature liquefied gas.	e.g. Carbon dioxide, Fire extinguisher, liquefied Nitrogen or Helium.
Division 2.3 Toxic gas RPG	Figure 6-11 	Gases known to be toxic or corrosive to humans and known to pose a health hazard.	Most toxic gases are forbidden for carriage by air; some are permitted, e.g. aerosols of low toxicity, tear gas devices.

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 3— FLAMMABLE LIQUIDS			
Class 3 Flammable liquid RFL	Figure 6-12 	Any liquid having a flammable vapor at temperatures of not more than 60 deg. C closed-cup test or not more than 65.6 deg. C open-cup.	e.g. Paint, Alcohols, some Adhesives, Acetone, Petrol, etc.

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 4— FLAMMABLE SOLIDS			
Division 4.1 Flammable solid RFS	Figure 6-13 	Any solid material, which is readily combustible, or may cause or contribute to fire through friction.	e.g. matches, celluloid, nitronephthalene, sulphur. <i>Note: Some are self-reactivated.</i>
Division 4.2 Spontaneously combustible RSC	Figure 6-14 	Such substances are liable to spontaneous heating or to heating up in contact with air and then liable to catch fire.	e.g. White or Yellow phosphorus, Magnesium diamide.
Division 4.3 Dangerous when wet RFW	Figure 6-15 	Substances which, by interaction with water, are liable to become spontaneously flammable or to give off flammable gases.	e.g. Calcium carbide, Sodium.

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 5— OXIDIZING SUBSTANCE; ORGANIC PEROXIDE			
Division 5.1 Oxidizer ROX	Figure 6-16 	A substance that yields oxygen readily to stimulate the combustion of other material.	e.g. Ammonium nitrate fertilizer, Calcium chlorate, Bleaches.
Division 5.2 Organic Peroxide ROP	Figure 6-17 	An organic material (liquid or solid) that can be ignited readily by external flame and then burns with an accelerating rate; some substances react dangerously with others.	e.g. Tert-butyl hydroperoxide as listed in Appendix C of the DGR.

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 6— TOXIC (POISONOUS) SUBSTANCE; INFECTIOUS SUBSTANCE			
Division 6.1 Toxic substance RPB	Figure 6-18 	Liquids or solids which are dangerous if inhaled, swallowed or absorbed through the skin.	e.g. Arsenic, Nicotine, Cyanide, Pesticides, Strychrine. Some are totally forbidden, e.g. Bromoacetone.
Division 6.2, Category A Infectious substance, Category A RIS	Figure 6-19 	Substances which are known or reasonably expected to contain pathogens and cause disease in humans (UN2814) or in animals (UN2900).	e.g. Virus, bacteria, such as HIV (AIDS), rabies, some diagnostic specimens, biological products and medical and clinical waste.
Division 6.2, Category B Biological substance, Category B RDS	Figure 6-20 	Substances which does not meet the criteria for inclusion in Category A. Infections substance in Category B must be assigned to UN 373. <i>Note: This label is not a hazard label.</i>	e.g. Biological products, patient specimen.

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 7— RADIOACTIVE MATERIAL			
Class 7 Radioactive material Category I— White RRW	Figure 6-21 	Radioactive materials with low radiation level on the package surface. No Transport Index indicated.	e.g. Radionuclides or isotopes for medical or industrial purposes such as Cobalt 60, Caesium 131 and Iodine 132.
Class 7 Radioactive material Category II— Yellow RRY	Figure 6-22 	Radiation level higher than Category I and a transport index not exceeding 1. <i>Note: It must be rounded up to one decimal place, for example 0.8 becomes 1.0.</i>	
Class 7 Radioactive material Category III— Yellow RRY	Figure 6-23 	Radiation level higher than Category II and/or a transport index exceeding 1 but not more than 10. <i>Note: It must be rounded up to one decimal place, for example 1.02 becomes 1.1.</i>	
Class 7 Radioactive material Fissile Criticality Safety Index	Figure 6-24 	Criticality Safety Index labels must be used in addition to the appropriate Radioactive labels to provide control over accumulation of packages or overpacks containing fissile material.	e.g. Fissile material: Uranium 233 and 235; Plutonium 239 and 241.

Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 8— CORROSIVE			
Class 8 Corrosive material RCM	Figure 6-25 	A liquid or solid that will cause severe damage when in contact with living tissue or, in the case of leakage, will materially damage or even destroy other goods or the means of transport.	e.g. Battery acids, Sulphuric and other acids, Sodium hydroxide, Potassium hydroxide, Mercury.


Class/ Division/Name Cargo IMP Code	Hazard Label	Description	Comments and/ or Examples
CLASS 9— MISCELLANEOUS DANGEROUS GOODS			
Class 9 Miscellaneous dangerous goods RMD	Figure 6-26 	Any substance which presents a danger during air transportation that is not covered by other classes. These include aviation regulated solid or liquid substances with anaesthetic, noxious or similar properties which could cause extreme annoyance or discomfort to crewmembers so as to prevent the correct performance of assigned duties.	e.g. Asbestos, life rafts, internal combustion engines.
Polymeric beads RSB		Semi-processed polymeric articles, impregnated with a flammable gas or liquid as a blowing agent; they may evolve small quantities of flammable gas.	
Carbon Dioxide, solid Dry Ice ICE		Carbon dioxide, solid/dry ice has a temperature of -79 deg. C. On sublimation it produces a gas heavier than air, which in an enclosed area and in larger quantities can lead to suffocation.	
Lithium Battery or Sodium ion Battery RBI, RBM, RLI, RLM	Figure 6-27 	Any packages containing lithium batteries that meet the requirements of Section IB of Packing Instructions 965 and 968 must bear both the lithium battery mark in section 6.3.8 and the lithium battery Class 9 hazard label.	

6.6.3 Handling Labels and Marks

Certain dangerous goods require special handling labels in addition to their hazard labels because they need to be loaded and/or stowed in a particular manner. Those handling labels are used to provide information on the proper handling of dangerous goods packages or overpacks.

6.6.3.1 General Labels

Name Cargo IMP Code	Handling Label	Description	Comments and/ or Examples
Magnetized material MAG	Figure 6-28 	These materials have relatively high magnetic field strength. Minimum dimension: 110 mm width x 90 mm height	e.g. magnetrons and nonshielded permanent magnets without keeper bars installed. Class 9 label is not required with magnetized material label.
Cargo Aircraft Only	Figure 6-29 	Handling Label for Cargo Aircraft Only Minimum dimension : 120 mm width x 110 mm height	Must be used on packages that are not permitted on passenger aircraft (DGR 7.2.4.2).
Cryogenic Liquid RCL	Figure 6-30 	Handling label for Cryogenic liquids Minimum dimension: 74 mm width x 105 mm height	Must be used in addition to the non-flammable gas (Division 2.2) hazard label on packages and overpacks containing cryogenic liquids (refrigerated liquefied gas).
Package Orientation (This Way Up)	Figure 6-31 	Minimum dimension: 74 mm width x 105 mm height	Must be used on combination packagings and overpacks containing liquid dangerous goods with exceptions (DGR 7.2.4.4).

Name Cargo IMP Code	Handling Label	Description	Comments and/ or Examples
Package Orientation (This Way Up) Alternate Design	Figure 6-32 	ISO Standard 780:1985 Minimum dimension: 74 mm width x 105 mm height	
Keep Away From Heat	Figure 6-33 	Minimum dimension: 74 mm width x 105 mm height	The "Keep Away From Heat" handling label must be used in addition to the applicable hazard label on packages and overpacks containing self-reactive substances in Division 4.1 and Division 5.2, Organic Peroxides (see Special Provision A20). This label should be affixed on the same surface of the package near the hazard label(s).

6.6.3.2 GHS Labelling

Some everyday household items bear consumer warning labels which may or may not indicate they are classified as dangerous goods in air transport. All over the world there are different laws on how to identify the hazardous properties of chemicals (called "classification") and how information about these hazards is then passed to users (through consumer supply labels and safety data sheets for workers). This can be confusing because the same chemical can have different hazard descriptions in different countries. For example, a chemical could be labelled for supply as "toxic" in one country, but not in another. For this reason, the UN brought together experts from different countries to create the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Products bearing the following GHS labels may indicate as dangerous goods:

Table 6-1—GHS Pictograms and Their Criteria: Classified as Dangerous Goods

Pictogram	Pictogram Name	Appears on			
Figure 6-34 	Explosives	Explosives	Self-Reactive Substances and Mixtures		Organic Peroxides
Figure 6-35 	Gases Under Pressure				

Pictogram	Pictogram Name	Appears on			
Figure 6-36 	Flammable	- Gases - Aerosols - Liquid - Solid.	- Self- Reactive Substances and Mixtures - Pyrophoric Liquids and Solids.	Self-Heating Substances and Mixtures	Substances and Mixtures, which in contact with Water, Emit Flammable Gases
Figure 6-37 	Oxidizer/ Organic Peroxide	- Oxidizing Gases - Oxidizing Liquids - Oxidizing Solids.	Organic Peroxides		
Figure 6-38 	Toxic	Acute Toxicity: - skin - oral - inhalation.			
Figure 6-39 	Corrosive	- Corrosive to Metal - Skin Corrosion - Serious Eye Damage.			
Figure 6-40 	Aquatic Toxicity	Acute Chronic			

Note: A product bearing the GHS corrosive label (depicted far right above) is NOT classified as dangerous goods if the signal word 'Danger' and hazard statement 'causes serious eye damage' applies.

Products bearing the following GHS labels (and none of the above) are NOT classified as dangerous goods:

Table 6-2—GHS Pictograms and Their Criteria: Not Classified as Dangerous Goods


Pictogram	Pictogram Name	Appears on			
Figure 6-41 	Harmful	Harmful to: - skin - oral - inhalation.	- Skin irritation - Eye Irritation	- Respiratory Tract Irritation - Narcotic Effects.	Skin Sensitization
Figure 6-42 	Respiratory	- Respiratory Sensitization - Carcinogenicity - Toxic to Reproduction.	Specific Target Organ Systemic Toxicity: Single Exposure	Specific Target Organ Systemic Toxicity: Repeated Exposure	- Aspiration Hazard - Germ Cell Mutagenicity.

6.6.3.3 Limited Quantities Mark

Refer to DGR 7.1.4.2.

Packages of dangerous goods shipped under the Limited Quantity provisions of DGR Subsection 2.7, must be marked with the Limited Quantities mark.

Figure 6-43—Specimen of Limited Quantities Mark



6.6.3.4 Environmentally Hazardous Substance Mark

Refer to DGR 7.1.5.3.

The Packages containing an environmentally hazardous substances or mixtures meeting the criteria of DGR 3.9.2.4. (UN 3077 and UN 3082), must be durably marked with the environmentally hazardous substance mark as specimen below. The environmentally hazardous substance mark is not required on single packaging and combination packaging of such combination packaging have:

- a net quantity per single or inner packaging of 5 L or less for liquids
- a net mass of 5 kg or less for solids.

Figure 6-44—Specimen of Environmentally Hazardous Substance Mark



6.6.3.5 Radioactive Material, Excepted Package

Refer to DGR 7.2.4.6.

The “Radioactive Material, Excepted Package” handling label must be affixed to all excepted packages of radioactive material.

Figure 6-45—Specimen of Radioactive Material, Excepted Package



6.6.3.6 Additional Labelling

It is possible that someone might have a package bearing a dangerous goods “hazard” label, for example a Corrosive label, on a package that only contains clothing. The correct course of action would be to ask the passenger to remove or obliterate the inappropriate label, explaining the potential confusion that its presence would cause. If however the package did contain a corrosive material the passenger would be advised that it could not be carried as checked or carry-on baggage, but could be offered as cargo for transport provided it met all the requirements and was properly documented.

There are two basic sources for the additional labels or marks not required for the transport of dangerous goods by air. Firstly, they may be required by other modes of transport, such as sea and rail, although increasing intermodal harmonization is reducing such differences.

Secondly, many “household” products particularly are required under national legislation to carry product or consumer warning notices and labels. These do not necessarily mean that the goods are dangerous when carried by air, but that the use and disposal of them requires caution. The presence of such notices and labels should be taken as an indication that the goods may be regulated. If in doubt, contact your supervisor or dangerous goods specialist before accepting the item as passenger baggage.


6.6.3.7 Excepted Quantity Package Mark (Not Accept on THAI Aircraft)

Packages containing excepted quantities of dangerous goods can be identified by this mark. To hatching and symbol of the same colour, black or red, on white or suitable contrasting background. The details on label shall be marked as following directions:

Figure 6-46

* Place for class or, when assigned, the division number(s).

** Place for name of shipper or consignee, if not shown elsewhere on the package.



6.6.3.8 Lithium Battery or Sodium Ion Battery Mark

Packages containing lithium cells or batteries or sodium ion cells or batteries prepared in accordance with Section II of Packing Instructions 966, 967, 969, 970, 977 or 978 and Section IB of Packing Instructions 965 and 968 must be marked as shown in the specimen below. Packages containing lithium batteries that meet the requirements of Section IB of Packing Instructions 965 and 968 must bear both the lithium battery or sodium ion battery mark and the hazard label, Class 9—Lithium Batteries or Sodium Ion Battery shown in section 6.2.

The mark must be in the form of a rectangle or square with a minimum dimension of 100 mm wide × 100 mm high and the minimum width of the hatching must be 5 mm. If the size of the package so requires, the dimensions may be reduced to not less than 100 mm wide × 70 mm high. Where dimensions are not specified, all features must be in approximate proportion to those shown on the full-size mark.

The mark must indicate:

1. (*) The appropriate UN number preceded by the letters "UN" as follows:


- "UN 3090" for lithium metal cells or batteries
- "UN 3480" for lithium ion cells or batteries
- "UN 3091" for lithium metal cells or batteries contained in, or packed with, equipment
- "UN 3481" for lithium ion cells or batteries contained in, or packed with, equipment
- "UN 3552" for sodium ion cells or batteries contained in, or packed with, equipment.

Where a package contains lithium cells or batteries assigned to different UN numbers, all applicable UN numbers must be indicated on one or more marks.

2. The UN number(s) indicated on the mark should be at least 12 mm high.

Note: The mark illustrated in DGR Figure 7.1.C of the 63rd edition of these Regulations may continue to be used until 31 December 2026.

Figure 6-47 — Specimen of Lithium Battery or Sodium Ion Battery Mark



6.6.3.9 Prohibited Marks

Arrows for purposes other than indicating proper package orientation must not be displayed on a package or overpack containing liquid dangerous goods.

6.6.3.10 Prohibited Labelling

Cylindrical packages and other slim packages, must be of such peripheral dimension that a label cannot overlap itself. Arrows for purposes other than indicating proper package orientation must not be displayed on a package containing liquid dangerous goods.

6.6.3.11 Labels of Other Regulations

Labels required by other international or national transport regulations are permitted in addition to labels required by DGR, provided that they cannot be confused with or conflict with any labels prescribed by DGR, because of their colour, design or shape.

6.7 Marking

6.7.1 General

The shipper is responsible for marking each package of dangerous goods and each overpack containing dangerous goods in compliance with the DGR. *Refer to DGR 7.1.1.* THAI is responsible to check that the package is properly marked.

The shipper must provide a 24 hour emergency telephone number of a person who is knowledgeable of the hazard, characteristics and actions to be taken in case of an accident or incident. The telephone number must include the country and area code preceded by the words "Emergency Contact" or "24 hour number", must be inserted on the Shipper's Declaration for Dangerous Goods, preferably in the "Handling Information" box.

A 24 hour emergency telephone is not required for shipments that do not require a Shipper's Declaration for Dangerous Goods.

Air cargo packages containing Dangerous Goods carry markings such as:

- proper shipping name
- UN Number
- full name and address of the shipper and consignee
- net quantity and/or gross weight
- UN specification
- environmentally hazardous substance mark
- name and telephone number of a responsible person.

Note: When two or more different dangerous goods are packed within the same outer packaging (All Packed in One), the package must be marked as required for each substance.

There are two types of markings:


- package specification marking—the marking which identify the design or specification of a packaging.
- package use marking—the marking which identify the use of a particular packaging for a particular shipment, which are always required.

- Notes:*
1. *Packaging specification markings are not required for "Limited Quantity" packagings, i.e.*
 2. *Packing instructions preceded by the letter "Y", e.g. Y309.*

6.7.2 Package Specification Marking

The UN specification packaging marking must be printed or embossed directly on the package. Handwritten specification marking is not acceptable.

Example of a UN Specification Marking



United Nations Packaging Symbol indicating that the package has been designed, tested and manufactured according to the United Nations Specifications.

4G

The Packaging Type Code "4G" indicates a fiberboard box.

X

The packing group designator. X can be used for packing groups I, II and III. Y can be used for packing groups II and III. Z only for packing group III.

10

The maximum permitted gross weight mass, in kilograms, of the package.

S

Indicates the package is used to contain solids or inner packaging.

01

Year in which the package was manufactured.

USA

The State authorizing the allocation of the mark.

T7402

Name or identification mark of the manufacturer.

Notes:


1. Some packages will show the letter "V" next to the Packaging Type Code. This indicates a packaging that may be assembled and transported without additional testing under the exemption from testing as described in DGR 6.3.1.2.

e.g.



2. Specification packages for Infectious Substances will indicate Class 6.2 as it has been tested according to DGR 6.5 requirements.

e.g.



3. Some dangerous goods are permitted to be packed in strong packaging, which are not required to meet UN specifications. Therefore, these packaging will not carry the UN specification marking.
4. Some packages will show the letter "T", "U", "V" and "W" according to their qualifying codes as described in DGR 6.0.3.6.

6.8 Report Procedure

6.8.1 Dangerous Goods Accident and Incident

- Dangerous goods accident: An occurrence associated with and related to the transport of dangerous goods by air which results in fatal or serious injury to a person or major property or environmental damage.
- Dangerous goods incident: An occurrence other than a dangerous goods accident associated with and related to the transport of dangerous goods by air, not necessarily occurring on board an aircraft, which results in injury to a person, property or environmental damage, fire, breakage, spillage, leakage of fluid or radiation or other evidence that the integrity of the packaging has not been maintained. Any occurrence relating to the transport of dangerous goods which seriously jeopardises an aircraft or its occupants is also deemed to be a dangerous goods incident.

THAI must report dangerous goods accidents and incidents to CAAT and the State in which the accident or incident occurred in accordance with the reporting requirements of those appropriate authorities.

6.8.2 Undeclared or Mis-Declared Dangerous Goods

- Any occasion when undeclared or mis-declared dangerous goods are discovered in cargo or mail the report must be issued. Such report shall be made to CAAT and the State in which this occurred.
- Any occasion when dangerous goods not permitted under Table 9-1 Provision for Dangerous Goods Carried by Passenger or Crew for THAI Flight, or advised by the entity that discovers either in passengers' baggage or on person or crew members. A report must be made to CAAT and the State in which this occurred.

6.8.3 Reporting of Dangerous Goods Occurrences

The dangerous goods occurrences report must be submitted to The Civil Aviation Authority of Thailand (CAAT) when:

- dangerous goods are discovered to have been carriage when not loaded, segregated, separated and secured
- dangerous goods are discovered to have been carried without the information provided to PIC (When required) or the information is inadequate.

In addition to the requirements of the ICAO Technical Instructions for the reporting of dangerous goods occurrences (above), The Civil Aviation Authority of Thailand requirement no.22/2562 on "Reporting of Civil Aviation Occurrence" requires that any incident which endangers or which, if not corrected, would endanger an aircraft, its occupants or any other person is reported to CAAT. Dangerous goods occurrences reportable under the Mandatory Occurrence Reporting Scheme include:

- dangerous goods found not to have been secured to prevent movement
- damage to packages of dangerous goods
- NOTOC errors where dangerous goods have not been stowed in accordance with loading instructions
- failure to prepare electric wheelchairs in order to prevent accidental activation
- electric wheelchairs found not to have been stowed and secured correctly and leakage of dangerous goods from passenger baggage.

A dangerous goods accident and dangerous goods incident must be reported to BKKD1-A1 by using THAI reporting platform (SafetyManager365 system) <https://tg.asqs.net/> as soon as practical. CAAT must receive the report within 72 hours of the event unless exceptional circumstances prevent this. If necessary, a subsequent report shall be made as soon as possible giving all the details that were not known at the time the first report was sent. If a report has been made verbally, written confirmation shall be sent as soon as possible. Any type of accident or incident must be reported irrespective of whether the dangerous goods are in cargo, mail, stores, passengers' baggage or crew baggage.

The first and any subsequent report shall be as precise as possible and contain such of the following data that are relevant:

- date of the incident or accident or the finding of undeclared or misdeclared dangerous goods
- location, the flight number and flight date
- description of the goods and the reference number of the air waybill, pouch, baggage tag, ticket, etc.
- proper shipping name (including the technical name, if appropriate) and UN/ID number, when known
- class or division and any subsidiary hazard
- type of packaging, and the packaging specification marking on it
- quantity of dangerous goods
- name and address of the shipper, passenger, etc.
- any other relevant details
- suspected cause of the incident or accident
- action taken
- any other reporting action taken
- name, title, address and telephone number of the person making the report
- copies of relevant documents and any photographs taken should be attached to a report.

6.8.4 Flight Occurrences

- The report shall be submitted to BKKD1-A1 via CSIS (SafetyManager365).
- BKKD1-A1 shall inform The Civil Aviation Authority of Thailand (CAAT) as soon as possible or within 72 hours from the time of event.

6.8.5 Retention of Occurrences Report

The occurrences report must be retained by issuance office for a minimum period of six (6) months after the event and must be available upon request from appropriate national authority.

6.9 Emergency Procedure

6.9.1 General Procedures for Cabin Crew

The following special actions and step, required for dangerous goods incidents in the passenger cabin during flight, are found in the ICAO Emergency Response Guidance for Aircraft Incidents Involving Dangerous Goods (DOC 9481 AN/928) or other similar information.

First Action

1. Notify PIC
2. Identify the dangerous goods (if safe to do so)
3. Store the package in a secure location (if undamaged), and monitor the package's condition.

In case of Fire

1. Use standard procedure/check use of water.

In case of Fire Involving a Portable Electronic Device Containing Lithium Batteries

1. Use standard procedure/obtain and use fire extinguisher.
2. Remove external electrical power from device (if applicable).
3. Douse device with water (or other non-flammable liquid) to cool cells and prevent ignition of adjacent cells.
4. Do not move device.
5. Remove power to remaining electrical outlets until the aircraft's system can be determined to be free of faults, if the device was previously plugged in.

In case of Spillage or Leakage

1. Collect emergency response kit.
2. Put on rubber gloves and smoke hood or smoke mask.
3. Move passengers away from area and distribute wet towels or cloths.
4. Place dangerous goods in polyethylene bags.
5. Stow polyethylene bags.
6. Treat affected seat cushions/covers in the same manner as dangerous goods item.
7. Cover spillage on carpet/floor.
8. Regularly inspect items stowed away and contaminated furnishings.

After Landing

1. Advice ground personnel of the dangerous goods items and where they are stowed.

6.9.2 Provision of Information for Use in Responding to Dangerous Goods Incident

Refer to ICAO Emergency Response Guidance, Doc. 9481 AN/928 Section 4 or other similar information.

The aircraft emergency response drills as shown in the following table are for the guidance of crew members when an incident occurs in flight which is, or might be, related to a particular package, or packages, containing dangerous goods.

When such a package has been identified, the corresponding entry on the PIC's dangerous goods notification form should be found. The applicable drill code may be given on the notification form, or if not given it can be found by the proper shipping name or the UN number on the notification form and by using the alphabetical or numerical list of dangerous goods given in Emergency Response Guidance for Aircraft Incidents Involving Dangerous Goods.

The drill code assigned to an item of dangerous goods consists of a number from 1 to 11 plus one or two letters. Referring to the chart of emergency response drills, each drill number corresponds to a line of information concerning the hazard posed by that substance and guidance on the preferable action that should be taken. The drill letter is shown separately on the drill chart; it indicates other possible hazards of the substance. In some cases the guidance given by the drill number may be further refined by the information given by the drill letter(s):

- complete appropriate aircraft emergency procedures
- consider landing as soon as practicable.

6.9.3 Drill Charts

Refer to the latest issue of ICAO Emergency Response Guidance for Aircraft Incidents Involving Dangerous Goods (DOC 9481 AN/928) or other similar information.

6.10 Provision for Dangerous Goods Carried By Passengers or Crew for THAI Flights

(Refer to TDGM—Thai Dangerous Goods Manual)

TDGM e-manual can be accessed through DJ intranet website as following link:

http://flighttech.thaiairways.co.th/_documents/ops_docs/manual/TDGM_R15.pdf

A table shown on the next page is the summary of those provisions for dangerous goods acceptable to be carried by passengers or crew on THAI. (TDGM Table 9-1).

Table of Provision for Dangerous Goods Carried by Passengers or Crew on THAI
(TDGM Table 9-1)



Dangerous goods must not be carried in or as passengers or crew, checked or carry-on baggage, except as otherwise provided in this table. Dangerous goods permitted in carry-on baggage are also permitted "on one's person", except where otherwise specified. Note: The provision may be limited by state or operator variations, customs law, security reason and LAGs regulations. Passengers should contact THAI Contact Center or reservation office or check-in Staff for specific and current provisions.					
The pilot-in-command must be informed of the location					
Permitted in or as carry-on baggage					
Permitted in or as checked baggage					
The approval of the operator is required, see approval functions below.					
1	Alcoholic beverages, when in retail packaging, containing more than 24% but not more than 70% alcohol by volume, in receptacles not exceeding 5 L, with a total net quantity per person of 5 L. <i>Note: Alcoholic beverages containing 24% or less alcohol by volume are not subject to any restrictions.</i>	NO	YES	YES	NO
2	Ammunition for sporting purpose, securely packaged (in Div. 1.4S, UN 0012 or UN 0014 only), in quantities not exceeding 5 kg gross weight per person for that person's own use. Allowances for more than one person must not be combined into one or more packages.	YES **	YES	NO	NO
3	Avalanche rescue backpack, one (1) per person, containing cartridges of compressed gas in Div. 2.2. May also be equipped with a pyrotechnic trigger mechanism containing no more than 200 mg net of Div. 1.4S. The backpack must be packed in such a manner that it cannot be accidentally activated. The airbags within the backpacks must be fitted with pressure relief valves.	YES *** 7 days in advance	YES	YES	NO
4	Baggage with installed lithium batteries (Smart baggage) non-removable batteries exceeding 0.3 g lithium metal or 2.7 Wh or unidentified lithium contents/power rating lithium batteries installed in baggage.	FORBIDDEN			
5	Baggage with installed lithium batteries (Smart baggage): - <u>Non-removable batteries</u> . Batteries must contain no more than 0.3 g lithium metal or for lithium ion must not exceed 2.7 Wh; - <u>Removable batteries</u> . Batteries must be removed if baggage is to be checked in. The removed batteries must be carried in the cabin. (See limitation on item 6 below).	NO	YES	YES	NO
6	Batteries, spare/loose, including lithium batteries, non-spillable batteries, nickel-metal hydride batteries and dry batteries (see TDGM 9.5.3.4.5) for portable electronic devices must be carried in carry-on baggage only. Articles which have the primary purpose as a power source, e.g. power banks are considered as spare batteries. These batteries must be individually protected to prevent short circuits. - Lithium metal batteries: the lithium metal content must not exceed 2 g (see TDGM 9.5.3.4.6). - Lithium ion batteries: the Watt-hour rating must not exceed 100 Wh (see TDGM 9.5.3.4.6). - <u>Each person is limited to a maximum of 20 spare batteries.</u> - Lithium batteries, spare/loose with a Watt-hour rating exceeding 100 Wh but not exceeding 160 Wh (see item 23 on page 2) - Non-spillable batteries: must be 12 V or less and 100 Wh or less. Each person is limited to a maximum of 2 spare batteries (see TDGM 9.5.3.10) <i>Note: The total quantity of spare batteries or power banks with capacity not exceeding 20,000 mAh and those with capacity exceeding 20,000 to 32,000 mAh must not exceed 20 pieces.</i>	NO	NO	YES See Note	NO
7	Camping stoves and fuel containers that have contained a flammable liquid fuel, with empty fuel tank and/or fuel container (see TDGM 9.5.2.2).	YES *	YES	NO	NO
8	Chemical Agent Monitoring Equipment, when carried by staff members of the Organization for the Prohibition of Chemical Weapons on official travel (see TDGM 9.5.2.7).	YES ***	YES	YES	NO
9	Disabling devices such as mace, pepper spray, etc. containing an irritant or incapacitating substance are forbidden on the person, in checked and carry-on baggage.	FORBIDDEN			
10	Dry ice (carbon dioxide, solid), in quantities not exceeding 2.5 kg per person when used to pack perishables not subject to these Regulations in checked or carry-on baggage, provided the baggage (package) permits the release of carbon dioxide gas. Checked baggage must be marked "dry ice" or "carbon dioxide, solid" and with the net weight of dry ice or an indication that there is 2.5 kg or less dry ice.	YES *	YES	YES	NO
11	e-cigarettes (including e-cigs, e-pipes, other personal vaporizers) containing batteries must be individually protected to prevent accidental activation. (see TDGM 9.5.3.4.2). <i>Note: The vaporizers and related products are illegal to bring into The Kingdom of Thailand and the quantity limitation must be combined with others PED (Each person is limited to a maximum of 15 PED.)</i>	NO	NO	YES See Note	NO
12	Electro shock weapons (e.g. Tasers) containing dangerous goods such as explosives, compressed gases, lithium batteries, etc. are forbidden in carry-on baggage or checked baggage or on the person.	FORBIDDEN			
13	Fuel cells containing fuel, powering portable electronic devices (e.g. cameras, cellular phones, laptop computers and camcorders) (see TDGM 9.5.3.7 for detail)	NO	NO	YES	NO
14	Fuel cells cartridges, spare for portable electronic devices (see TDGM 9.5.3.7 for details).	NO	YES	YES	NO
15	Gas cartridges, small, non-flammable containing carbon dioxide or other suitable gas in Division 2.2. Up to two (2) small cartridges fitted into a self-inflating personal safety device, intended to be worn by a person, such as a life jacket or vest. Not more than two (2) devices per passenger and up to two (2) spare small cartridges per device, for other device not more than four (4) cartridges and the water capacity of each cartridge must not exceed 50 mL. (see TDGM 9.5.2.9).	YES *	YES	YES	NO
16	Gas cylinders, non-flammable, non-toxic worn for the operation of mechanical limbs. Also, spare cylinders of a similar size if required to ensure an adequate supply for the duration of the journey.	NO	YES	YES	NO
17	Hair styling equipment containing a hydrocarbon gas cartridge, up to one (1) per passenger or crew-member, provided that the safety cover is securely fitted over the heating element. This hair styling equipment must not be used on board the aircraft. Spare gas cartridges for such hair styling equipment are not permitted in checked or carry-on baggage.	NO	YES	YES	NO
18	Insulated packagings containing refrigerated liquid nitrogen (dry shipper), fully absorbed in a porous material containing only non-dangerous goods.	NO	YES	YES	NO

Dangerous Goods and Ground Inspection Team (D1-A1)
Effective: 20 February 2026 / Ref. IATA DGR 67th Edition: Table 2.3.A

Page 1 of 2

Table of Provision for Dangerous Goods Carried by Passengers or Crew on THAI
(TDGM Table 9-1)



The Pilot-in-Command must be informed of the location					
Permitted in or as carry-on baggage					
Permitted in or as checked baggage					
The approval of the operator is required					
19	Internal combustion or fuel cell engines, must meet <u>A70</u> (see TDGM 9.5.3.15 for details).	NO	YES	NO	NO
20	Lithium Batteries: Portable electronic devices (PED) containing lithium metal or lithium ion cells or batteries, including medical devices such as portable oxygen concentrators (POC)* and consumer electronics such as cameras, mobile phones, laptops and tablets (see TDGM 9.5.2.10). For lithium metal batteries the lithium metal content must not exceed 2 g and for lithium ion batteries the Watt-hour rating must not exceed 100 Wh. Devices must be protected from damage and inadvertent activation. Those in checked baggage must be completely switched off. Each person is limited to a maximum of 15 PED. <i>*Note: The POC model shall meet one of the following acceptance criteria and the Pilot-in-Command must be informed of the location of POC:</i> 1. the POC bear manufacturer's label which is indicating with the following statement in red lettering "The manufacturer of this POC has determined this device conforms to all applicable FAA acceptance criteria for POC carriage and use on board the aircraft"; or 2. the POC model which previously approved in FAA SFAR 106 as described on PHM 5.5.4.2.1	NO	YES	YES	NO Except POC*
21	Lithium batteries, spare/loose, including power banks	See Item 6 on page 1			
22	Lithium battery-powered electronic devices. Lithium ion batteries for portable and medical electronic devices, a Wh rating exceeding 100 Wh but not exceeding 160 Wh. For portable medical electronic devices only, lithium metal batteries with a lithium metal content exceeding 2 g but not exceeding 8 g. Devices must be protected from damage. Devices in checked baggage must be completely switched off.	YES *	YES	YES	NO
23	Lithium batteries, spare/loose with a Watt-hour rating exceeding 100 Wh but not exceeding 160 Wh for consumer electronic devices and PMED or with a lithium metal content exceeding 2 g but not exceeding 8 g for PMED only. Maximum of two (2) spare batteries in carry-on baggage only. These batteries must be individually protected to prevent short circuits. <i>Note: The total quantity of spare batteries or power banks with capacity not exceeding 20,000 mAh and those with capacity exceeding 20,000 to 32,000 mAh must not exceed 20 pieces.</i>	YES *	NO	YES See Note	NO
24	Matches, safety (one small packet) or a small cigarette lighter that does not contain unabsorbed liquid fuel, other than liquefied gas, intended for use by an individual when carried on the person. Lighter fuel and lighter refills are not permitted on one's person or in checked or carry-on baggage. <i>Note: "Strike anywhere" matches, "Blue flame" or "Cigar" lighters or lighters powered by a lithium battery without a safety cap or means of protection against unintentional activation are forbidden.</i>	NO	ON ONE'S PERSON See Note		NO
25	Mobility Aids: Battery-powered wheelchairs or other similar mobility devices with non-spillable wet batteries, nickel-metal hydride batteries or dry batteries (see TDGM 9.5.1.3).	YES */**	YES	NO	YES
26	Mobility Aids: Battery-powered wheelchairs or other similar mobility devices with spillable batteries or with lithium ion batteries (see TDGM 9.5.1.1 and TDGM 9.5.1.2 for details).	YES */**	YES	NO	YES
27	Mobility Aids: Battery-powered wheelchairs or other similar mobility devices with lithium ion batteries where the design of the mobility aid does not provide adequate protection for the battery(ies) (see TDGM 9.5.1.2 for details).	YES */**	NO	YES	YES
28	Non-radioactive medicinal or toiletry articles (including aerosols) such as hair sprays, perfumes, colognes, alcohol-based hand sanitizer and medicines containing alcohol; and Non-flammable, non-toxic (Division 2.2) aerosols, with no subsidiary hazard, for sporting or home use. The total net quantity of non-radioactive medicinal or toiletry articles, non-flammable, non-toxic (Division 2.2) aerosols must not exceed 2 kg or 2 L and the net quantity of each single article must not exceed 0.5 kg or 0.5 L. Release valves on aerosols must be protected by a cap or other suitable means to prevent inadvertent release of the contents. <i>Note: The LAGS regulations shall be applied.</i>	NO	YES	YES	NO
29	Oxygen or air, gaseous, cylinders and liquid oxygen system required for medical use. (TDGM 2.7: TG-11) <i>Note: The empty scuba diving tanks are not subject to Dangerous Goods Regulations.</i>	FORBIDDEN See Note			
30	Permeation devices, must meet <u>A41</u> (see TDGM 9.5.3.12 for details).	NO	YES	NO	NO
31	Radioisotopic cardiac pacemakers or other devices, including those powered by lithium batteries, implanted into a person or fitted externally.	NO	ON ONE'S PERSON		NO
32	Security-type equipment (see TDGM 9.5.2.3 for details).	YES *	YES	NO	NO
33	Security-type attaché cases, cash boxes, cash bags, etc. incorporating dangerous goods, such as lithium batteries and/or pyrotechnic material, except as provided in TDGM 9.5.2.3 are totally forbidden. See entry in DGR 4.2-List of Dangerous Goods.	FORBIDDEN			
34	Specimens, non-infectious packed with small quantities of flammable liquid, must meet <u>A180</u> (see TDGM 9.5.3.11 for details).	NO	YES	YES	NO
35	self-balancing personal transportation devices, small vehicle or other similar devices powered by lithium batteries and its accessories (TDGM 2.7: TG-10)	FORBIDDEN			
36	Self-Heating Meals Self-heating of food and beverages containing a flame less ration heater or meals ready to eat (MRE)	FORBIDDEN			
37	Thermometer, medical or clinical, which contains mercury, one (1) per person for personal use, when in its protective case.	NO	YES	NO	NO
38	Thermometer or barometer, mercury filled carried by a representative of a government weather bureau or similar official agency (see TDGM 9.5.1.4).	YES *	NO	YES	YES
Approval Functions		To be approved by Airport Services Manager (ASM) or Station Monitoring Team (SMT) or Delegated DM/personnel. To be approved by BKKRC-A2 prior traveling. To be approved by BKKDO prior traveling via dgr@thaairways.com 7 days in advance. The request must be made by RSVN.			

Dangerous Goods and Ground Inspection Team (D1-A1)

Effective: 20 February 2026 / Ref. IATA DGR 67th Edition: Table 2.3.A

Page 2 of 2