



ANDALUSIA ACADEMY

Andalusia Management System

Power BI and Business Intelligence Handover Report

Operational System, UI Catalogue, Data Model, KPI Framework and BI Requirements

Document control	Detail
Version	1.1
Date	13 September 2026
Prepared for	Power BI / Business Intelligence Team
Update	Plan dashboard, Visits networking database and new screen captures

The report connects operational functionality with analytical requirements. This edition adds planning and networking workflows, their data definitions and reporting measures, while retaining the original Academy system catalogue and branding.

00 Document Control

Item	Detail
System	Andalusia Academy Work Management System
Application baseline	Source report: Revision 20.2. Additions: Plan and Visits from the local networking build.
UI baseline	Revision 19.1 Executive UI, with Revision 20.1 Program Stage Flow redesign preserved in Revision 20.2
Audience	Power BI Developers, Data Analysts, Data Engineers, BI Architects, Academy Management, Project Managers
Brand theme	Deep Navy + Terracotta + Warm Neutral, using the original Andalusia Academy logo
Confidentiality	Internal project handover

Source Basis & Traceability

This report is grounded in the current Revision 20.2 project package, the current static UI, server/database code, and the actual-render review screenshots bundled with the project. Revision 20.2 explicitly preserves the Revision 20.1 UI, Program Stage Flow redesign, themes, and branding. The screen catalogue uses the retained actual desktop renders for the unchanged workspaces and the current Revision 20.1 lifecycle render for programStageFlow.

Contents

• 01 Executive Summary & Business Objectives • 02 Roles, Authentication & Navigation • 03 Application UI Screen Catalogue • 04 Program Lifecycle & Governance • 05 Operational Data & Analytical Model • 06 KPI Framework • 07 Power BI Requirements & Dashboard Pages

Version 1.1 adds sections 3.23 to 3.25, networking data specifications, section 06 KPI Framework, and supplementary BI and mobile mappings.

Version 1.1 update overview

Plan and Visits extend the Academy system with an operational planning dashboard and a reusable networking database. This update connects contact people, visit history, outcomes and follow-ups to Programs and activities, and defines how the BI layer should report on them.

Update	Where to find it
Plan dashboard	Section 3.23: In progress and Upcoming lanes, summary cards, search and combined filters.
Visits networking database	Section 3.24: visit records, contact directory, contact and visit forms, follow-up behavior and validation.
Filter behavior	Section 3.25: Program and activity rules across Plan and Visits.
Data and metrics	Section 05 additions and section 06: record fields, model grain, relationships and KPI definitions.
Power BI and mobile	Section 07 additions and appendices: analytical pages, acceptance checks and responsive screenshots.

Version and access boundary

The original report documents Revision 20.2, including its authentication and role controls. The new Plan and Visits screens are captured from the local networking build, which uses a local profile and shared networking records. The original account and security descriptions remain the Revision 20.2 baseline; they do not establish that authentication or server-side networking permissions are present in the local build.

Before these additions are deployed in the Revision 20.2 environment, verify account-based access, ownership and API permissions for contacts, visits and follow-ups. Document the exact deployed application version with the BI refresh configuration.

Navigation and screenshots

Plan and Visits are added to the main application navigation and are available through the mobile navigation. Plan opens the Visits database or the visit form. Visits switches between Visit records and Contact directory. The existing weekly, monthly and quarterly Planner remains the task calendar.

Figures 33 to 39 show actual application screens using demonstration contacts and Programs. They illustrate functionality and are not Academy performance results. Original figures retain their original numbers and version context.

01

Executive Summary & Business

Objectives

What the platform manages, why it exists, and where Power BI adds value.

Executive Summary

The Andalusia Academy Work Management System is an operational management platform that connects Academy Programs, lifecycle stages, Position-owned work, tasks, team workload, instructors, schedules, finances, documents, reports, approvals, and audit history. It is designed so operational work can be executed in the same environment in which management reviews readiness and controls Program progression.

The system separates operational execution from management governance. Contributors complete the work owned by their Position; the Academy Manager reviews readiness, blockers, evidence, and handoffs, and retains authority to complete lifecycle stages and close Programs. Revision 20.2 adds server-side authentication and authorization for Admin and User accounts.

Business Objectives

- Centralize Academy operational information and reduce duplicate entry across workflow and personal tasks.
- Provide end-to-end visibility from Program request through final closure.
- Make lifecycle requirements, blockers, ownership, readiness, and next actions explicit.
- Assign and monitor Position-owned tasks while keeping Program stage state distinct from personal task progress.
- Monitor team capacity, instructor readiness, delivery schedules, Program finance, documents, and management approvals.
- Provide auditable management decisions and handoffs.
- Create a reliable operational source from which historical analytics and management reporting can be built.

Where Power BI Adds Value

The operational application is optimized for current work and decisions. Power BI should complement it with historical trends, cross-Program comparison, stage aging, SLA analysis, task aging, capacity trends, Instructor utilization, delivery performance, financial variance, drill-through, forecasting, and governed executive reporting.

Recommended Power BI Integration Architecture

Separate operational processing from analytical modeling




Figure 1 — Recommended operational-to-analytics architecture

02

Roles, Authentication & Navigation


How access is established and how management governance differs from contributor execution.

User Roles

Role	Primary access	Authority / restriction
Admin / Academy Manager	Manager Dashboard; Programs; Team Members; Administration; all management workspaces	Can complete lifecycle stages 1-8, assign work to others, access all-team workload and administration.
User / Contributor	My Tasks / task workspace; permitted Program work; relevant schedule/documents; profile	Completes Position-owned work but cannot advance lifecycle stages, create Programs, reassign others' work, or change administrative configuration.

Authentication & Session Security

- Two first-run accounts are created automatically: admin (Academy Manager) and user (Program Coordinator).
- Temporary passwords are generated on first server start and must be replaced at first sign-in.
- Authentication uses an HttpOnly, SameSite=Lax session cookie with a 12-hour rolling timeout by default.
- CSRF tokens protect authenticated state-changing API requests.
- Login throttling is applied after repeated failures; logout invalidates the server session.
- Manager-only API actions are enforced server-side; a contributor cannot advance Program lifecycle stages through the API.



The image shows a sign-in interface for the Andalusia Academy Work Management System. It features a dark blue header and a light blue footer. The main content area is divided into two sections: a dark red left sidebar and a white right main area. The sidebar contains the Andalusia Academy logo, the title 'Work Management System', a description of secure access, and a note about account types. The main area has a 'SECURE ACCESS' header, a 'Sign in' title, instructions to use an Andalusia application account, input fields for 'Username' and 'Password', a 'Sign in' button, and a note about initial test credentials.



أكاديمية
أنطلسية
ANDALUSIA
ACADEMY

Work Management System

Secure access for Academy management and contributors. Your account determines the workspace, permissions, and lifecycle actions available to you.

Admin accounts receive Academy Manager controls. User accounts receive contributor access only.

SECURE ACCESS

Sign in

Use your Andalusia application account to continue.

Username

Password

Sign in

Initial test credentials are generated on the first server start. On the VPS, run **cat data/INITIAL_LOGIN.txt** inside the application directory.

Figure 2 — Revision 20.2 Sign In screen



أكاديمية
أنطلسية
ANDALUSIA
ACADEMY

Work Management System

Secure access for Academy management and contributors. Your account determines the workspace, permissions, and lifecycle actions available to you.

Admin accounts receive Academy Manager controls. User accounts receive contributor access only.

FIRST SIGN-IN

admin · Academy Manager

Set a new password

The temporary first-run password must be replaced before the workspace opens.

Temporary password

New password

Confirm new password

Change password & continue

Figure 3 — Revision 20.2 mandatory first-sign-in password change

Application Navigation




Figure 4 — Role-aware navigation map

03

Application UI Screen Catalogue

Every current navigable workspace, its operational purpose, data, actions, and Power BI relevance.

Screenshot note: Revision 20.2 preserves the Revision 20.1 UI. Revision 20.1 changed the Program Stage Flow component while preserving the surrounding Executive UI. The unchanged workspace screenshots below are the actual Revision 19.1 renders retained with the current package; Program Stage Flow and authentication are shown from the later revisions.

3.1 Manager Dashboard

Primary Role: Academy Manager

Executive command center for portfolio performance, strategic risks, decisions, and quick navigation.




Figure 5 — Manager Dashboard - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Program Completion; Task Performance; Team Utilization; Delivery This Month; Budget Utilization; Financial Health; Active/At Risk Programs; Overdue/Blocked Tasks; Team Members; Open Approvals.
Main actions	Open Programs, Tasks, Team, Schedule, Finance, reports, and manager controls.
Power BI opportunity	Executive Overview; target-vs-actual trend; risk concentration; portfolio forecasting; management exceptions.

3.2 Tasks / My Tasks

Primary Role: Manager; contributor view is role-restricted

Manager view scans the whole team and task exceptions; contributor access is constrained to owned work.




Figure 6 — Tasks / My Tasks - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Total team tasks; completed; in progress; overdue; blocked; due this week; workload by member; status distribution.
Main actions	Search/filter by team member, project, status, priority, due date; open task; create task (manager).
Power BI opportunity	Task performance, aging, SLA, backlog, overdue trend, workload and completion by Program/Stage/Position.

3.3 Weekly Planner

Primary Role: Both

Weekly task planning surface with current-week navigation and operational filtering.




Figure 7 — Weekly Planner - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Filtered weekly task count; task cards by day; task progress/status.
Main actions	Navigate week; filter project/status/priority; export weekly report.
Power BI opportunity	Weekly workload trend, completion by weekday, planned-vs-completed work, capacity pattern.

3.4 Monthly Planner

Primary Role: Both

Month-based planning view for task distribution and calendar review.




Figure 8 — Monthly Planner - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Tasks/events by date and month.
Main actions	Previous/current/next month; export monthly report.
Power BI opportunity	Monthly seasonality, due-date concentration, backlog movement.

3.5 Quarterly Planner

Primary Role: Both

Quarter-level view of work volume and progress across three months.




Figure 9 — Quarterly Planner - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Quarter tasks; completed; actual hours; completion rate.
Main actions	Navigate quarter; export quarterly report.
Power BI opportunity	Quarterly productivity, capacity, hours, completion trend and quarter-over-quarter comparison.

3.6 Programs

Primary Role: Academy Manager; permitted Program users

Portfolio management screen for status, stage, health/readiness and progress.




Figure 10 — Programs - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Total Programs; active; planned; completed; on hold; average readiness; Program stage/progress.
Main actions	Search; filter status/stage; create Program (manager); open Program Workspace.
Power BI opportunity	Program portfolio, stage distribution, aging, health trend, on-time completion, owner and risk analysis.

3.7 Program Workspace

Primary Role: Both; management controls are Admin-only

Single-Program operational workspace combining lifecycle, tasks, requirements, documents, team, budget, blockers and activity.




Figure 11 — Program Workspace - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Overall readiness; current stage; stage tasks; Program progress; budget snapshot; blockers; requirements; team.
Main actions	Inspect stage; open tasks/documents/activity; complete Position-owned work; manager completes lifecycle stage.
Power BI opportunity	Program drill-through combining stage history, task performance, delivery, Instructor, finance, blockers and decisions.

3.8 Instructors

Primary Role: Academy Manager

Instructor network directory for readiness, availability, expertise, load and Program linkage.




Figure 12 — Instructors - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Total instructors; assigned; available; ready; external; average Program load; readiness gaps.
Main actions	Search/filter; add Instructor; import Excel; load test instructors; open profile.
Power BI opportunity	Instructor utilization, specialty coverage, availability, regional coverage, Program load, readiness trend.

3.9 Instructor Profile

Primary Role: Academy Manager

Dedicated Instructor detail page across Programs, schedule, readiness and engagement history.




Figure 13 — Instructor Profile - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Linked Programs; sessions; engagement fees; feedback; readiness indicators.
Main actions	Open Program; inspect schedules, performance, documents/contracts.
Power BI opportunity	Instructor drill-through, session delivery, utilization, quality/readiness and Program contribution.

3.10 Operations

Primary Role: Position-based operational users; manager oversight

Parallel operational activities for instructor coordination, logistics, attendees and sponsorship work.




Figure 14 — Operations - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Activity count; completed; open follow-ups; average progress.
Main actions	Open operational lane, record follow-up/visit, update progress and evidence according to Position rules.
Power BI opportunity	Operational lane completion, follow-up aging, throughput, bottlenecks and responsibility analysis.

3.11 Finance

Primary Role: Finance roles; Academy Manager

Portfolio and Program financial performance, settlement status and closure evidence.




Figure 15 — Finance - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Total revenue; collections/sponsorship; total cost; net result; profit margin; open settlements; profitability by Program.
Main actions	Review Program finance records, settlement/closure status and evidence; open reports.
Power BI opportunity	Revenue/cost trends, profitability, budget variance, settlement aging, collections, receivables, Program financial health.

3.12 Schedule

Primary Role: Both

Delivery calendar for Academy sessions, instructor coverage and upcoming delivery.




Figure 16 — Schedule - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Sessions this week; scheduled; in progress; completed; cancelled; Instructor coverage.
Main actions	Navigate week; switch calendar/agenda; filter planned/today; open Program/session.
Power BI opportunity	Session delivery trend, Instructor/venue utilization, cancellation, schedule adherence, delivery hours.

3.13 Documents

Primary Role: Both subject to Program permissions

Program document register for traceable references and evidence.




Figure 17 — Documents - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Document metadata by Program, Stage and Type.
Main actions	Search/filter; add document; open reference.
Power BI opportunity	Documentation completeness, evidence coverage, missing-document compliance, aging.

3.14 Reports

Primary Role: Both within role scope

Operational report generation and export surface.




Figure 18 — Reports - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Weekly/monthly/quarterly/Program/management report fields and task details.
Main actions	Select report type/period/Program/status/priority; export PDF/Excel.
Power BI opportunity	Power BI can replace static analytical exports while keeping operational reports for workflow evidence.

3.15 History

Primary Role: Both within role scope

Completed/archived task history plus Program and system audit views.




Figure 19 — History - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Completed tasks; Program audit events; system audit events.
Main actions	Search and filter historical records.
Power BI opportunity	Event history, change analysis, stage transition history, completion trend, audit analytics.

3.16 Training

Primary Role: Both

Isolated Academy lifecycle training mode that does not alter live operational data.




Figure 20 — Training - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Eight-stage training flow and step status.
Main actions	Walk through lifecycle; restart training.
Power BI opportunity	Primarily enablement; training completion telemetry could be added later if required.

3.17 Team Members

Primary Role: Academy Manager only

All-team directory with workload, task performance and capacity.




Figure 21 — Team Members - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Total members; active; average utilization; overloaded; underloaded; on leave; tasks/open/overdue/completion/workload per member.
Main actions	Search/filter by workload/status; open member profile; create/assign task.
Power BI opportunity	Team capacity, utilization, overload risk, completion trend, Program participation and workload balancing.

3.18 Team Member Profile

Primary Role: Academy Manager only

Drill-through employee workload and assigned task view.




Figure 22 — Team Member Profile - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Active tasks; completed; on-time delivery; average progress; open/overdue/blocked workload.
Main actions	Filter assigned work by Program, Stage, Status, Priority, Due Date and Type; assign task.
Power BI opportunity	Employee workload and performance drill-through, task aging, Program mix, capacity and completion trend.

3.19 Administration

Primary Role: Academy Manager only

Configuration workspace for Position rules, workflow rules, master data, employee registry and system information.





Figure 23 — Administration - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Configuration and governance metadata rather than operational KPIs.
Main actions	Review/edit controlled rules and master data.
Power BI opportunity	Governance/audit metadata; generally not a KPI source except configuration quality and access audit use cases.

3.20 Profile

Primary Role: Both

Employee/account profile, Position information, default view and application theme preferences.



The screenshot shows the 'Profile' page in the Andalusia Academy Work Management system. The left sidebar contains navigation links: Manager Dashboard, My Tasks, Planner, Programs, Instructors, Operations, Finance, Schedule, Documents, Reports, History, Training, Administration, Theme (Midnight), and a user profile for Omar Al Saadi (Academy Manager). The main content area displays the user's profile information, including a profile picture (OA), name (Omar Al Saadi), and employee ID (AA-001 - Management). Below this, there are form fields for Full Name, Academy Email, Employee ID, Department, Job Title, Phone, Primary Position, Additional Positions, Default View, Application Theme, and Working Week. The 'Theme' section shows a selection of themes: Terracotta, Ocean, Forest, Plum, Midnight (selected), Sandstone, and Rose. The 'Default View' is set to 'Manager Dashboard'.

Figure 24 — Profile - actual desktop UI

Area	Current application / BI interpretation
Key data & KPIs	Identity, department, Position, contact and preference metadata.
Main actions	Update profile fields permitted by the account; select theme/default view; manage profile image.
Power BI opportunity	Employee dimension attributes and security mapping; preferences themselves are not core BI measures.

3.21 Program Lifecycle / programStageFlow

The current Program Stage Flow is a scoped lifecycle component introduced in Revision 20.1 and preserved in Revision 20.2. It separates the actual current stage from the stage selected for inspection, displays completed-stage count and overall readiness, and switches to a vertical timeline on phone/tablet portrait layouts.




Figure 25 — Current desktop Program Stage Flow

Component behavior	BI relevance
Eight stages with Completed, Current, Selected, Pending Approval,	Use the same eight-stage conformed dimension in Power BI. Do not collapse the lifecycle to generic phases.
Returned and Upcoming states; each stage carries progress and	
accessible state labels.	
Desktop/laptop/tablet landscape uses horizontal stepper; <=820 px	BI reports should use the same stage order for stage distribution, aging and bottleneck visuals.
uses vertical timeline.	
Overall readiness summarizes current Program stage progress; stage	Separate current stage, selected/reporting context, and historical stage events in the analytical model.
click inspects details without changing actual current stage.	

3.22 Account Security

Account Security is available from the fixed sidebar after sign-in. It shows the authenticated username/access role and allows the signed-in user to change their password. Position authority remains controlled by the authenticated account rather than a browser-editable Profile Position.



The screenshot displays the 'First Sign-In' interface of the Andalusia Academy system. On the left, a dark blue sidebar contains the academy's logo and the title 'Work Management System'. Below the title, it states: 'Secure access for Academy management and contributors. Your account determines the workspace, permissions, and lifecycle actions available to you.' A note at the bottom of the sidebar specifies: 'Admin accounts receive Academy Manager controls. User accounts receive contributor access only.'

The main content area is white and titled 'FIRST SIGN-IN'. It shows the user 'admin · Academy Manager'. The primary action is 'Set a new password', with a note: 'The temporary first-run password must be replaced before the workspace opens.' Below this, there are three input fields labeled 'Temporary password', 'New password', and 'Confirm new password'. A dark blue button at the bottom right is labeled 'Change password & continue'.

Figure 26 — Password-change experience used on first sign-in; the in-app Account Security control uses the same password-update model

3 23 Plan dashboard

Plan consolidates operational activities, visits and open follow-ups into In progress and Upcoming lanes. It supports day-to-day preparation and review across Programs.




Figure 33 - Plan dashboard with In progress and Upcoming work and Program and activity filters

Summary cards. In progress and Upcoming count matching work items. Overdue counts open dated items before today. Completed counts completed activities and visits. A visit and its open follow-up are separate planning items.

Work cards. Each card shows its kind, status, title, Program, activity, contact or owner detail, and date. Cards sort by date with undated items last. Open activity navigates to the operational activity; View visit opens the networking visit form.

Quick actions. Visit database opens Visits. Plan a visit opens the visit form and carries across the selected Program and activity. If no contact exists, the contact form opens first.

3 23 Plan behavior and status rules

Source	Plan behavior
Operational activity	Not Started maps to Upcoming; In Progress remains In progress. The displayed activity date is the Program start date, not a separately maintained activity due date.
Networking visit	Uses the visit status and date entered by the user: Upcoming, In Progress, Completed or Cancelled. Dates do not automatically change the visit status.
Operational visit history	Existing operational interactions are displayed as Completed visits and open in their original activity.
Open follow-up	Created as a derived planning item when a follow-up date exists, completion is false and the visit is not Cancelled. Due today or earlier maps to In progress; a future date maps to Upcoming.
Completed follow-up	Stops appearing as an open Plan item. It is not a separate entry in the Completed card.
Overdue	An additional flag for Upcoming or In Progress items whose date is before today. It overlaps the two open lanes; it is not a third exclusive status.

Search and filters

Search matches planning titles, displayed contact or owner details, activity and Program name. Program, activity and search conditions apply together. Clear filters restores the complete view. Empty lanes show a clear no-results message.

Operational boundaries

Plan is a view of existing operational and networking records. It does not create a separate planning database or include personal tasks from the task Planner. Networking follow-ups do not create workflow assignments and do not satisfy operational evidence or stage-completion requirements. Operational follow-ups retain their existing workflow behavior.

BI interpretation

Use separate measures for activities, visits and follow-ups, then a clearly labelled combined work-item count. Retain source type and record keys so a visit and its follow-up cannot be mistaken for duplicate visits. Refresh the date comparison consistently using the approved business timezone.

3 24 Visits networking database

Visits stores interactions and their next steps alongside reusable contact people. Users can review relationships across Programs or maintain general networking visits without a Program.

Andalusia Academy
WORK MANAGEMENT

Search tasks, programs, documents... Terracotta Today's Tasks Add Task

NETWORK & RELATIONSHIPS

Visits
Your contact directory, visit history, outcomes and next steps.

SEARCH NETWORK: Contact, organization, purpose or outcome
PROGRAM: All programs
ACTIVITY: All activities
Clear filters

Summary cards:
 Contacts: 2 (Reusable network contacts)
 Visits: 2 (Including operational history)
 Upcoming: 1 (Planned visits)
 Open follow-ups: 2 (Awaiting follow-up)

Visit records | Contact directory

2 visits - Operational records open in their original activity.

Date / status	Contact person	Program / activity	Visit details	Follow-up	Actions
2026-09-20 10:00 Upcoming	Mona Hassan Example Healthcare Group	Clinical Leadership Instructors	Discuss clinical training partnership Online Meeting - Online Demonstration visit.	2026-09-22 Open Send proposed instructor profiles	Edit visit
2026-09-10 11:00 Completed	Omar Ali Example Training Partner	Clinical Leadership Sponsorships	Review sponsorship opportunities Phone Call Partner requested a program proposal	2026-09-14 Open Share the proposal and agree next steps	Edit visit

Theme: Terracotta

Review Manager
Academy Manager

Hide Sidebar

Figure 34 - Visits database with visit records, outcomes and open follow-ups

Visit records. The table displays date and time, status, contact person and organization, Program and activity, purpose, visit type, location, outcome, notes, follow-up and available action. Records sort from newest visit date to oldest.

Actions. Add contact creates a person. Add visit schedules or records an interaction. Edit visit changes a networking record. Open activity returns an existing operational interaction to its original workflow.

Summary cards. Contacts counts the matching reusable directory records. Visits counts visible visit records including operational history. Upcoming counts visible visits with that status. Open follow-ups counts dated, unfinished follow-ups on visits that are not Cancelled.

History. Selecting History in the contact directory restricts visit records to that contact and shows contact details above the table. Show all contacts' visits removes that selection.

3 24 Contact directory

Andalusia Academy
WORK MANAGEMENT

Search tasks, programs, documents... Terracotta Today's Tasks Add Task

NETWORK & RELATIONSHIPS

Visits
Your contact directory, visit history, outcomes and next steps.

SEARCH NETWORK **PROGRAM** **ACTIVITY**

Contact, organization, purpose or outcome All programs All activities Clear filters

Contacts **Visits** **Upcoming** **Open follow-ups**

2 Reusable network contacts 2 Including operational history 1 Planned visits 2 Awaiting follow-up

Visit records Contact directory

2 contacts · Program and activity filters use linked visits.

Contact person	Organization / role	Contact details	Visits	Actions
Mona Hassan Demonstration contact for the networking screen.	Example Healthcare Group Learning and Development Manager	mona@example.com +20 100 000 0000	1	History Edit Add visit
Omar Ali Demonstration contact.	Example Training Partner Partnerships Coordinator	omar@example.com	1	History Edit Add visit

Theme Terracotta

Review Manager Academy Manager

Hide Sidebar

Figure 35 - Contact directory with contact details, visit counts and history actions

Reusable identity. A contact has a stable ID and can be linked to multiple visits across Programs and activities. Editing contact details updates their display on linked visits without creating a new person.

Directory actions. History shows that person's visit records. Edit opens the contact form. Add visit opens the visit form with the person already selected. The directory visit-count column shows the person's total linked visits, even when Program or activity filters narrow the directory.

Filtering. Program and activity filters select contacts through their linked visits. Contacts without visits appear when these filters are cleared. Directory search matches name, organization, role, email, phone and notes.

Current scope. Contact deletion, merging duplicates, bulk import and automatic deduplication are not implemented in this addition. Operational visit targets are not automatically converted into reusable contacts.

3 24 Contact form

Andalusia Academy
HR & MANAGEMENT

Manager Dashboard
My Tools
Plan
Goals
Position
Programs
Instructions
Operations
Position
Schedule
Documents
Reports
History
Training
Admin Manager
HR Manager
HR Manager

NETWORK & RELATIONSHIPS

Visits
Your contact directory, visit history, outcomes and next steps.

SEARCH NETWORK
Contact, organization, position or outcome

Contacts
2
Reusable network contacts

Visits
2
Including operational history

Visit records | Contact directory

2 contacts - Program and activity filters use linked visits.

Contact person	Organization / role
Mona Hassan Demonstration contact for the networking screen	Example Healthcare Group Learning and Development Manager
Omar Ali Demonstration contact	Example Training Partner Networking Coordinator

Edit contact

CONTACT PERSON *
Mona Hassan

ORGANIZATION
Example Healthcare Group

ROLE / JOB TITLE
Learning and Development Manager

EMAIL
mona@example.com

PHONE
+20 100 000 0000

RELATIONSHIP NOTES
Demonstration contact for the networking screen.

Save contact Cancel

Figure 36 - Contact form for creating or editing a reusable contact person

Field	Requirement and behavior
Contact name	Required. Up to 200 characters; whitespace is trimmed.
Organization and role	Optional. Up to 200 characters each.
Email and phone	Optional. Email uses the email input validation and a 254-character limit; phone allows up to 60 characters.
Notes	Optional relationship context, up to 4,000 characters.
Save contact	Creates a stable ID and creation timestamp for a new person, or updates the existing record and update timestamp.
Cancel or close	Closes the form without saving the entered changes.

3 24 Visit form and follow ups

Figure 37 - Visit form with Program, activity, status, purpose, outcome and follow-up controls

Required inputs. Select an existing contact and an activity, then enter visit date and purpose. Program is optional and defaults to General networking. If selected, the Program must still exist.

Visit details. Time, location or meeting reference and additional notes are optional. Status is Upcoming, In Progress, Completed or Cancelled. Visit type is Physical Location, Online Meeting, Phone Call, Event or Email. A Completed visit requires an outcome.

Follow-up. Enter an optional follow-up date and next steps. The follow-up date must be on or after the visit date. Mark Follow-up completed when the action is finished. A Completed visit can still have an open follow-up; Cancelled visits are excluded from open follow-up counts.

Save. Valid records refresh Plan and Visits and are persisted with the application store. Missing required inputs or invalid date relationships keep the form open for correction. Updating a visit retains its ID.

3 25 Program and activity filters

Program and activity filtering is available in both new tabs. Selections narrow the displayed data and the associated summaries; users do not need separate databases for each Program.

Control or context	Expected behavior
Program	All programs removes the Program restriction. Selecting a Program filters by its stable ID.
Activity	All activities removes the activity restriction. Options include standard activities and available activity names from the selected Program and recorded visits.
Combined selection	Program AND activity AND search must all match. A matching activity under another Program is excluded.
Change Program	Rebuilds the available activity options. A selected activity is retained only while it is still an available option.
General networking	Visits without a Program appear under All programs and can still be filtered by activity.
Contact history	Further restricts the visible visit records to one contact. Clear filters also clears the selected contact history.
Clear filters	Removes text, Program and activity restrictions and refreshes the active tab.
Empty results	Shows an explicit no-results message and provides the existing clear-filter and add-record actions.

Search and count differences

Visit search matches contact name, organization, email, phone, purpose, outcome, location, notes, activity and Program name. Directory search includes the contact's role and notes. The Contacts card follows the directory filter logic; selecting one person's History does not change it into a count of the selected person. The application-wide search is separate and does not include networking contacts or visits.

Example

Selecting Clinical Leadership and Instructors returns only instructor-related items for that Program. A Sponsorships visit in the same Program is excluded. Changing to All activities restores it. A contact linked only to another Program is excluded from the filtered directory.

04

Program Lifecycle & Governance

The eight-stage operational model, handoff authority, blockers, and Commercial route behavior.

Eight-Stage Academy Lifecycle




Figure 27 — Eight implemented Academy lifecycle stages

Stage	Governance summary
1. Request & Greenlight	Contributors prepare a valid request; Academy Manager approves/returns Greenlight and closes Stage 1.
2. Curriculum	Curriculum is drafted, QA'd and locked; Academy Manager finalizes Stage 2.
3. Instructor Setup	Instructor selection, engagement, contract and onboarding evidence are completed; Academy Manager finalizes Stage 3.
4. Launch, Commercial, Operations & Finance	Launch inputs, Commercial routes, Operations lanes and Finance controls run; Academy Manager records required decisions and finalizes the Stage 4 handoff.

Stage	Governance summary
5. Readiness, Delivery & Assessment	Readiness, session delivery, incidents, assessment and certification evidence are completed; Academy Manager finalizes Stage 5.
6. Graduate Outcomes	Eligible graduates/outcomes evidence or N/A basis is recorded; Academy Manager finalizes the stage.
7. Reporting & Improvement	Performance report, feedback and improvement actions are completed; Academy Manager opens Final Closure.
8. Final Closure	Academy Manager alone performs final Program closure.

Stage Completion UX & Audit Requirements

- Each stage must expose requirements, progress, missing items, blockers, ownership, readiness, completion action and next-stage information.
- When completion is unavailable, exact blockers are shown rather than relying on a disabled button alone.
- On successful completion the status, lifecycle, audit trail and next-stage work update immediately, with duplicate actions prevented.
- The Manager Control is visible only to the Academy Manager; contributors may complete their own deliverables but cannot perform the final lifecycle handoff.

Commercial Stage - B2C / B2B / Mixed

Section 4B contains explicit Commercial Completion Readiness. B2C, B2B and Mixed routes validate their relevant requirements and expose exact blockers. Valid completion activates the next operational work idempotently, so repeated completion does not create duplicate assignments.

BI opportunity

Model Commercial Type as a conformed dimension and analyze route-level cycle time, readiness, revenue, conversion and completion performance.

05

Operational Data & Analytical Model

What the application stores today and how the BI team should reshape it for analysis.

Current Operational Persistence

The Python server persists operational state in SQLite while storing flexible JSON payloads in key entity tables. The package also supports JSON store compatibility and Excel import/export. This is appropriate for the prototype but should not be copied directly into the Power BI semantic model.

Current table / source	Purpose / indexed fields
profile	Single local operational profile record in legacy store compatibility.
tasks	Task ID, status, due date, Program ID, assignment ID + JSON data payload.
programs	Program ID, status, start/end dates + JSON data payload.
assignments	Assignment ID, Program ID, owner Position, status, due date, kind + JSON data.
notifications	Target Position, read state, created time + JSON data.
audit	Program ID, timestamp + JSON event payload.
documents	Program ID, Stage, Document Type, created time + JSON data.
accounts	Username, role, display name, Position, password hash/salt, profile JSON, password-change flag.
config	Key/value JSON configuration.
Excel / CSV	Task and Instructor import/export plus report/export workflows.

Core Business Entities

Entity	Current / visible attributes relevant to BI
Program	ID, name, status, eight lifecycle stages, stage progress, owner/Position, dates, route/region, budget, finance, requirements, blockers, audit.
Program Stage	Program, stage name/order, status, progress, readiness/checks, stage ownership, completion/audit timestamps where captured.
Task / Assignment	Title/action, Program, Stage, owner Position, status, priority, due date, progress, kind/type, completion.

Power BI and Business Intelligence Handover

Entity	Current / visible attributes relevant to BI
Employee / Team Member	Name, Position, department, email/phone where configured, workload derived from owned tasks, completion/overdue metrics.
Instructor	Name, email, phone, specialty, level, source, work schedule, availability, region, notes, Program/session links.
Session	Program, date/time, Instructor, region/venue where recorded, session/status details.
Finance	Program revenue, actual cost, sponsorship/collections, budget, settlement and closure status/evidence.
Document	Program, Stage, Document Type, created date, metadata/reference.
Audit Event	Program/system action, timestamp, user/Position context and event payload.
Account	Username, role, authoritative Position, account-specific profile and access state.

05 Networking data additions

The networking extension is persisted under masterData.networking in the application configuration and JSON store. It contains contacts and visits arrays. Existing operational interactions remain inside each Program's activity records.

Entity and grain	Stored fields
Contact One row per contact ID	id; name; organization; role; email; phone; notes; createdAt; updatedAt when edited.
Networking visit One row per visit ID	id; contactId; programId or blank; activity; date; time; status; type; location; objective; outcome; notes; followUp; followUpNotes; followUpCompleted; createdAt; createdBy; updatedAt when edited.
Operational interaction One row per source visit in a Program activity	Existing visit fields including ID, target, date, type, objective, outcome, evidence and follow-up fields. Program and activity context come from the containing record.
Plan item One derived row per activity, visit or open follow-up	Source kind and key; Program; activity; title; detail; effective status; display date. This is a derived view, not a stored Plan table.

Relationships

A contact has many networking visits through contactId. A Program has many linked networking visits through programId, while General networking visits have no Program. Operational interactions may have a free-text target without contactId; retain them as unmatched contacts until an explicit mapping is approved.

Data quality and privacy

Validate unique contact and visit IDs, existing contact references, valid optional Program references, permitted statuses, required purpose/date/activity, outcomes for completed visits and valid follow-up dates. Do not infer a unique person from name alone. Limit contact email, phone and free-text notes to approved BI audiences.

05 Networking analytical model

Model object	Grain and relationship rule
DimContact	One row per contact ID. Link to networking visits. Use an explicit unknown/unmatched member for operational targets without a mapped contact.
DimProgram and DimActivity	Reuse the Program dimension. Create a controlled activity mapping; retain raw activity labels. Use an explicit General networking member for blank Program links.
FactVisits	One row per source visit. Use a composite key including source type, Program/activity context where needed, and source ID to avoid ID collisions.
FactFollowUps	At most one current follow-up per source visit in this implementation. Store follow-up date, completed flag and source visit key; exclude Cancelled visits from the open measure.
FactPlanItems or analytical view	Union activity rows, visit rows and open follow-up rows with distinct item-type keys. Report type-specific totals alongside any combined count.
DimDate	Use visit date for visits and follow-up date for follow-up measures. Use role-playing date relationships or explicit measure logic to avoid ambiguous date slicing.
History snapshots	Add dated snapshots or change events for time-series status, overdue trends and changing contact attributes. Current-state arrays alone do not provide full history.

Refresh and reconciliation

Extract contacts and visits from the JSON configuration, flatten operational activity visits separately, then apply a shared Program and activity mapping. Preserve source type throughout transformation. Reconcile visit counts before adding follow-up rows, then validate each KPI against the application using the same filters and reference date.

Availability limits

Networking follow-ups have a completed flag but no dedicated completion timestamp. Do not publish on-time follow-up completion, historical conversion or interaction-to-revenue attribution as measured facts without adding the required event dates and business links. Do not include password hashes, salts or session secrets in the BI model.

06 KPI Framework

Each measure must declare its population, filter context, time basis and source. Current application cards are snapshots. Historical trends require dated facts, snapshots or reliable event timestamps.

Measure	Calculation and interpretation
Plan In progress	Count filtered Plan rows whose effective status is In Progress, including activities, visits and open follow-ups due today or earlier.
Plan Upcoming	Count filtered Plan rows whose effective status is Upcoming. Includes Not Started activities, Upcoming visits and future open follow-ups.
Plan Overdue	Count filtered open Plan rows with a nonblank display date before the reference date. This is a subset of In progress plus Upcoming; do not add it to those totals.
Plan Completed	Count filtered completed activities and visits. Completed follow-ups are not retained as separate completed Plan rows.
Directory contacts	Distinct stored contact IDs matching directory search and linked-visit Program/activity scope. Unvisited contacts are included only when Program/activity restrictions are cleared.
Visible visits	Count filtered networking and operational visit rows, after any selected contact-history restriction. Follow-up rows do not increase this measure.
Upcoming visits	Count visible visits with status Upcoming. Do not substitute a future-date test for the explicit status.
Open follow-ups	Count visible visits with a follow-up date, completed flag false and status other than Cancelled.
Overdue follow-ups	Proposed BI measure: open follow-ups with a due date before the agreed reference date.
Contacts with visits	Proposed BI measure: distinct contact IDs on filtered networking visits. Exclude unmatched operational targets unless mapped.

Reference date

Approve the reporting timezone and date boundary with the Academy. The local UI uses its current application date. A BI refresh must record its as-of date and apply it consistently, especially for follow-ups due today and overdue comparisons.

06 Portfolio KPI definitions and safeguards

KPI family	Definition or prerequisite
Program completion	Average Program progress across the selected portfolio. Preserve the eight-stage model and agree whether the business wants equal stage weights or another approved weighting.
Task completion	Completed task count divided by total tasks in the defined population. Do not double-count assignments and their mirrored personal tasks.
Team utilization	The local dashboard uses a workload proxy based on open work. A time-capacity utilization KPI requires available hours and assigned/planned hours; label the proxy clearly.
Delivery this month	Count sessions scheduled in the selected month. Delivered sessions must use completion status and a separately labelled measure.
Budget utilization	Actual cost divided by budget for the defined Program population. Return blank or a clearly stated exception when budget is zero.
Net result and margin	Local financial basis: revenue plus sponsorship minus cost. Margin divides net result by revenue plus sponsorship. Verify that sponsorship is not already included in revenue before loading consolidated financial facts.
Stage aging and SLA	Require stage entry/exit dates and an approved SLA calendar. Current progress or selected stage cannot substitute for elapsed duration.
On-time completion	Requires original or governed due dates and completion timestamps. A current overdue count does not prove historical on-time performance.
Targets and comparisons	Business owners must approve targets, denominators, period filters and exclusions. Fixed dashboard benchmarks are not evidence of approved targets or historical performance.

Measure acceptance

Check empty populations, zero denominators, missing dates, Cancelled visits, unlinked contacts and Programs, completed visits with open follow-ups, and overlapping overdue counts. Compare Program-only, activity-only and combined-filter totals. Display the refresh timestamp and explain any unavailable measure instead of estimating unsupported results.

07

Power BI Requirements & Dashboard

Pages

Recommended analytical experiences that extend the operational application.

Recommended Power BI Pages

Power BI page	Purpose
Executive Overview	Active Programs, completion, risk, task performance, team utilization, delivery, budget and financial health with trend/variance.
Program Portfolio	Program status/stage/owner/health/progress, stage distribution, aging and completion forecast.
Lifecycle Performance	Programs by stage, average stage duration, bottlenecks, readiness, SLA and rework.
Task Performance	Open/completed/overdue/blocked, aging, completion time, performance by Program/Stage/Position.
Team Capacity	Workload, utilization, capacity, overdue tasks, completion rate, Program assignments.
Instructor Analytics	Availability, specialty, Program assignment, sessions, utilization, readiness and regional coverage.
Delivery & Schedule	Scheduled vs delivered sessions, hours, Instructor/venue utilization, cancellations and conflicts.
Finance	Revenue, cost, budget, variance, margin, collections, receivables and Program profitability.
Program Detail	Drill-through: lifecycle, stage history, tasks, blockers, Instructor, schedule, finance and audit.
Employee Detail	Drill-through: workload, Programs, tasks, on-time delivery, overdue and completion trend.
Instructor Detail	Drill-through: availability, Programs, sessions, utilization and readiness.



Figure 29 — Illustrative Andalusia-themed Power BI Executive Overview

Management Questions the BI Layer Must Answer

• How many Programs are active, at risk, delayed, or ready for management handoff? • Where are Programs stuck in the lifecycle, and which stages take the longest? • What blockers recur most often, and which Positions/Programs are affected? • What percentage of tasks are completed on time, and how is overdue work trending? • Which employees are overloaded or have available capacity? • Which Instructors are available, highly utilized, or missing readiness requirements? • Are scheduled sessions being delivered according to plan? • Which Programs are exceeding budget or underperforming financially? • What are collection, settlement and receivable positions over time? • What are the major operational risks this month and how are they changing?

Andalusia Academy Power BI Theme

Role	Color	Use
Deep Navy	#17364F / #10283B	Report titles, structural anchors, navigation and fact-table emphasis.
Terracotta	#8F4F3B	Principal accent, selections, key headings and important KPI emphasis.
Terracotta Light	#F3E4DF	Selected/background accent and callouts.
Warm Off-White	#FFF9F6	Report page background and screenshot/card surfaces.
Sand	#E8D7C9	Borders, dividers, alternate rows and neutral structure.
Green	Semantic	Completed / healthy / positive.
Amber	Semantic	Warning / attention / at risk.
Red	Semantic	Blocked / critical / overdue / negative.
Muted Blue	Semantic	Informational / in progress / planned.

Revision 19.1 — All Seven Themes · Actual Dashboard




Figure 30 — Seven operational application themes; the BI report should use one consistent master theme

07 Planning and networking BI requirements

BI page	Required analytical experience
Plan and Activity Overview	Separate In progress, Upcoming, Overdue and Completed cards; activity/visit/follow-up breakdown; dated work list; Program and activity slicers; open-item aging where a valid date exists.
Visits and Networking	Visit status and type, Program/activity mix, recent interactions, upcoming visits, open/overdue follow-ups, contact and organization coverage.
Contact Detail	Contact profile within authorized scope; chronological visit history; linked Programs and activities; outcomes; next steps and unresolved follow-ups.
Operations Performance	Retain the original operational lane metrics. Clearly distinguish operational evidence visits from standalone networking visits.
Data Quality	Missing or invalid references, duplicate candidates, missing completed-visit outcomes, unavailable dates, unmapped activity labels and unmatched operational targets.

Interactions and filtering

Provide Program, activity, visit type, visit status and relevant date slicers. Contact and organization selections should filter networking facts through approved relationships. Support drill-through from a Program or contact into its visit records and follow-ups, with clear reset-filter controls and an as-of date.

Security and delivery

Apply the approved account and organizational scope to datasets and exports. Confirm whether contact details and notes belong in executive reports. Verify the new networking endpoints against the authentication-enabled target release before treating them as a secured production source.

Acceptance checks

Reconcile app and BI counts for the same Program/activity/search scope and reference date; test a General networking visit; a contact with no visits; a Completed visit with an open follow-up; and a Cancelled visit with a follow-up date. Confirm that visit totals are unchanged when the model adds follow-up facts and that operational history is counted once.

A

Appendix - Mobile & Responsive UI References

Representative responsive renders retained from the current Executive UI lineage.




Figure 31 — Core mobile workspace review - Dashboard, Programs, Workspace, Tasks, Team and Team Member Profile





Figure 32 — Program Stage Flow vertical timeline on mobile

The application is responsive across tested widths including 390, 430, 768, 1024, 1366, 1440 and 1920 px. Dense calendars/tables may scroll internally, but root-page horizontal overflow is intentionally avoided. Touch controls are designed to remain usable on phone/tablet layouts.

A Plan and Visits mobile screens



Figures 38 and 39 - Plan and Visits at a 390-pixel mobile viewport, using demonstration records

Plan stacks the summary cards and planning lanes. Visits retains the contact and visit controls with an internally scrollable records table. Program and activity filters remain available. These additions were captured at 1440-pixel desktop and 390-pixel mobile widths.

B

Appendix - UI-to-BI Mapping

Traceability from every operational screen to the recommended analytical layer.

Application Screen	Current KPI / Data	Power BI Dataset	Recommended BI Page	Priority
Sign In / Account Security	Role/account metadata	Security mapping / RLS	Security governance	Governance
Manager Dashboard	Portfolio, tasks, team, delivery, budget, finance	Programs + Stages + Tasks + Team + Sessions + Finance	Executive Overview	Critical
Tasks / My Tasks	Task status, priority, due, owner, progress	FactTasks	Task Performance	Critical
Weekly Planner	Weekly task schedule	FactTasks + DimDate	Task Performance / Capacity	Medium
Monthly Planner	Monthly task calendar	FactTasks + DimDate	Task Trend	Medium
Quarterly Planner	Quarter tasks, hours, completion	FactTasks + DimDate	Quarterly Performance	Medium
Programs	Status, stage, progress, readiness	FactPrograms + FactProgramStages	Program Portfolio	Critical
Program Workspace	Stage, tasks, blockers, team, budget, requirements	Multiple facts + Program/Stage dimensions	Program Detail	Critical
Program Stage Flow	Stage order, status, progress, readiness	FactProgramStages	Lifecycle Performance	Critical
Instructors	Availability, specialty, readiness, load	Instructor + assignments + sessions	Instructor Analytics	High
Instructor Profile	Programs, sessions, engagement, readiness	Instructor + sessions + finance linkage	Instructor Detail	High
Operations	Operational lanes, progress, follow-ups	Operational activity fact (future/derived)	Operations Performance	High
Finance	Revenue, collections, cost, net, settlements	FactFinance	Finance	Critical
Schedule	Sessions, Instructor, status, dates	FactSessions	Delivery & Schedule	High
Documents	Program/Stage document metadata	Document metadata / compliance fact	Program Detail / Compliance	Medium
Reports	Operational report selections and exports	Consumes multiple facts	Power BI report suite	High
History	Completed tasks and audit	FactTasks + Audit/Event fact	Lifecycle / Audit	High
Training	Lifecycle learning state	Optional training telemetry	Training Adoption (optional)	Low
Team Members	Utilization, workload, task counts	FactTasks + DimEmployee	Team Capacity	High
Team Member Profile	Assigned work and performance	FactTasks + DimEmployee	Employee Detail	High
Administration	Rules and master data	Dimensions / governance metadata	Data Quality / Governance	Medium
Profile	Employee/Position/Department	DimEmployee / security mapping	RLS / Employee Detail	High

B Additional UI to BI mapping

Application screen	Data and model	BI destination
Plan dashboard	Derived activity, visit and follow-up rows; Program, activity and date dimensions	Plan and Activity Overview
Visits records	FactVisits, FactFollowUps, DimContact, DimProgram, DimActivity and visit/follow-up date roles	Visits and Networking
Contact directory	DimContact and linked visits; organization and relationship role attributes	Networking coverage and Contact Detail
Contact form	Contact identity and current attributes; created/updated metadata where present	Contact data quality
Visit form	Visit status, purpose, outcome, type, dates, follow-up fields and Program/activity context	Visit performance and follow-up exceptions
Contact history	Selected contact and linked chronological interactions	Contact Detail drill-through
Program and activity filters	Shared conformed dimensions and explicit AND logic	All planning and networking analytical pages

Release verification checklist

- Create and edit a contact; confirm linked visits display the updated contact details.
- Save an Upcoming visit; complete it only after entering an outcome; verify follow-up date validation.
- Complete a follow-up and confirm it leaves the open Plan lanes and open follow-up count.
- Apply Program and activity filters together; clear filters; verify empty states and contact-history reset.
- Reload the application and restore a JSON backup in a test environment; confirm contacts and visits remain linked.
- Verify desktop and mobile navigation, form access and internal table scrolling.
- Verify authentication and authorization in the exact target release, then reconcile BI measures against that release.