EDF Report

- System hyper-period = 100 ms
- CPU load

From simulation the execution time of the tasks using GPIOs is:

Button monitor tasks = 17us Periodic transmitter = 17us UART receiver = 15us

Calculated CPU load =
$$\frac{17us}{50} + \frac{17us}{50} + \frac{17us}{100} + \frac{15us}{20} + \frac{5}{10} + \frac{12}{100} = 62\%$$


• Check system schedulability using URM

$$U = \sum_{i=1}^{n} \frac{C_i}{P_i} \le n(2^{\frac{1}{n}} - 1)$$

$$n\left(2^{\frac{1}{n}} - 1\right) = 0.735$$


So, U = 0.62 < 0.735, the system is schedulable.

Execution of all tasks using Keil simulator in run-time



• CPU usage time using timer 1 and trace macros

Simulated CPU load = 63%, and it's almost equal to the calculated CPU load value (62%)




• Using Simso offline simulator

1. Tasks


id	Name	Task type	Abort on miss	Act. Date (ms)	Period (ms)	List of Act. dates (ms)	Deadline (ms)	WCET (ms)	Followed by
1	TASK T1	Periodic 🔻	□ No	0	50	-	50	0.017	•
2	TASK T2	Periodic 🔻	□ No	0	50	-	50	0.017	_
3	TASK T3	Periodic 🔻	□ No	0	100	-	100	0.017	-
4	TASK T4	Periodic 🔻	□ No	0	20	-	20	0.015	-
5	TASK T5	Periodic 🔻	□ No	0	10	-	10	5	-
6	TASK T6	Periodic ▼	✓ Yes	0	100	-	100	12	•

2. Grantt



Comment: there is no task miss its deadline, so the system is schedulable

3. Results



Comment: The CPU load is almost the same as the calculated and the measured from the Kiel using trace hooks.