

WalletTrackers Requirements Specification

WalletTrackers Requirements Specification

Document version: 1.0
Date: 2026-05-02
Project: WalletTrackers

Each requirement has a unique ID. Status values are based on the current source code review.

Requirement ID Format

- * AUTH-*: Authentication and user session.
- * ONB-*: Onboarding.
- * ACC-*: Account management.
- * REC-*: Transaction records.
- * SMS-*: SMS automation.
- * AI-*: AI classification.
- * CC-*: Credit card statements and payments.
- * BILL-*: Monthly bills and recurring detection.
- * BUD-*: Budgets.
- * STAT-*: Statistics.
- * GOAL-*: Savings goals.
- * DEBT-*: Debts.
- * TRF-*: Transfers.
- * CAT-*: Categories and rules.
- * CUR-*: Currency conversion.
- * SEC-*: Security and privacy.
- * NOTIF-*: Notifications and reminders.
- * DATA-*: Data persistence and sync.
- * NFR-*: Non-functional requirements.

Functional Requirements

ID	Priority	Requirement	Status
AUTH-001	Must	The app shall allow users to sign in with Google.	Implemented
AUTH-002	Must	The app shall allow users to sign in with Facebook.	Implemented
AUTH-003	Must	The app shall allow users to sign in with email and password.	Implemented
AUTH-004	Must	The app shall allow users to create an account with email and password.	Implemented
AUTH-005	Must	The app shall route signed-in first-time users to onboarding.	Implemented
AUTH-006	Must	The app shall route returning signed-in users to the home screen.	Implemented
AUTH-007	Should	The app shall allow users to sign out.	Implemented
AUTH-008	Should	The app shall allow users to delete their account data.	Implemented
ONB-001	Must	The app shall provide a first-run onboarding flow for new users.	Implemented
ONB-002	Should	The onboarding flow shall support account discovery from SMS data.	Implemented
ACC-001	Must	The app shall allow users to create financial accounts.	Implemented
ACC-002	Must	The app shall allow users to update financial accounts.	Implemented
ACC-003	Must	The app shall allow users to delete financial accounts.	Implemented

WalletTrackers Requirements Specification

ACC-004 | Should | The app shall allow users to archive and unarchive accounts. | Implemented

ACC-005 | Must | The app shall store account name, type, last digits, balance, currency, and user ownership. | Implemented

ACC-006 | Should | The app shall support credit card account metadata including credit limit and billing day. | Implemented

REC-001 | Must | The app shall allow users to manually add income and expense records. | Implemented

REC-002 | Must | The app shall allow users to edit existing records. | Implemented

REC-003 | Must | The app shall allow users to delete existing records. | Implemented

REC-004 | Must | The app shall update account balances when records are added. | Implemented

REC-005 | Must | The app shall adjust account balances when records are edited. | Implemented

REC-006 | Must | The app shall restore account balances when records are deleted. | Implemented

REC-007 | Should | The app shall preserve imported SMS transaction timestamps. | Implemented

REC-008 | Should | The app shall export records to CSV format. | Implemented

REC-009 | Must | The app shall list all records for review and management. | Implemented

CAT-001 | Must | The app shall provide parent categories and subcategories for records. | Implemented

CAT-002 | Should | The app shall allow selecting a category while adding or editing a record. | Implemented

CAT-003 | Should | The app shall allow users to save merchant category rules. | Implemented

CAT-004 | Should | Saved category rules shall resync matching historical records. | Implemented

CAT-005 | Should | The app shall allow deletion of category rules. | Implemented

SMS-001 | Must | The app shall request RECEIVE_SMS permission. | Implemented

SMS-002 | Must | The app shall request READ_SMS permission. | Implemented

SMS-003 | Must | The app shall receive incoming SMS messages using a broadcast receiver. | Implemented

SMS-004 | Must | The app shall ignore duplicate SMS messages already saved as records or statements. | Implemented

SMS-005 | Must | The app shall ignore declined transaction SMS messages. | Implemented

SMS-006 | Should | The app shall ignore promotional SMS messages that are not financial transactions. | Implemented

SMS-007 | Must | The app shall extract amount, transaction type, card/account digits, category, and comment from bank SMS. | Implemented

SMS-008 | Must | The app shall match SMS transactions to accounts by last digits where possible. | Implemented

SMS-009 | Should | The app shall extract balance-after values from SMS when present. | Implemented

SMS-010 | Should | The app shall support manual SMS review/import. | Implemented

AI-001 | Must | The app shall use Gemini to classify SMS categories when rule-based parsing is insufficient. | Implemented

AI-002 | Must | The app shall parse AI responses into structured transaction data. | Implemented

AI-003 | Should | The app shall fall back to keyword parsing when AI analysis fails. | Implemented

CC-001 | Must | The app shall detect credit card statement SMS messages. | Implemented

CC-002 | Must | The app shall store detected credit card statements. | Implemented

WalletTrackers Requirements Specification

CC-003 | Must | The app shall detect credit card payments. | Implemented

CC-004 | Must | The app shall support linking debit-side and credit-side SMS messages for the same card payment. | Implemented

CC-005 | Must | The app shall update debit and credit account balances for credit card payments when accounts are known. | Implemented

CC-006 | Should | The app shall mark matching unpaid statements as paid after payment. | Implemented

CC-007 | Should | The app shall allow users to pay a credit statement from a selected debit account. | Implemented

BILL-001 | Must | The Monthly Bills screen shall show detected paid subscriptions from the last month. | Implemented

BILL-002 | Must | The Monthly Bills screen shall detect non-subscription recurring payments with the same amount, day, and currency over the last two months. | Implemented

BILL-003 | Must | Recurring detection shall exclude transfers, credit payments, credit records, Instapay income, and Instapay outcome. | Implemented

BILL-004 | Must | Users shall be able to confirm a detected subscription or recurring payment as a bill. | Implemented

BILL-005 | Must | Users shall be able to dismiss a detected subscription or recurring payment suggestion. | Implemented

BILL-006 | Should | Confirmed bills shall schedule bill reminders. | Implemented

BILL-007 | Should | Users shall be able to manually add a monthly bill. | Implemented

BILL-008 | Should | The Monthly Bills tab shall use a GUI consistent with the app color palette. | Implemented

BUD-001 | Must | The app shall allow users to create budgets. | Implemented

BUD-002 | Must | The app shall allow users to update budgets. | Implemented

BUD-003 | Must | The app shall allow users to delete budgets. | Implemented

BUD-004 | Should | The app shall calculate current-month spend for budget categories. | Implemented

BUD-005 | Should | The app shall notify users when spending reaches at least 80 percent of a budget. | Implemented

STAT-001 | Must | The app shall show financial statistics based on records. | Implemented

STAT-002 | Should | The app shall calculate monthly total expense. | Implemented

STAT-003 | Should | The app shall calculate the top spending category for the current month. | Implemented

STAT-004 | Should | The app shall show actionable credit statement payment controls in statistics. | Implemented

GOAL-001 | Must | The app shall allow users to create savings goals. | Implemented

GOAL-002 | Must | The app shall allow users to update savings goals. | Implemented

GOAL-003 | Must | The app shall allow users to delete savings goals. | Implemented

DEBT-001 | Must | The app shall allow users to create debts. | Implemented

DEBT-002 | Must | The app shall allow users to update debts. | Implemented

DEBT-003 | Must | The app shall allow users to delete debts. | Implemented

TRF-001 | Must | The app shall allow users to transfer money between accounts. | Implemented

TRF-002 | Must | Transfers shall update both source and destination account balances. | Implemented

TRF-003 | Must | Transfers shall create a transfer-style record. | Implemented

CUR-001 | Should | The app shall provide a currency converter screen. | Implemented

NOTIF-001 | Must | The app shall request notification permission on Android versions that require it. | Implemented

NOTIF-002 | Should | The app shall send notifications for automatically tracked

WalletTrackers Requirements Specification

transactions. | Implemented

NOTIF-003 | Should | The app shall schedule reminders for credit card statements. | Implemented

NOTIF-004 | Should | The app shall schedule reminders for monthly bills. | Implemented

SEC-001 | Must | The app shall store data by authenticated Firebase user ID. | Implemented

SEC-002 | Should | The app shall support biometric lock. | Implemented

SEC-003 | Must | The app shall not hardcode the Gemini API key in source code. | Implemented

DATA-001 | Must | The app shall store accounts in Firestore. | Implemented

DATA-002 | Must | The app shall store records in Firestore. | Implemented

DATA-003 | Must | The app shall store credit statements in Firestore. | Implemented

DATA-004 | Must | The app shall store budgets in Firestore. | Implemented

DATA-005 | Must | The app shall store savings goals in Firestore. | Implemented

DATA-006 | Must | The app shall store debts in Firestore. | Implemented

DATA-007 | Must | The app shall store bills in Firestore. | Implemented

DATA-008 | Should | The app shall synchronize user data in real time using Firestore listeners. | Implemented

Non-Functional Requirements

ID | Priority | Requirement | Status

NFR-001 | Must | The app shall run on Android SDK 29 and above. | Implemented

NFR-002 | Must | The app shall use a responsive Compose UI suitable for mobile devices. | Implemented

NFR-003 | Should | The app shall keep UI state synchronized with Firestore updates. | Implemented

NFR-004 | Should | The app shall avoid saving duplicate SMS transactions. | Implemented

NFR-005 | Should | The app shall continue SMS processing asynchronously after receiving a broadcast. | Implemented

NFR-006 | Should | The app shall handle AI/network failures without crashing transaction processing. | Implemented

NFR-007 | Must | The project shall build with Gradle. | Implemented

NFR-008 | Should | The project shall include unit and instrumentation test entry points. | Partially implemented

NFR-009 | Should | The project shall expand automated tests for SMS parsing, balance math, recurring detection, and credit card payment linking. | Recommended

NFR-010 | Must | Firestore security rules shall restrict users to their own data. | External configuration required

NFR-011 | Must | Release builds shall use a secure signing configuration. | External configuration required