

CS-470 Full Stack Development II – Dockerfile

Eric Slutz

Southern New Hampshire University

MODULE TWO ASSIGNMENT ONE



D	DOCKERFILE	
	DOCKER COMMANDS LAFS-API	3
	DOCKER COMMANDS LAFS-WEB	3
	DOCKER DESKTOP LAFS-API OUTPUT	4
	DOCKER DESKTOP LAFS-WEB OUTPUT	1
	LAFS-API SCREENSHOT	
	LAFS-WEB SCREENSHOT	
	DOCKER DESKTOP DASHBOARD	6



Dockerfile


Docker Commands lafs-api

```
| Code/SNHU-Code/CS-470/Module 2 Assignment/lafs-api |
| Fricslutz@Erics-MacBook-Pro lafs-api (master) > docker build -t node-lafs-api .
| Suilding 0.8s (11/11) FINISHED | docker:desktop-linux | | | |
| Internal | Load build definition from Dockerfile | 0.8s |
| Internal | Load obuild definition from Dockerfile | 0.8s |
| Internal | Load dockerignore | 0.8s |
| Internal | Load dockerignore | 0.8s |
| Internal | Load metadata for docker.io/library/node:10 | 0.8s |
| Internal | Load metadata for docker.io/library/node:10 | 0.8s |
| Internal | Load metadata for docker.io/library/node:10 | 0.8s |
| Internal | Load metadata for docker.io/library/node:10 | 0.8s |
| Internal | Load metadata for docker.io/library/node:10 | 0.8s |
| Internal | Load metadata for docker.io/library/node:10 | 0.8s |
| Internal | Load build context | 0.8s |
| Internal | Load build context | 0.8s |
| Socker | CACHED | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| CACHED | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| CACHED | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| CACHED | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 12/5 | WORKOIR / usr/src/lafs | 0.8s |
| Socker | 1
```


Docker Commands lafs-web



Docker Desktop lafs-api Output




Docker Desktop lafs-web Output






lafs-api Screenshot



lafs-web Screenshot





Docker Desktop Dashboard

