

Working with Forms – Lab

Working with Forms – Lab	1
Topics Covered	1
Resources	1
Tasks	1
1. Form Element.....	1
2. Text input.....	2
3. Textarea	3
4. Radio.....	4
5. Checkbox	5
6. Select	6
7. Multiselect	7
8. Fieldset	8

Topics Covered

- Web forms are a very powerful tool for interacting with users — most commonly they are used for collecting data from users or allowing them to control a user interface.

Resources

- Web form building blocks
 - <https://developer.mozilla.org/en-US/docs/Learn/Forms>

Tasks

1. Form Element

The Form Element

The **form** element represents a document section containing interactive controls for submitting information.

Attribute - method="get" (default)
Form data appended to the action URL with a ? separator.

```
<form action="#" method="get">
  <input type="search">
</form>
```

For full screenshot check the screenshot.png file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. File Setup:

- Create an **HTML** document named **form-element.html**
- Create a **CSS** file named **form-element.css**

2. Element creation

- Add title of the page in an **<h1>** element
- Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot

3. Styling

- Add the standard reset styling – padding, margin, box-sizing
- Add the following styles to the HTML element
 1. Font – 14px/1.5 Lato, sans-serif
- Inherit the font styling on these elements – body, input, textarea, select, option
- Add padding of 2 em to the body element
- Add margin-top of 2em to all h2 elements
- Add the following styles to the code elements:
 1. Display – block
 2. Padding – 2em 2em 0.5em 2em
 3. Border-radius – 0.3em
 4. Margin – 2em 0
 5. Border – 1px solid #ccc
 6. Overflow – auto
- Add the following styles to the input elements:
 1. Display – inline-block
 2. Padding – 0.5em 0.8em
 3. Border – 2px solid #ccc
 4. Outline – none
- Add the following styles to the input when focused:
 1. Border-color – #090

2. Text input

Text Input

The input element is used to create interactive controls for web-based forms in order to accept data from the user; a wide variety of types of input data and control widgets are available, depending on the device and user agent.

The input element is one of the most powerful and complex in all of HTML due to the sheer number of combinations of input types and attributes.

Attribute - type="text"

The default value. A single-line text field. Line-breaks are automatically removed from the input value.

```
<input type="text" id="username" placeholder="Username">
```

Attribute - type="password"

A single-line text field whose value is obscured. Will alert user if site is not secure.

```
<input type="password" id="password" placeholder="Password">
```

For full screenshot check the [screenshot.png](#) file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. **File Setup:**
 - Create an **HTML** document named **text-input.html**
 - Create a **CSS** file named **text-input.css**
2. **Element creation**
 - Add title of the page in an **<h1>** element
 - Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot
3. **Styling**
 - Copy the styling from Task 1

3. Textarea

Textarea

The **textarea** element represents a multi-line plain-text editing control, useful when you want to allow users to enter a sizeable amount of free-form text, for example a comment on a review or feedback form.

```
<textarea name="textarea" rows="5" cols="45">Text goes here</textarea>
```



For full screenshot check the *screenshot.png* file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. **File Setup:**
 - Create an **HTML** document named **media-types.html**
 - Create a **CSS** file named **media-types.css**
2. **Element creation**
 - Add title of the page in an **<h1>** element
 - Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot
3. **Styling**
 - Copy the styling from Task 1
 - Make sure the textarea has the same styling as the input elements

4. Radio

Radio

A radio button, allowing a single value to be selected out of multiple choices with the same name value.

```
<p>
  <input type="radio" name="fruits" id="apple">
  <label for="apple">Apple</label>
</p>

<p>
  <input type="radio" name="fruits" id="pear">
  <label for="pear">Pear</label>
</p>

<p>
  <input type="radio" name="fruits" id="banana">
  <label for="banana">Banana</label>
</p>
```

☐ Apple
☐ Pear
☐ Banana

For full screenshot check the screenshot.png file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. **File Setup:**
 - Create an **HTML** document named **radio.html**
 - Create a **CSS** file named **radio.css**
2. **Element creation**
 - Add title of the page in an **<h1>** element
 - Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot
3. **Styling**
 - Copy the styling from Task 1

5. Checkbox

Checkbox

A check box allowing single values to be selected/deselected.

```
<p>
  <input type="checkbox" name="apple" id="apple">
  <label for="apple">Apple</label>
</p>

<p>
  <input type="checkbox" name="pear" id="pear">
  <label for="pear">Pear</label>
</p>

<p>
  <input type="checkbox" name="banana" id="banana">
  <label for="banana">Banana</label>
</p>
```

☐ Apple
☐ Pear
☐ Banana

For full screenshot check the `screenshot.png` file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. **File Setup:**
 - Create an **HTML** document named **media-types.html**
 - Create a **CSS** file named **media-types.css**
2. **Element creation**
 - Add title of the page in an **<h1>** element
 - Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot
3. **Styling**
 - Copy the styling from Task 1

6. Select

Select

The `select` element represents a control that provides a menu of options.

```
<label for="pet-select">Choose a pet:</label>
<select name="pets" id="pet-select">
  <option value="">--Please choose an option--</option>
  <option value="dog">Dog</option>
  <option value="cat">Cat</option>
  <option value="hamster">Hamster</option>
  <option value="parrot">Parrot</option>
  <option value="spider">Spider</option>
  <option value="goldfish">Goldfish</option>
</select>
```

Choose a pet: --Please choose an option-- ▾

For full screenshot check the `screenshot.png` file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. **File Setup:**
 - Create an **HTML** document named **select.html**
 - Create a **CSS** file named **select.css**
2. **Element creation**
 - Add title of the page in an **<h1>** element
 - Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot
3. **Styling**
 - Copy the styling from Task 1
 - Add the following styles to the select elements:
 1. Display – inline-block
 2. Padding – 0.5em 0.8em
 3. Border – 2px solid #ccc
 4. Border-radius – 0.3em

7. Multiselect

Multiselect

This Boolean attribute indicates that multiple options can be selected in the list. If it is not specified, then only one option can be selected at a time. When multiple is specified, most browsers will show a scrolling list box instead of a single line dropdown.

```
<label for="pet-select">Choose a pet:</label>
<select name="pets" id="pet-select" multiple>
  <option value="dog">Dog</option>
  <option value="cat">Cat</option>
  <option value="hamster">Hamster</option>
  <option value="parrot">Parrot</option>
  <option value="spider">Spider</option>
  <option value="goldfish">Goldfish</option>
</select>
<i>hold Ctrl/Cmd to select more than one item</i>
```

Choose a pet:

Dog
Cat
Hamster
Parrot
Spider
Goldfish

hold Ctrl/Cmd to select more than one item

For full screenshot check the [screenshot.png](#) file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. **File Setup:**
 - Create an **HTML** document named **media-types.html**
 - Create a **CSS** file named **media-types.css**
2. **Element creation**
 - Add title of the page in an **<h1>** element
 - Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot
3. **Styling**
 - Copy the styling from Task 6
 - Add the following styles to the select elements who have the multiple attribute:
 1. Display – block
 2. Min-width – 20ch
 3. Min-height – 20ch

8. Fieldset

Fieldset

The **fieldset** element is used to group several controls as well as labels within a web form.

```
<fieldset>
  <legend>Login</legend>

  <p class="field">
    <label for="username">Username</label>
    <input type="text" name="username" id="username">
  </p>

  <p class="field">
    <label for="password">Password</label>
    <input type="password" name="password" id="password">
  </p>

  <input type="submit" value="Login">
</fieldset>
```



For full screenshot check the `screenshot.png` file in the folder for the task

Objective:

Create a webpage that looks like the screenshot above.

Requirements:

1. File Setup:

- Create an **HTML** document named **media-types.html**
- Create a **CSS** file named **media-types.css**

2. Element creation

- Add title of the page in an **<h1>** element
- Add **<h2>** elements and **p** elements for each **<h2>** as shown on the screenshot
- Add a **fieldset** element with a legend element as shown in the screenshot
- Add **label** elements and **input** elements and surround each pair with a **paragraph** with a class of "field"

3. Styling

- Copy the styling from Task 1
- Add the following styles to the fieldset elements:
 1. Padding – 2em
 2. Border – 2px solid #ccc
 3. Max-width – 50ch
- Add the following styles to the legend elements that are inside of a fieldset:
 1. Padding – 0 1em
 2. Font-weight – bold
- Add font-weight – bold to all labels inside of the fieldset
- Add the following styles to all input elements inside of the fieldset:
 1. Display – block

2. Width – 100%
- Add padding-bottom of 1.5em to all elements with a class of field