BRAND BOOK · V1.0 · OCTOBER 2026

Heat from what farms already make.

COMPOST
ENERGY

RECOVER · CONDENSE · KEEP



STRATEGY

An open, enclosed composter whose exhaust heat is condensed and kept.

Compost Energy turns the heat that farm compost already makes into hot water for a nearby user. The patent, model, drawings, data and code are public, so an engineer can audit every figure.

VERB 1

Recover

The heat is already there. A farm's manure and straw release hundreds of kilowatts while they compost. No fuel is added.

VERB 2

Condense

Most of that heat leaves as water vapour. The engineering is the condensing exchanger.

VERB 3

Keep

Keep the heat for a greenhouse or dryer, keep the nutrients in the compost, keep the numbers honest.

AUDIENCE

Farm co-op managers and agricultural engineers who run 10,000+ t/yr of manure and straw and have a heat user nearby. Secondary: technical reviewers.

AGAINST

Open windrows that vent their heat to the sky, and green-tech claims that never show their numbers.

FEELING

Real engineering, calm and alive. Archetype: Sage first, Magician second.

TONE OF VOICE

Precise, calm, candid.

Lead with the number, then what it means. Units always. Every figure carries MODEL, SIMULATED or MEASURED. Say what is unproven in the same breath.

CONTEXT	WRITE THIS	NOT THIS
Headline	Heat from what farms already make.	Revolutionising farm energy!
Figure	A 40 t/day composter releases about 550 kW. Most of it leaves as vapour. MODEL	Unlock the hidden power of nature.
Call to action	Open the model	Join the revolution
Caveat	Nothing at this scale has been built yet. The pilot is the next step.	Proven technology.
Empty state	No measured data yet. These curves are SIMULATED.	Coming soon!

Off-limits: revolutionary, game-changing, disruptive, carbon neutral, zero emissions, free energy, and any figure without a source tag.

LOGO SYSTEM

The leaf becomes heat, and the loop closes.

The ring is Maxime's artwork, lifted off its black ground. COMPOST is drawn as vector lettering after it; ENERGY is set in Lexend Zetta Light between a leaf rule and an ember rule.



PRIMARY · NIGHT primary_v2.png



PRIMARY · MIST primary_v2_light.png



HORIZONTAL horizontal_dark.svg



HORIZONTAL horizontal_light.svg



APP ICON



≤ 32 PX VECTOR



ONE COLOUR



WORDMARK

MINIMUM SIZE

Ring 32 px / 10 mm. Below that, the vector ring. Wordmark 120 px / 30 mm wide.

CLEAR SPACE

The cap height of COMPOST on every side of a lockup.

GROUNDS

Dark ring with glow on Night only. Light ring on Mist or white. Never on photographs.

COLOUR

Leaf means matter. Ember means heat.

Two grounds and one meaning. Ember appears only where there is heat: temperatures, kilowatts, the hot side of a diagram. All text pairs pass WCAG AA.

Night #060a07 · bg	Night surface #0e1611	Light ink · 17.7 #eef3ef	Sage · 7.7 #93a69a
Leaf · 9.0 #7cc04a	Ember · 6.5 #f26a21	Glow · no text #e9f07e	Mist #e3eae5 · bg
Mist surface #f4f7f5	Moss ink · 14.6 #0f1a13	Leaf, light · 5.0 #3d6e22	Ember, light · 4.8 #b23f0a

Ratios are WCAG contrast against the section's ground. Composting phases in drawings: heat-up `#a7b83f`, hot `#e0882a`, cooling `#6f9fa0`, maturation `#7a8f6a`.

TYPOGRAPHY

One plain voice, one technical voice, one loud number.

INSTRUMENT SANS · HEADLINES AND BODY

Quiet matter, steady heat.

Compost exhaust leaves the bed saturated. Cooling it from 60 to 35 °C releases about 330 kJ per kilogram of dry air, and most of that is water vapour condensing on the coils.

FIGURE · UNBOUNDED 600

548 kW

MODEL · HEATING-SEASON DUTY, BASE DESIGN

DATA · GEIST MONO

```
T-101 core 62.4 °C O₂ 11.2 %
HX-201 duty 548 kW pinch 5.0 K
CE-12 configuration study
```

STEP	SIZE	FACE	TRACKING
display	`clamp(3rem, 8vw, 7.5rem)`	Instrument Sans 500	`-0.035em`
h1	`clamp(2.25rem, 5vw, 4rem)`	Instrument Sans 500	`-0.03em`

STEP	SIZE	FACE	TRACKING
h2	`clamp(1.6rem, 3vw, 2.5rem)`	Instrument Sans 500	`-0.02em`
figure	`clamp(2rem, 4vw, 3.5rem)`	Unbounded 600	`-0.02em`
body	`1.0625rem / 1.6`	Instrument Sans 400	`0`
label	`0.75rem caps`	Geist Mono 500	`0.12em`

SHAPE AND MOTION

Hairlines, glass, rings with crosshairs.

Line work is always a hairline and never a box. Cards are frosted glass with one 28 px radius and an optional notch. Glow and particles live only on Night.

T-102 · HOT PHASE

61.8 °C

Sanitising: 55 °C held for 2 d 14 h of 3 d. SIMULATED

RADIUS

`0 · 8 · 28 · full`

EASE

`cubic-bezier(0.22, 1, 0.36, 1)`

ENTRANCES

600–900 ms, staggered 60 ms, never bouncing.

RING MOTION

A slow turn or a leaf → ember colour sweep. Never distort it.

TEMPLATES

One headline, one supporting line, one label.



GITHUB SOCIAL PREVIEW · 1280 × 640



OPEN GRAPH · 1200 × 630



README BANNER · DARK



README BANNER · LIGHT



VIDEO TITLE · 1920 × 1080



VIDEO END CARD

DO AND DON'T

Five rules that keep it ours.

Set "548 kW" in Unbounded, ember, with MODEL beside it in Geist Mono.	"Over 500 kW of clean energy!" in a gradient.
Use the dark ring with its glow on Night for the video title.	Paste the glowing ring on a white slide.
Draw in Mist with phase colours and hairline leaders.	Use drop shadows and saturated blue in drawings.
Put a live reading in a glass card with a notch.	Use white cards with thick borders and shadows.
End on "Nothing at this scale has been built yet."	End on "The future of energy is here."

ASSET INDEX

Everything regenerates from brand/src.

ASSET	PATH	STATUS
Source artwork	`05_logo_primary/source_artwork.png`	LOCKED
Primary, Night / Mist	`05_logo_primary/primary_v2{,_light}.png/.svg`	LOCKED
Ring cut-outs	`05_logo_primary/mark_v2_{dark,light}.png`	LOCKED
Lockups, wordmark, icons	`06_logo_variants/*`	APPROVED
Social, OG, banners, hero, video cards	`09_marketing/*`	APPROVED
Colour tokens	`10_color/tokens.json`	REFERENCE
Fonts and spec	`11_typography/`	REFERENCE
Docs	`12_docs/{Brand-Booklet,Brand,design-system,AGENTS}.md`	REFERENCE
Generators	`src/{extract_mark,mark,assets}.py · src/render.mjs`	SOURCE

Compost Energy · open hardware under CERN-OHL-P, code under MIT, documentation under CC-BY-4.0.