

Detailed Tutorial Execution Specification

Visual-first, mobile-first onboarding for Casual Dining, Training Mode, and future restaurant-specific lessons



Document status

Planning specification only. This document defines the intended experience and implementation sequence. It does not authorize unrelated gameplay changes or claim that the tutorial has already been implemented.

Prepared for: DineIn thesis development and usability validation

Thesis scope: Implementation Of An Interactive Restaurant Operations Management Game For Hospitality Students In The Province Of Cavite

Version 1.0 | 30 August 2026

Contents

Contents	2
1. Purpose and Scope	4
1.1 Player role and academic boundary	4
1.2 Tutorial outcome	4
1.3 Explicit non-goals	4
2. Experience Architecture	5
2.1 End-to-end flow	5
2.2 Tutorial-scene conditions	5
2.3 Step state machine	5
2.4 Checkpoints	5
3. Visual Tutorial Language	7
3.1 Priority hierarchy	7
3.2 UI spotlight-mask specification	7
3.3 Dialogue and portrait	7
3.4 Persistent mobile layout	8
4. Chapter 1 - Controls	9
5. Chapter 2 - Receptionist	10
6. Chapter 3 - Waiter	11
7. Chapter 4 - Cashier	13
8. Chapter 5 - Busser	14
9. Chapter 6 - Management Computer	15
9.1 Entering the computer	15
9.2 Dashboard	15
9.3 Staff Scheduler	16
9.4 Menu Editor	17
9.5 Ingredient Restock application	17
9.6 Equipment Store	18
9.7 Finance Report	18

9.8 Objectives / Alien Demands	18
9.9 Computer chapter handoff	18
10. Chapter 7 - Restock Room	19
11. Chapter 8 - Readiness and Day 1	20
12. Training Mode and Replay	21
12.1 Choose Gameplay structure	21
12.2 Restaurant training cards	21
12.3 Replay behavior	21
13. Future Restaurant Tutorials	22
13.1 Fast Food	22
13.2 Fine Dining	22
14. Implementation Architecture	23
14.1 Existing systems to preserve	23
14.2 Recommended additions	23
14.3 Step-definition fields	23
14.4 Completion-event policy	24
15. Recovery, Safety, and Edge Cases	25
16. Accessibility and Mobile Usability	26
16.1 Copy rules	26
17. Validation and Acceptance Criteria	27
17.1 Chapter acceptance	27
17.2 Device and layout matrix	27
17.3 Regression gates	27
18. Recommended Build Order	28
Appendix A - Dialogue Starter Copy	29

How to use this specification

Designers should use the exact visual and copy rules. Programmers should bind completion to real gameplay events. Testers should validate every acceptance condition on both Android and PC. Dialogue and target references must remain editable in the Unity Inspector.

01

Purpose and Scope

Define exactly what the tutorial teaches and what the manager is allowed to control

1. Purpose and Scope

The tutorial prepares a first-time player to supervise Day 1 of Casual Dining without outside explanation. It must teach the real controls and the complete base operational loop through guided performance, not through long text-only instructions. Casual Dining is the foundation shared by later restaurant types.

1.1 Player role and academic boundary

Required narrative framing

The player is an appointed restaurant operations manager working for an established company. The player is not the owner. All dialogue must avoid ownership, construction, empire-building, and unrestricted business-control language.

- Included: staffing, shift assignment, menu availability, controlled pricing, stock ordering, approved equipment procurement, daily finances, objectives, service supervision, and readiness.
- Excluded: architecture, interior design, branding, marketing campaigns, corporate expansion, ownership finance, and creation of entirely new products.
- Use phrases such as assigned branch, restaurant under your supervision, operational budget, and prepare the shift.
- Never use phrases such as you own the restaurant, you purchased the restaurant, or build your empire.

1.2 Tutorial outcome

At completion, the player can:

- Pan and zoom the camera on the current device.
- Tap or click a highlighted destination, station, customer, or UI control.
- Perform the Receptionist, Waiter, Cashier, and Busser workflows for one complete customer journey.
- Use all seven management-computer applications at an introductory operational level.
- Place a restock order, enter the Restock Room, read live crate quantities, store stock, and exit safely.
- Read the readiness checklist and deliberately start Day 1.

1.3 Explicit non-goals

- Do not teach manager-request complaint events, card payments, advanced pricing optimization, unusual alien behaviors, or failure recovery during the mandatory tutorial.
- Do not spawn autonomous staff bots, normal customer waves, random events, or uncontrolled orders.
- Do not introduce Fast Food cooking or Fine Dining course service inside Casual Dining training.
- Do not require the player to discover the next mandatory step by experimentation.


02

Experience Architecture

A continuous pre-Day-1 training shift with checkpoints and deterministic events

2. Experience Architecture

2.1 End-to-end flow



The sequence is one continuous training session divided into resumable chapters. Cashier is placed before Busser because payment must complete before the customer leaves and the table becomes dirty. This preserves one coherent service story.

2.2 Tutorial-scene conditions

- No autonomous staff bots are active. The only controllable character is the player.
- A human Regional Training Supervisor appears only as a dialogue portrait.
- One scripted customer group is spawned only when the Receptionist lesson begins.
- Food is prepared through a controlled tutorial event; no unexplained kitchen staff bot is shown.
- The normal group spawner, shift clock, penalties, complaints, unlock popups, and random objectives are suspended unless explicitly required by the current step.
- Tutorial economy uses a deterministic starter budget. Guided operational choices establish a valid Day 1 setup.

2.3 Step state machine

State	What appears	Allowed behavior	Exit condition
Prepare	Camera is positioned; target is resolved but not yet active.	Player input is temporarily held.	All required objects and UI references are valid.
Explain	Supervisor gives one short reason or context line.	Continue is allowed only for story/explanation.	Dialogue is acknowledged.
Demonstrate	Spotlight, gesture, outline, path, or camera preview shows the action.	Required target may remain locked until demonstration ends.	Minimum visual demonstration completes.
Perform	One objective and one actionable target remain emphasized.	Only permitted inputs are accepted.	The real gameplay success event fires.
Confirm	Green success treatment, sound, optional vibration, and concise feedback.	No additional input required.	Short confirmation animation completes.
Advance	Current visual aids clear and next target is prepared.	Input is held during handoff.	Next step enters Prepare.

2.4 Checkpoints

- Save after Controls, Receptionist, Waiter, Cashier, Busser, Management Computer, Restock Room, and Readiness.

- Resume at the start of the incomplete chapter, not in the middle of a transaction or scene transition.
- Replay from Training Mode uses a sandbox and does not modify Campaign money, employees, stock, equipment, or progress.



Visual Tutorial Language


UI spotlight masks are primary; arrows are reserved for world-space guidance

3. Visual Tutorial Language

3.1 Priority hierarchy

Target type	Primary visual	Secondary visual	Input rule
UI button, tab, card, input, label	Full-screen dim overlay with transparent spotlight cutout	Glow and nearby instruction	Only the spotlight region receives input
3D station	Camera framing, object outline, and ground ring	Footprint path and occasional arrow	Other interactables are disabled
World destination	Glowing floor circle and path	Animated tap marker	Arrival completes the step
Camera gesture	Animated hand or mouse demonstration	Minimal instruction text	Measured pan or zoom completes the step
Read-only information	Spotlight cutout around the value	Short explanation and Continue	Background remains blocked

3.2 UI spotlight-mask specification



- Dim opacity target: 62 to 70 percent black, adjustable for contrast mode.
- Cutout padding: 12 to 20 reference pixels around the target, increased for small mobile controls.
- Cutout follows the target RectTransform after layout rebuilds, scrolling, safe-area changes, and resolution changes.
- Use rounded corners for buttons and cards; use a rectangular region for grouped information.
- Target stays fully bright and clickable. The overlay consumes all pointer events outside the cutout.
- If the target is inside a ScrollRect, automatically scroll it into view before revealing the spotlight.
- If a target is missing, inactive, obscured, or destroyed, pause advancement and enter recovery instead of leaving an unusable overlay.
- Reduced Motion disables bouncing and pulsing while retaining the outline, dimming, and positional clarity.

3.3 Dialogue and portrait

- Narrator: human Regional Training Supervisor. The narrator is a company representative, not an owner and not an alien.

- Portrait set: Neutral, Instructing, Encouraging, and Concerned/Hint.
- Dialogue panel uses the existing blue double-frame style and moves away from the active target.
- Narrator dialogue explains why the action matters. The objective states exactly what the player must do.
- Action dialogue is limited to two short sentences. Longer lore is split across manual Continue pages.
- Typewriter text can be tapped once to reveal immediately; the next tap advances only when a manual Continue is expected.

3.4 Persistent mobile layout

Element	Location	Content limit	Behavior
Chapter badge	Top-left safe area	TRAINING - 2/8	Never overlaps pause or device cutout
Objective chip	Top-center safe area	One verb-led instruction	Hides during full dialogue
Dialogue	Bottom or opposite target	Two sentences	Relocates if it covers target
Help controls	Top-right safe area	Pause, Show Me	Skip/Restart are inside Pause
Success feedback	Near target plus center toast	Three to six words	Auto-clears after confirmation

04

Chapter 1 - Controls

Teach camera movement, zoom, tap-to-move, and automatic station interaction

4. Chapter 1 - Controls

Opening script

Welcome, Manager. I am your Regional Training Supervisor. You have been assigned to this Casual Dining branch. Before supervising the restaurant, you must learn how to move around it.

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
C-01	Acknowledge the welcome dialogue.	Show Neutral supervisor portrait. Keep restaurant visible behind the dialogue. Objective area stays hidden.	Continue pressed after text finishes or is revealed.	Background input blocked.
C-02	Observe the camera-pan demonstration.	Hide dialogue. Show an animated one-finger drag on Android or right-mouse drag on PC over empty floor. Display: MOVE THE CAMERA.	Demonstration completes once.	Camera input held during demonstration.
C-03	Pan the camera.	Objective: Drag across an empty area. Display a faint horizontal guide. Do not highlight a station.	Accumulated camera-target displacement exceeds configured threshold.	UI taps are ignored; after 5 seconds replay gesture.
C-04	Observe zoom-in demonstration.	Android: two fingers spread apart. PC: wheel upward. Objective changes to ZOOM IN.	Demonstration completes.	Camera zoom temporarily held.
C-05	Zoom in.	Keep only gesture hint and zoom objective visible.	Orthographic target size changes toward minimum by required amount.	Wrong-direction movement shows direction hint without resetting.
C-06	Observe zoom-out demonstration.	Reverse the gesture. Objective: ZOOM OUT.	Demonstration completes.	Camera zoom temporarily held.
C-07	Zoom out.	Show current zoom indicator only while the gesture is active.	Orthographic target size changes toward maximum by required amount.	After 10 seconds, replay full gesture.
C-08	Tap the highlighted floor destination.	Auto-frame an open floor point. Show glowing destination circle, footprints from player, and animated tap. Dialogue: Tap the floor to move there.	A valid move command targets the tutorial point.	Other world interactables disabled.
C-09	Wait for the character to arrive.	Footprints progressively fade as the player approaches. Objective: Walk to the marker.	Player enters arrival radius and NavMesh move succeeds.	Unreachable-path failure resets marker to a valid point.
C-10	Tap the highlighted Reception station.	Frame station; apply outline and ground ring. Dialogue: Tap a station and your character will approach it automatically.	Station interaction starts after player arrival.	Only station collider is enabled; Show Me re-centers camera.
C-11	Observe completion.	Green ring, success tone, optional subtle vibration. Toast: CONTROLS COMPLETE.	Confirmation animation completes.	Checkpoint ControlsComplete is saved.

05

Chapter 2 - Receptionist

Guide one scripted group from arrival to a valid assigned booth

5. Chapter 2 - Receptionist

Role vocabulary decision

The player-facing label must be selected once and used consistently. If the final UI says Receptionist, internal scripts may remain named Host, but tutorial text must not alternate between both terms.

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
R-01	Read the role introduction.	Supervisor Instructing portrait. Dialogue: You are now the Receptionist. Welcome arriving customers and assist them to an available table.	Continue pressed.	Role controls remain locked.
R-02	Select the Receptionist role.	Dim HUD. Spotlight only the Receptionist role button. Objective: Select RECEPTIONIST.	RoleManager confirms Receptionist/Host active.	Overlay blocks every other role button.
R-03	Observe the entrance.	Camera pans to entrance. Spawn exactly one scripted customer group after camera settles. Show arrival ripple.	Group exists and reaches tutorial waiting point.	Normal spawner remains disabled.
R-04	Tap the greeting action.	Outline group; spotlight greeting bubble if it is UI. Objective: Greet the waiting customers.	Customer group state becomes greeted.	Only current group is interactable.
R-05	Observe assignment explanation.	Supervisor: Greeted customers need a table with enough available seats. Briefly spotlight party-size indicator and booth capacity.	Continue pressed.	Table input remains locked while reading.
R-06	Open table assignment.	Spotlight the assignment action on the customer. Objective: Choose a table.	Assignment selection mode becomes active.	Other customer actions blocked.
R-07	Select the highlighted compatible booth.	Valid booth receives gold outline and seat-count badge. Incompatible/occupied booths are dimmed and non-interactive.	AssignedBooth matches tutorial booth and assignment succeeds.	Wrong booth produces capacity explanation; no penalty.
R-08	Observe customers walking to the booth.	Camera follows at restrained speed. Path is shown once, then fades. Objective: Customers are taking their seats.	All group members reach assigned seats.	If path stalls, relocate group to safe recovery point and retry.
R-09	Observe role completion.	Green booth outline. Supervisor Encouraging: Good. The group is seated and ready for service.	Confirmation finishes.	Save ReceptionistComplete checkpoint.

06

Chapter 3 - Waiter

Take the exact order, submit it, deliver food, and complete the bill handoff

6. Chapter 3 - Waiter

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
W-01	Read the role introduction.	Dialogue: Waiters take orders, deliver prepared food, and carry bills and payments between the table and cashier.	Continue pressed.	Customer remains seated; order readiness held.
W-02	Select Waiter.	Spotlight Waiter role button. Objective: Select WAITER.	Waiter role becomes active.	Other roles blocked.
W-03	Notice the ready-to-order customer.	Trigger order bubble. Frame table; pulse bubble twice. Supervisor explains the icon once.	Order bubble visible and target resolved.	No normal customer timers run.
W-04	Tap the customer/table to take the order.	Outline table and show path from player. Objective: Take the customer order.	Waiter reaches table and Notepad UI opens.	Other tables and stations disabled.
W-05	Read the customer request.	Dim notepad. Spotlight only the customer-message container. Dialogue: Read the requested items before making a selection.	Continue pressed.	Food buttons blocked.
W-06	Select the first requested product.	Move spotlight to exact food card. Show product image and requested quantity at full brightness.	Selected-order count for product becomes correct.	Incorrect cards are blocked or shake with Not in this order.
W-07	Select any additional required product.	Spotlight one remaining correct card at a time. Update checklist beside request.	All required item counts match request.	Cannot exceed requested quantity.
W-08	Confirm the order.	Spotlight Confirm Order. Show concise summary above it.	Order confirmation succeeds and order is registered.	Button remains disabled until order is exact.
W-09	Observe submission feedback.	Close notepad. Toast: ORDER SUBMITTED. Briefly show order traveling to preparation queue.	Order flow reaches submitted/expected state.	If registration fails, reopen exact notepad state.
W-10	Wait for controlled preparation.	Show a compact progress card: Preparing the order... Do not simulate staff bot movement.	Tutorial preparation event spawns correct ready tray.	No gameplay timer or satisfaction loss.
W-11	Locate the ready tray.	Camera frames pickup area. Outline correct tray and spotlight its pickup button. Objective: Collect the prepared order.	Tray pickup UI is present and interactable.	Only tutorial tray is pickable.
W-12	Pick up the tray.	Animated tap on pickup button. Path appears if player must approach.	WaiterHands confirms correct tray is held.	Failed pickup restores tray and repeats cue.
W-13	Deliver to the correct table.	Outline assigned booth; show table-specific order badge. Objective: Deliver the order to this table.	Food tray is placed at assigned booth and customer receives order.	Wrong tables are disabled; no wrong-order state can be created.
W-14	Observe dining transition.	Green table feedback. Speed up only the scripted dining wait or show a brief neutral transition card.	Customer reaches finished-eating state.	No satisfaction loss during tutorial wait.
W-15	Respond to the bill request.	Spotlight bill-request bubble. Objective: The customer is ready to pay.	Bill request interaction succeeds.	Only tutorial group request enabled.
W-16	Go to the cashier bill pickup point.	Frame cashier station and highlight bill pickup. Show footprints.	Waiter arrives and correct BillPaper is available.	If bill is delayed, hold objective and retry generation.
W-17	Collect the bill.	Spotlight pickup action; show bill icon moving into carried-item HUD.	WaiterHands confirms matching bill held.	Other cashier actions blocked.
W-18	Deliver the bill to the customer.	Highlight assigned table. Objective: Bring the bill to the customer.	Bill delivery succeeds for active group.	Wrong targets disabled.
W-19	Wait for customer payment.	Brief explanatory dialogue: The customer will prepare payment after receiving the bill.	Matching MoneyPickup becomes available.	No patience timer.

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
W-20	Collect the payment.	Spotlight money at table. Objective: Collect the customer's payment.	WaiterHands confirms matching money held.	Only matching payment can be collected.
W-21	Deliver payment to the cashier station.	Frame cashier station; highlight deposit point. Objective: Bring the payment to the cashier.	Payment is registered at cashier station.	Current move can be safely retried.
W-22	Observe handoff completion.	Toast: PAYMENT READY FOR CASHIER. Supervisor: The Cashier can now complete the transaction.	Confirmation finishes.	Save WaiterComplete checkpoint with transaction staged.

07

Chapter 4 - Cashier

Open the booth UI and complete one guided cash transaction

7. Chapter 4 - Cashier

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
K-01	Read the role introduction.	Dialogue: Cashiers verify payment and return the correct change. We will process one cash transaction.	Continue pressed.	Cashier transaction remains staged.
K-02	Select Cashier.	Spotlight Cashier role button. Objective: Select CASHIER.	Cashier role becomes active.	Other roles blocked.
K-03	Open the cashier booth.	Outline booth, ground ring, and animated tap. Objective: Open the cashier station.	Cashier UI opens successfully.	Other stations disabled.
K-04	Read Order Total.	Dim cashier UI. Spotlight Order Total. Supervisor: This is the amount the customer must pay.	Continue pressed.	All transaction buttons blocked.
K-05	Read Cash Received.	Move spotlight to Cash Received. Explain that it is the amount delivered by the waiter.	Continue pressed.	All transaction buttons blocked.
K-06	Read Change Due.	Move spotlight to Change Due. Explain that the cashier returns this amount.	Continue pressed.	All transaction buttons blocked.
K-07	Enter the guided payment/change.	Spotlight only the correct denomination or keypad control for each required press. Objective updates with remaining amount.	Entered amount equals required value.	Wrong controls are blocked; reset remains available through Restart Step.
K-08	Confirm payment.	Spotlight Confirm Payment. Display final calculation summary.	Payment processing succeeds and transaction closes.	Do not advance from click alone if underlying payment fails.
K-09	Observe customer departure.	Close cashier UI. Camera frames table as customer exits. Toast: PAYMENT COMPLETE.	Tutorial group exits and booth becomes dirty/cleanup-ready.	Card payment is not introduced.
K-10	Observe chapter completion.	Supervisor Encouraging: Transaction complete. The table must now be prepared for the next group.	Confirmation finishes.	Save CashierComplete checkpoint.

08

Chapter 5 - Busser

Clear the dirty table, use the sink flow, and restore table availability

8. Chapter 5 - Busser

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
B-01	Read the role introduction.	Dialogue: Bussers clear used tables so the Receptionist can seat the next group.	Continue pressed.	Dirty tray remains fixed at tutorial booth.
B-02	Select Busser.	Spotlight Busser role button. Objective: Select BUSSER.	Busser role becomes active.	Other roles blocked.
B-03	Identify the dirty table.	Frame booth. Outline dirty tray and show DIRTY badge. Briefly contrast with AVAILABLE state.	Continue pressed.	Tray pickup blocked until explanation ends.
B-04	Pick up the dirty tray.	Spotlight tray pickup button; show path. Objective: Collect the dirty tray.	BusserHands confirms tutorial tray held.	Only tutorial tray is pickable.
B-05	Move to the sink.	Frame sink; display footprint route. Objective: Bring the tray to the sink.	Player reaches sink interaction point.	If auto-go-to-sink is enabled, arrival still controls advancement.
B-06	Complete cleaning interaction.	Highlight sink action or washing completion UI. Keep unrelated sink controls blocked.	Tray cleanup/despawn event succeeds.	If tray detaches unexpectedly, restore it to busser and retry.
B-07	Observe table reset.	Camera returns to booth. Badge changes DIRTY -> AVAILABLE with green outline.	Booth cleanup state is clear and seatable.	Force visual refresh if state is correct but badge is stale.
B-08	Observe service-loop recap.	Show sequence: GREET -> SEAT -> ORDER -> SERVE -> PAY -> CLEAN.	Continue pressed.	No normal customer spawns.
B-09	Complete chapter.	Toast: FRONT-OF-HOUSE TRAINING COMPLETE.	Confirmation finishes.	Save BusserComplete checkpoint.

09

Chapter 6 - Management Computer

Teach all seven applications, operational readiness, and why each decision matters

9. Chapter 6 - Management Computer

Management framing

The player manages an assigned branch using a company-authorized operating budget. Equipment, menu, and pricing actions are operational decisions made within approved limits, not ownership-level powers.

9.1 Entering the computer

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
M-01	Read Manager introduction.	Dialogue: You now understand the service stations. Managers prepare the branch and make sure every role is ready before opening.	Continue pressed.	Role controls locked.
M-02	Switch to Manager.	Spotlight Manager role control or transition action. Objective: Return to MANAGER.	ManagerPlayer becomes active.	All staff-role interactions blocked.
M-03	Approach the management computer.	Frame computer; outline monitor and ground interaction ring.	Player arrives at computer station.	Only computer station enabled.
M-04	Open the computer.	Objective: Open the management computer. Animated tap on station.	ManagementComputerController reports open.	If input layer fails, recovery rebinds target and retries.
M-05	Observe desktop orientation.	Spotlight groups of application icons, then Start Shift. Dialogue: Each application controls one part of daily operations.	Continue pressed.	App buttons held until orientation ends.

9.2 Dashboard

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
D-01	Open Dashboard.	Spotlight Dashboard icon only. Objective: Open DASHBOARD.	Dashboard app opens.	Other icons blocked.
D-02	Read Restaurant Status.	Spotlight status card and explain PRE-OPENING versus SERVICE RUNNING.	Continue pressed.	Dashboard actions blocked.
D-03	Read Menu readiness.	Move spotlight to active-products card. Explain that only enabled, unlocked products can be ordered.	Continue pressed.	None.
D-04	Read Staff readiness.	Move spotlight to active-staff card. Explain hired versus active employees.	Continue pressed.	None.
D-05	Read Seating readiness.	Move spotlight to active booth/seat card.	Continue pressed.	None.
D-06	Read Stock readiness.	Move spotlight to low-stock/restock card and delivery status.	Continue pressed.	None.
D-07	Recognize incomplete readiness.	Show unresolved cards in amber. Dialogue: The branch is not ready yet. We will resolve each requirement.	Continue pressed.	Start Shift remains disabled/blocked.

9.3 Staff Scheduler

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
S-01	Open Staff Scheduler.	Spotlight Staff icon. Objective: Open STAFF.	Staff app opens.	Other icons blocked.
S-02	Select Lobby tab.	Spotlight Lobby tab. Explain that Casual Dining currently needs front-of-house assignments.	Lobby tab selected.	Other tabs blocked for this action.
S-03	Read role summary.	Spotlight role name, employed count, and applicants count.	Continue pressed.	Card actions blocked.
S-04	Read applicant status.	Spotlight one applicant card. Explain APPLICANT means not yet employed.	Continue pressed.	Hire button held.
S-05	Hire applicant.	Spotlight HIRE. Objective: Hire this applicant.	EmployeeManager confirms applicant hired.	Do not advance if budget or roster update fails.
S-06	Observe roster transition.	Card visibly moves to employed roster and changes to ROSTERED.	Roster UI and model both show hired employee.	Force refresh if model changed but UI did not.
S-07	Understand active assignment.	Spotlight ROSTERED label. Dialogue: Hired employees are not automatically active for the shift.	Continue pressed.	SET ACTIVE remains held.
S-08	Set employee active.	Spotlight SET ACTIVE. Objective: Assign this employee to the shift.	Employee assignment succeeds.	Only selected employee action available.
S-09	Observe ACTIVE THIS SHIFT.	Badge changes, role readiness updates, green confirmation.	UI badge and manager assignment agree.	If duplicate active employee exists, normalize to guided selection.
S-10	Complete remaining required roles.	Show shortened guided sequence per missing role: tab/section -> applicant -> HIRE -> SET ACTIVE. Keep one target spotlight at a time.	All required role assignments exist.	Starter applicants and budget are deterministic.
S-11	Return to app navigation.	Spotlight Close/Back. Objective: Return to the desktop.	Staff window closes or desktop nav regains focus.	Outside UI blocked.

9.4 Menu Editor

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
P-01	Open Menu Editor.	Spotlight Menu icon. Objective: Open MENU.	Menu app opens.	Other icons blocked.
P-02	Select an unlocked product.	Spotlight one starter product card. Locked cards remain visible but dimmed.	Guided Recipe becomes selected.	Other product cards blocked.
P-03	Read availability status.	Spotlight ON MENU/OFF MENU control. Explain that availability determines what customers can order.	Continue pressed.	Toggle held.
P-04	Place product on active menu.	Spotlight availability button. Objective: Put this product ON MENU.	MenuAvailabilityManager confirms available.	Rollback UI if model update fails.
P-05	Read current price.	Spotlight price input and current saved price. Explain that pricing is branch-level within approved limits.	Continue pressed.	Input held.
P-06	Review operational price context.	Spotlight ingredient cost and expected margin if present. Explain that very low prices reduce income and very high prices may hurt satisfaction/demand.	Continue pressed.	No free exploration yet.
P-07	Enter guided safe price.	Spotlight price input and on-screen keyboard. Objective displays exact approved tutorial price.	Input value equals guided price and parses successfully.	Reject negative, empty, or outside-approved-range value.
P-08	Save price.	Spotlight SAVE PRICE.	SetProductPrice succeeds and displayed saved price matches.	Do not advance on click if save fails.
P-09	Observe menu readiness update.	Green product card and confirmation toast.	Dashboard menu readiness becomes satisfied.	Force catalog refresh if stale.
P-10	Return to desktop.	Spotlight Close/Back.	Menu window closes.	Outside UI blocked.

9.5 Ingredient Restock application

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
O-01	Open Restock.	Spotlight Restock icon. Objective: Open RESTOCK.	Restock app opens.	Other icons blocked.
O-02	Read current stock.	Spotlight current-stock value on guided ingredient card.	Continue pressed.	Quantity controls held.
O-03	Read projected stock.	Spotlight incoming and projected values. Explain how the order changes expected stock.	Continue pressed.	Quantity controls held.
O-04	Add first ingredient quantity.	Spotlight plus control until guided amount is reached. Objective shows target quantity.	Cart quantity equals guided amount.	Minus remains available only to correct overshoot.
O-05	Add second ingredient.	Auto-scroll to second card, then spotlight exact plus control.	Second guided quantity reached.	Other cards blocked.
O-06	Review cart.	Spotlight cart lines, quantities, and total cost as a group.	Continue pressed.	Place Order held.
O-07	Place order.	Spotlight PLACE ORDER. Objective: Confirm the restock order.	ConfirmRestockOrder succeeds and money is spent once.	Prevent double submission; rollback on failure.
O-08	Read delivery status.	Spotlight ORDERED/IN DELIVERY badge. Explain that crates must be physically stored later.	Continue pressed.	No second order allowed.
O-09	Return to desktop.	Spotlight Close/Back.	Restock window closes.	Outside UI blocked.

9.6 Equipment Store

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
E-01	Open Equipment.	Spotlight Equipment icon. Objective: Open EQUIPMENT.	Equipment app opens.	Other icons blocked.
E-02	Read equipment states.	Sequentially spotlight OWNED, AVAILABLE, and LOCKED examples. Explain each in one sentence.	Continue pressed after each state.	Purchase buttons held.
E-03	Select starter equipment.	Spotlight one affordable, unlocked card. Keep benefit description visible.	Guided equipment card selected/focused.	Other cards blocked.
E-04	Read benefit and price.	Spotlight description and purchase price together.	Continue pressed.	Purchase held.
E-05	Purchase equipment.	Spotlight PURCHASE. Objective: Purchase the approved equipment.	EquipmentManager confirms purchase once.	Budget is deterministic; prevent duplicate charge.
E-06	Observe ownership state.	Card changes to OWNED; linked readiness updates.	Model and UI both report owned.	Refresh app if stale.
E-07	Return to desktop.	Spotlight Close/Back.	Equipment window closes.	Outside UI blocked.

9.7 Finance Report

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
F-01	Open Finances.	Spotlight Finances icon. Objective: Open FINANCES.	Finance app opens.	Other icons blocked.
F-02	Read current funds.	Spotlight current money/budget. Explain operational budget.	Continue pressed.	No spending actions present.
F-03	Read sales/income.	Spotlight sales line and explain revenue from completed transactions.	Continue pressed.	None.
F-04	Read expenses.	Spotlight staff, stock, and equipment spending group.	Continue pressed.	None.
F-05	Read profit/loss result.	Spotlight result line. Use icon plus color so result is not color-only.	Continue pressed.	None.
F-06	Return to desktop.	Spotlight Close/Back.	Finance window closes.	Outside UI blocked.

9.8 Objectives / Alien Demands

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
A-01	Open Objectives.	Spotlight Objectives icon. Objective: Open OBJECTIVES.	Objectives app opens.	Other icons blocked.
A-02	Read mandatory objective.	Spotlight mandatory card and required target. Explain that this is the primary operational requirement.	Continue pressed.	Other cards dimmed.
A-03	Read secondary objective.	Move spotlight to secondary card and reward/impact.	Continue pressed.	Other cards dimmed.
A-04	Read bonus objective.	Move spotlight to bonus card and explain optional nature.	Continue pressed.	Other cards dimmed.
A-05	Acknowledge today's mandatory objective.	Spotlight acknowledgment or simply require the mandatory card to be focused, depending on final UI.	ObjectivesViewed flag set and active mandatory exists.	Do not add a fake button if existing UI has none.
A-06	Return to desktop.	Spotlight Close/Back.	Objectives window closes.	Outside UI blocked.

9.9 Computer chapter handoff

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
M-06	Open Dashboard again.	Spotlight Dashboard. Show improved readiness cards but keep stock-storage requirement pending.	Dashboard opens and reflects tutorial choices.	If any guided choice is missing, route back to its app.
M-07	Close the computer.	Dialogue: The delivery has arrived. Store the ingredients before opening. Spotlight computer Close.	Computer closes and manager input returns.	Save ManagementComputerComplete checkpoint.

10

Chapter 7 - Restock Room

Collect a delivery, read live crate quantities, store dry and frozen stock, and exit safely

10. Chapter 7 - Restock Room

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
RR-01	Approach the Restock Room entrance.	Frame entrance; outline door/interaction. Objective: Enter the Restock Room.	Scene transition request begins through approved flow.	All other scene exits blocked.
RR-02	Wait for transition.	Use the normal iris/scene transition. Keep loading feedback visible until RestockScene is ready.	RestockScene active, input ready, transition overlay cleared.	Timeout offers Retry Return, never a permanent black screen.
RR-03	Read room orientation.	Supervisor explains Dry Room and Freezer. Spotlight their navigation controls one at a time.	Continue pressed.	Crates held.
RR-04	Select Dry Room.	Spotlight DRY ROOM control if not already active.	Dry storage view active.	Other room control blocked for this step.
RR-05	Identify delivered dry crate.	Outline guided crate and spotlight live quantity label, for example x20.	Continue pressed.	Other crates blocked.
RR-06	Remove/store one item.	Spotlight the crate interaction, then matching shelf/grid destination. Objective follows the actual two-part interaction.	Real stored quantity increases and crate remaining decreases by exactly one.	Prevent negative quantity and duplicate input.
RR-07	Observe live count update.	Spotlight label changing x20 -> x19. Dialogue: The label always shows the quantity still inside the crate.	UI count equals real crate quantity.	Force label refresh if model and UI differ.
RR-08	Select Freezer.	Spotlight freezer navigation. Explain frozen products require the matching room.	Freezer view active.	Dry interactions blocked.
RR-09	Store one frozen item.	Repeat guided crate -> shelf flow with a frozen ingredient.	Frozen storage increases and crate count decreases once.	Wrong storage destination blocked with explanatory hint.
RR-10	Understand empty-crate behavior.	Use a small visual demonstration or prepared near-empty crate: x1 -> x0 -> crate disappears. Do not require emptying a full crate.	Tutorial demonstration confirms zero-quantity crate removed.	No persistent tutorial stock is lost.
RR-11	Exit RestockScene.	Spotlight Exit button with UI cutout; all other UI dimmed. Objective: Return to the restaurant.	Approved exit transition begins.	Debounce repeated taps; block duplicate scene loads.
RR-12	Return to Lobby safely.	Normal iris transition completes. Camera and input are restored in Lobby.	Lobby active, manager controllable, overlays cleared.	Recovery reloads Lobby through coordinator if transition stalls.
RR-13	Complete chapter.	Toast: STOCK STORED. Supervisor: The branch now has the supplies needed for service.	Confirmation finishes.	Save RestockRoomComplete checkpoint.

11

Chapter 8 - Readiness and Day 1

Verify the operational checklist and deliberately hand control to the real campaign

11. Chapter 8 - Readiness and Day 1

ID	Required player action	Visual and dialogue execution	Completion event	Recovery / lock
RD-01	Return to management computer.	Frame computer and highlight interaction.	Computer opens.	Only computer enabled.
RD-02	Open Dashboard.	Spotlight Dashboard icon.	Dashboard opens.	Other apps blocked for initial review.
RD-03	Review Staff Ready.	Spotlight staff readiness card; show green icon and assigned count.	Continue pressed and runtime validation passes.	If failed, offer GO TO STAFF.
RD-04	Review Menu Ready.	Spotlight menu readiness card and active product count.	Continue pressed and runtime validation passes.	If failed, offer GO TO MENU.
RD-05	Review Stock Ready.	Spotlight stock card and stored quantities.	Continue pressed and runtime validation passes.	If failed, offer GO TO RESTOCK.
RD-06	Review Seating/Equipment Ready.	Spotlight active booth/seat and starter equipment status.	Continue pressed and runtime validation passes.	If failed, offer GO TO EQUIPMENT.
RD-07	Review today's objective.	Spotlight mandatory objective summary.	Continue pressed and active objective exists.	If missing, regenerate deterministic tutorial objective.
RD-08	Read final supervisor message.	Encouraging portrait. Dialogue: Your assigned branch is ready. You now understand every Casual Dining station and the preparation required before service.	Continue pressed.	Start Shift remains held until message ends.
RD-09	Choose final action.	Show three large buttons: START DAY 1, REVIEW A LESSON, EXIT AND CONTINUE LATER.	One selection is made.	All options are safe and explicit.
RD-10	Start Day 1.	If selected, spotlight START DAY 1 and show confirmation: Begin the live shift?	Campaign handoff validates readiness, saves TutorialComplete, and starts Day 1 once.	Double-tap debounce; failed handoff returns to readiness screen.

Completion requirement

Tutorial completion is recorded only after the Day 1 handoff succeeds or the player deliberately exits after all chapters are complete. Reaching the final panel alone is not sufficient.

12

Training Mode and Replay

Expose tutorials as replayable restaurant-specific training without altering Campaign state

12. Training Mode and Replay

12.1 Choose Gameplay structure

Mode	Purpose	Save behavior
Campaign	Normal progression. First Casual Dining entry routes to mandatory training if incomplete.	Reads and writes Campaign progress.
Multiplayer	Existing multiplayer flow. No mandatory tutorial injection unless separately designed.	Uses existing multiplayer state.
Training Mode	Replay completed or unlocked restaurant lessons.	Uses isolated sandbox; never changes Campaign economy or progression.

12.2 Restaurant training cards

Card	Availability	Lesson content
Casual Dining Training	Available from first Campaign entry	Controls, Receptionist, Waiter, Cashier, Busser, management, restocking, readiness
Fast Food Training	Unlocks with Fast Food restaurant	Fast Food lore plus hands-on cooking and station flow; shared basics are not repeated
Fine Dining Training	Unlocks with Fine Dining restaurant	Fine Dining lore plus simple two-course service and pacing; shared basics are not repeated

12.3 Replay behavior

- Selecting Replay first shows the restaurant-specific lore again, with a Skip Lore option after the first completion.
- Player may replay the full tutorial or select a completed chapter.
- Sandbox state includes tutorial money, applicants, products, stock, equipment, objective, and one scripted customer group.
- Exiting Replay restores the exact pre-training Campaign/menu state.
- Locked restaurant cards explain the unlock condition without exposing unavailable gameplay.

13

Future Restaurant Tutorials

Add only the new systems introduced by each unlocked restaurant

13. Future Restaurant Tutorials

13.1 Fast Food

Narrative premise

The manager has been assigned to Fast Food operations. Unlike the Casual Dining lesson, this module teaches why Fast Food managers need working knowledge of every production station, including the menu's cooking process.

- Teach one universal production loop: read ticket -> collect ingredients -> prepare -> cook -> assemble -> inspect -> serve.
- Teach one complete starter recipe in the mandatory module.
- Offer short recipe-practice lessons as products unlock instead of forcing the whole menu at once.
- Reuse controls and spotlight language; do not repeat camera or basic management training.

13.2 Fine Dining

Unique but controlled scope

Fine Dining keeps the Casual Dining foundation and introduces a simple two-course service. Reservations are not part of the current plan.

- Teach Course 1 of 2, customer completion, Course 2 of 2, and final payment.
- Use a clear COURSE 1/2 and COURSE 2/2 table indicator.
- Reuse waiter, order, delivery, table, payment, and satisfaction systems.
- Do not add sommeliers, wine pairing, synchronized multi-table service, deposits, or complex tasting menus in the first version.

14

Implementation Architecture

Reuse current tutorial foundations and add data-driven visual sequencing without replacing gameplay

14. Implementation Architecture

14.1 Existing systems to preserve

Existing component	Responsibility retained
TutorialManager	Current role phases, scene progression, tutorial group/tray tracking, and completion state
TutorialDialogueUI	Supervisor portrait dialogue, typewriter behavior, manual/automatic presentation
TutorialArrowManager and guidance drivers	World-space station, customer, tray, bill, money, and sink targets
TutorialInteractionLocker	Role, collider, button, object, and CanvasGroup restrictions per phase
MainCameraController	Android drag and pinch; PC right-drag and mouse-wheel camera controls
PlayerMovement	Tap/click-to-move, arrival, and automatic interactable execution
ManagementComputerController	Dashboard, Staff, Menu, Restock, Equipment, Finances, Objectives, and Start Shift
Restock flow and iris transition	Scene entry/exit, order delivery, crate quantity lifecycle, and safe return

14.2 Recommended additions

Proposed component	Purpose	Designer control
TutorialSequenceRunner	Runs ordered data-driven steps and checkpoint-safe transitions.	Sequence asset, chapter order, optional steps
TutorialStepDefinition	Stores instruction, narrator line, target, gesture, lock, completion rule, and recovery.	All copy and references serialized
TutorialSpotlightOverlay	Dims screen, creates live cutout, blocks outside input, and follows UI target.	Opacity, padding, corner radius, glow
TutorialGestureDemo	Displays touch/mouse gesture animations for pan, zoom, tap, and scroll.	Sprite/animation, duration, repetition
TutorialTargetResolver	Resolves scene object, app card, generated row, and runtime-spawned target safely.	Stable target ID and fallback
TutorialCheckpointStore	Stores chapter completion and safe resume point.	Checkpoint keys and replay rules
TutorialSandboxController	Snapshots Campaign state and creates isolated Replay state.	Starter money, roster, stock, products

14.3 Step-definition fields

- Stable step ID and chapter ID.
- Player-facing objective and optional supervisor dialogue.
- Supervisor expression and dialogue mode: manual, automatic, or none.
- Target type: UI RectTransform, world Transform, destination point, or read-only group.
- Visual mode: spotlight, outline, path, gesture, camera frame, or combined.
- Allowed roles, buttons, objects, colliders, and CanvasGroups.
- Completion event and validation predicate.

- Idle-hint timings and recovery target.
- Checkpoint and analytics markers.

14.4 Completion-event policy

Hard rule

A visual click is not success. The sequence advances only after the underlying gameplay model confirms the intended result. This prevents the tutorial from moving forward when a save, purchase, assignment, scene transition, or transaction fails.

15

Recovery, Safety, and Edge Cases

The tutorial must never strand the player behind an overlay or in an invalid scene state

15. Recovery, Safety, and Edge Cases

Failure case	Required recovery	Safety condition
Target missing	Pause step, clear blockers, re-resolve by stable ID, then restore visual guidance.	Never leave a full-screen raycast blocker with no cutout.
Target off-screen in ScrollRect	Auto-scroll using normalized/content position, wait for layout rebuild, then create cutout.	Do not spotlight an invisible position.
Wrong UI pressed	Outside input is consumed. Target remains active. Show a short hint only after repeated attempts.	No penalty or state corruption.
Wrong world object tapped	Non-target interactables are disabled or ignored; target outline pulses once.	Do not issue an unintended movement command.
NavMesh path fails	Move destination marker to nearest valid point and retry. Preserve current step.	Do not mark movement complete.
Role changed unexpectedly	Reapply required role and role-button lock; restore player position if necessary.	Do not duplicate role objects.
Customer/tray destroyed	Respawn controlled tutorial entity from chapter snapshot and rebind watchers.	Prevent duplicate orders, bills, money, or trays.
Purchase/order clicked twice	Disable button immediately after accepted request; model operation uses one-shot guard.	Money may change once only.
Scene transition stalls	Show Retry or Return Safely after timeout; coordinator restores input and overlay state.	Never remain on permanent black screen.
App suspended on Android	Save chapter-safe checkpoint on pause; rebuild current step on resume.	Do not resume mid-transaction animation.
Player exits tutorial	Confirm exit, save last completed chapter, restore Campaign/menu state.	Replay sandbox is always discarded.



Accessibility and Mobile Usability

Make every instruction readable, reachable, and understandable on the target Android device

16. Accessibility and Mobile Usability

- Primary Android validation target: Realme 8 5G landscape, including its safe area and aspect ratio.
- All required touch targets must meet the project's mobile minimum and remain comfortably tappable after scaling.
- The tutorial uses text plus icon plus motion/shape. Meaning must never rely on color alone.
- Large Text increases dialogue and objective size without covering the active target.
- High Contrast strengthens overlay separation, outlines, and text backgrounds.
- Reduced Motion replaces pan sweeps, bounces, and pulses with short fades and static highlights.
- Every spoken or voiced line, if voice is added later, must have captions.
- The typewriter effect must use unscaled time or respect pause behavior and allow instant reveal.
- Tutorial instructions must use the current device vocabulary: tap/drag/pinch on Android and click/right-drag/wheel on PC.

16.1 Copy rules

Rule	Good example	Avoid
Begin with an action verb	Tap the highlighted booth.	You might want to consider choosing a booth.
One action per objective	Set this employee active.	Hire, activate, review the roster, then close the window.
Name the visible label	Open STAFF.	Open the employee management thing.
Explain why separately	Active employees work during the shift.	Long explanation inside the objective chip.
Use consistent role name	Receptionist throughout	Receptionist in dialogue and Host in objectives

17

Validation and Acceptance Criteria

Define exactly when the tutorial is considered complete and safe to ship

17. Validation and Acceptance Criteria

17.1 Chapter acceptance

Chapter	Required acceptance result
Controls	Android pan, pinch in/out, tap-to-move, and station interaction complete without accidental movement or UI input.
Receptionist	One scripted group is greeted and seated at the exact valid booth; no normal groups spawn.
Waiter	Exact order is recorded, correct tray is delivered, and matching bill/payment reaches cashier without duplication.
Cashier	Cashier UI opens, one transaction is correct, customer leaves, and no card lesson appears.
Busser	Dirty tray is cleaned and table returns to available state.
Management	All seven apps are opened and required guided state changes are reflected by the runtime model and Dashboard.
Restock	Order, scene entry, live quantity decrement, correct storage, empty-crate demonstration, and exit all work.
Readiness	All operational checks pass and Day 1 starts exactly once.
Replay	Campaign state before and after replay is byte/logically equivalent for protected systems.

17.2 Device and layout matrix

Environment	Required checks
Realme 8 5G Android build	Full first-time flow, safe area, touch size, pan/pinch conflict, app pause/resume, scene transitions
Android 20:9 simulator	All spotlight cutouts aligned; dialogue never covers target; scrolling targets auto-reveal
Android 16:9 simulator	Responsive scaling and no edge clipping
Windows 16:9	Right-drag camera, wheel zoom, click-to-move, keyboard/mouse focus
Reduced Motion	No required information depends on animation
Large Text + High Contrast	No overlap, truncation, inaccessible target, or unreadable dim state

17.3 Regression gates

- Unity compiles with zero errors before tutorial play tests.
- All existing mobile UI regression and management-computer smoke tests remain passing.
- RestockScene entry and exit smoke test passes repeatedly.
- Tutorial completion never alters unrelated Campaign saves during Replay.
- Normal Campaign without active tutorial retains all current interactions and autonomous staff behavior.
- No tutorial overlay, time scale, input lock, camera override, or highlighted object persists after scene exit.

18

Recommended Build Order

Implement in small testable slices after the core gameplay flow is declared stable

18. Recommended Build Order

Phase	Deliverable	Exit gate
1	Freeze terminology and tutorial copy	Confirm Receptionist/Host display name, supervisor identity, branch-manager framing, and Day 1 handoff language.
2	Audit existing scene and event hooks	Map current tutorial phases, runtime targets, completion events, and broken/duplicate helpers before editing.
3	Build spotlight overlay	Validate generated management UI, nested canvases, ScrollRects, input passthrough, safe area, and recovery.
4	Build shared step runner	Data-driven step state, target resolution, allowed input, completion validation, and checkpoints.
5	Controls chapter	Ship and test Android/PC camera and movement lesson first.
6	One-customer service journey	Receptionist -> Waiter -> Cashier -> Busser with deterministic entities and no staff bots.
7	Management applications	Dashboard, Staff, Menu, Restock, Equipment, Finance, Objectives; validate each independently.
8	Restock Room and transitions	Quantity, storage, scene entry/exit, recovery, and readiness integration.
9	Training Mode sandbox	First-time routing, replay cards, chapter selection, snapshot/restore, and unlock rules.
10	Fresh-player usability test	Observe hospitality students without coaching; record hesitation, wrong taps, reading load, and completion time.
11	Polish and lock	Revise cues and dialogue, rerun Android regression, then freeze targets before final build.

Implementation readiness decision

This specification can be approved now. Coding should begin only after the remaining core gameplay, management, Android performance, and scene-flow regressions are closed. Tutorial design can remain stable because it references gameplay outcomes rather than fixed animation timers.



Appendix - Dialogue Starter Copy

Editable baseline lines for the human Regional Training Supervisor

Appendix A - Dialogue Starter Copy

Context	Starter line
Opening	Welcome, Manager. I am your Regional Training Supervisor. You have been assigned to this Casual Dining branch.
Scope	The company handles corporate decisions. You are responsible for daily restaurant operations.
Controls	Before supervising a shift, you must know how to move around the restaurant.
Receptionist	Welcome arriving customers and assist them to a table with enough available seats.
Waiter	Take the order carefully. The kitchen can only prepare what you submit.
Delivery	Check the table before delivering. Every order must reach the correct customers.
Cashier	Verify the total, the money received, and the change before confirming payment.
Busser	A dirty table cannot accept another group. Clear it as soon as service is complete.
Management	Good service begins before the doors open. Prepare the staff, products, stock, and equipment first.
Staff	Hiring adds an employee to the roster. Set one employee active if you want them to work this shift.
Menu	Customers can order only the unlocked products placed on the active menu.
Price	Use an approved price that covers operating costs without discouraging customers.
Restock order	An order does not place ingredients on the shelf. Delivered crates must still be stored.
Equipment	Equipment purchases use the branch's operating budget. Review the benefit before confirming.
Finance	The Finance Report shows whether the shift's income is covering operational expenses.
Objectives	Mandatory objectives define today's primary requirement. Secondary and bonus objectives provide additional goals.
Restock room	The crate label shows what remains inside. When it reaches zero, the empty crate is removed.
Ready	Your assigned branch is prepared. When you are ready, begin Day 1.
Wrong action	Not yet. Follow the highlighted target.
Idle hint	Need help? Select SHOW ME and I will point you to the next action.

END OF SPECIFICATION

All dialogue, portraits, colors, targets, timings, and optional behaviors should remain editable through serialized Unity Inspector references or reusable configuration assets.