

Acceptance tests

ACME NEWSPAPER 2.0

Development team	
Identifier	G32
Members	<i>Dominguez Espinaco, José Angel Lozano Portillo, Daniel Rodríguez Pérez, José Joaquín Ruiz Gutierrez, María Ternero Algarín, Miguel Vera Recacha, Laura</i>
Testing team	
Identifier	G10
Members	<i>Casal Caro, Guillermo Aguilar Cano, Fran Ordoñez Medina, Francisco Javier López Jiménez, Julián García Rodríguez, Jose Carlos</i>
Indexing data	
Test designers	<i>Dominguez Espinaco, José Angel</i>
Testers	<i>Casal Caro, Guillermo Aguilar Cano, Fran Ordoñez Medina, Francisco Javier López Jiménez, Julián García Rodríguez, Jose Carlos</i>
Notes	

Table of contents

Use case 01 – Register as user	4
Use case 02 – Login as user.....	8
Use case 03 – List the newspapers. (not authenticated).....	10
Use case 04 – List the newspapers. (user)	12
Use case 05 – List the users of the system and display their profiles. (not authenticated)	15
Use case 06 – Search for a published article using a single key Word (not authenticated).	16
Use case 07 – Search for a published newspaper using a single keyword (not authenticated).....	18
Use case 08 – Search for a published article using a single key Word (customer).....	20
Use case 09 – Search for a published newspaper using a single keyword (customer).....	23
Use case 10 – Create a newspaper (logged in as user).....	25
Use case 11 – Publish a newspaper that he or she's created (logged in as user).	29
Use case 12– Write an article and attach it to any newspaper (logged in as user).....	31
Use case 13 – Remove an article that he or she thinks is inappropriate (logged in as administrator).35	
Use case 14 – Remove a newspaper that he or she thinks is inappropriate (logged in as administrator).	37
Use case 15 – Write follow-ups (logged in as user).	40
Use case 16 – Post a chirp (logged in as user).	41
Use case 17 – Follow another user (logged in as user).....	43
Use case 18 – Unfollow another user (logged in as user).....	44
Use case 19 – List the users who he or she follows (logged in as user).	45
Use case 20 – List the users who follow a user (logged in as user).....	46
Use case 21 – Display a stream with the chirps posted (logged in as user).	47
Use case 22 – Manage a list of taboo words. (logged in as administrator).....	49
Use case 23 – List the articles that contain taboo words.	52
Use case 24 – List the newspapers that contain taboo words.	54
Use case 25 – List the chirps that contain taboo words.	56
Use case 26 – Remove a chirp that he or she thinks is inappropriate.....	57
Use case 27 – Register as customer.....	58
Use case 28 – Edit customer profile.....	64
Use case 29 – Subscribe to a private newspaper.....	66
Use case 30 – Register as agent.....	69
Use case 31 – Register an advertisement.	76
Use case 32 – List the newspapers in which they have placed an advertisement.....	80

Use case 33 – List the newspapers in which they not placed any advertisements.....	82
Use case 34 – List the advertisements that contain taboo words in its title.....	84
Use case 35 – Remove advertisement.....	85
Use case 36 – List Volumes (not authenticate).....	88
Use case 37 – Subscribe to a volume.....	90
Use case 38 – Create a volume.....	92
Use case 39 – Dashboard administrator.....	95
Use case 40 – Actors can exchange messages.....	97
Use case 41 – Manage messages folders.....	104
Use case 42 – Send broadcast messages.....	109
Additional tests	111

Use case 01 – Register as user

Description

Use case of register as a user, using valid information.

Access

From the Welcome page, you can register as a user navigating in the menu where it appears "Register", then "Register user". Once you have written all the information, you just need to use save button.

Tests

Test <#001>	
Description	<p>The form must be filled in with the following data:</p> <p>Username: 'usertest1', Password: 'Secreta123' and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. And accept terms and conditions click marking the box.</p>
Expected	<p>The system must return the Welcome Page.</p> <p>Welcome!</p> <p>Welcome to Acme Newspaper!</p> <p>Current time is 30/04/2018 17:18</p>
Outcome	<p>El usuario se loguea correctamente y el sistema te redirige a la página de inicio.</p>
Notes	

Test <#002>	
Description	<p>The form must be filled in with the following data:</p> <p>Username: 'user26', Password: 'Secreta123', and repeat different password like 'Secreta12', Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'.</p>

	<p>And accept terms and conditions click marking the box.</p>
Expected	<p>The system must return the form with the following message: 'Password don't match'.</p> 
Outcome	<p>Se recarga la página mostrándonos un mensaje que dice que las contraseñas no coinciden.</p>
Notes	

Test <#003>	
Description	<p>The form must be filled in with the following data: Username: 'user1', Password: 'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. And accept terms and conditions click marking the box.</p>
Expected	<p>The system must return the form with the following message: 'This</p>

profile already exists'.

Edit user

Username

Password

Password

Name

Surnames

Postal address

Phone number

Email

I accept terms and conditions - [More info](#)

This profile already exist

Outcome	<i>Se recarga la página mostrándonos un mensaje que dice el usuario ya existe.</i>
Notes	

Test <#004>

Description	<i>The form must be filled in with the following data: Username: leave this field BLANK, Password: leave this field BLANK and repeat password too, Name: leave this field BLANK, Surnames: leave this field BLANK, Postal address: leave this field BLANK, Phone number: leave this field BLANK, Email: leave this field BLANK, And accept terms and conditions click marking the box.</i>
Expected	<i>The system must return the form with the following messages:</i>

Edit user

Username **Size must be from 5 to 32**

Password **Size must be from 5 to 32**

Password

Name **Must not be blank**

Surnames **Must not be blank**

Postal address

Phone number

Email **Must not be blank**

I accept terms and conditions - [More info](#)

Outcome *Se recarga la página avisando de que nombre de usuario, contraseña, nombre, apellidos y email no pueden estar en blanco.*

Notes

Test <#005>

Description	<i>The form must be filled in with the following data: Username: 'user6', Password:'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. Don't accept terms and conditions click marking the box. You must redirect to the same form, now click 'Cancel' button.</i>
Expected	<i>The system must return the Welcome Page.</i>
Outcome	<i>El sistema nos redirige a la misma vista, y al pulsar el botón de cancelar nos redirige a la página principal.</i>
Notes	

Test <#006>	
Description	<p>The form must be filled in with the following data:</p> <p>Username: 'user26', Password:'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: 'pepe', Email: 'jose@gmail.com'.</p>
Expected	<p>The system must return the form with the following message:</p> <p>Edit user</p>  <p>Username user26</p> <p>Password </p> <p>Password </p> <p>Name jose joaquin</p> <p>Surnames rodriguez perez</p> <p>Postal address </p> <p>Phone number pepe Does not match pattern</p> <p>Email jose@gmail.com</p> <p>Save Cancel</p> <p>I accept terms and conditions - More info <input checked="" type="checkbox"/></p>
Outcome	(BUG) El usuario se registra correctamente introduciendo una cadena de texto en el teléfono, no cumpliendo el patrón.
Notes	

Use case 02 – Login as user

Description

Use case of login in the system as a user, using valid information.

Access

From the Welcome page, you can login as a user navigating in the menu where it appears "Login". Once you have written your username and password, you just need to use login button.

Tests

Test <#007>	
Description	<i>The form must be filled in with the following data: Username: 'user1', Password: 'user1'.</i>
Expected	<i>The system must return the Welcome Page logged in as a user.</i>
Outcome	<i>Show as expected.</i>
Notes	

Test <#008>	
Description	<i>The form must be filled in with the following data: Username: 'user1', Password: leave this field BLANK.</i>
Expected	<i>The system must return the form with the following message: 'Your user name or password is wrong!'.</i>
	
Outcome	<i>Show as expected.</i>
Notes	

Test <#009>	
Description	<i>The form must be filled in with the following data: Username: leave this field BLANK, Password: leave this field BLANK.</i>
Expected	<i>The system must return the form with the following message: 'Your user name or password is wrong!'.</i>
	

Outcome	<i>Show as expected.</i>
Notes	

Use case 03 – List the newspapers. (not authenticated)

Description

Use case of listing the newspapers that are published and browse their articles.

Access

From the Welcome page, you list the newspapers navigating in the menu where it appears "Newspapers", then "List Newspapers".

Tests

Test <#010>	
Description	<i>For each newspaper click on his display button.</i>
Expected	<p><i>The system must return display view for a newspaper for not authenticates.</i></p> <p>Display newspaper</p>  <p>Title: title newspaper 5 Description: description newspaper 5 cialis</p>
Outcome	<i>El sistema permite la visualización de los periódicos sin estar autenticado.</i>
Notes	

Test <#011>				
Description	<i>For each newspaper click on his articles button.</i>			
Expected	<p><i>The system must return a list of articles of that newspaper.</i></p> <p>List articles</p> <table border="1"> <tr> <td>One item found. 1</td> </tr> <tr> <td>Display ✕ Title: ✕ Published moment: ✕</td> </tr> <tr> <td>Display title article 8 2017/09/20</td> </tr> </table>	One item found. 1	Display ✕ Title: ✕ Published moment: ✕	Display title article 8 2017/09/20
One item found. 1				
Display ✕ Title: ✕ Published moment: ✕				
Display title article 8 2017/09/20				
Outcome	<i>El sistema permite acceder a los artículos de cada periódico.</i>			
Notes				

Test <#012>																			
Description	Select the 'en' language.																		
Expected	<i>The system must return the list of all newspapers and the format of the date in the column 'Publication Date' must be 'yyyy/MM/dd'.</i>																		
	<table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Publication date:</th> <th>Articles</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 5</td> <td>2017/09/21</td> <td>Articles</td> </tr> <tr> <td>Display</td> <td>title newspaper 6</td> <td>2017/09/21</td> <td>Articles</td> </tr> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>2017/09/21</td> <td>Articles</td> </tr> </tbody> </table>			Display	Title:	Publication date:	Articles	Display	title newspaper 5	2017/09/21	Articles	Display	title newspaper 6	2017/09/21	Articles	Display	title terror newspaper 7	2017/09/21	Articles
Display	Title:	Publication date:	Articles																
Display	title newspaper 5	2017/09/21	Articles																
Display	title newspaper 6	2017/09/21	Articles																
Display	title terror newspaper 7	2017/09/21	Articles																
Outcome	<i>El sistema muestra la lista de periódicos y sus fechas están en el formato 'yyyy/MM/dd'.</i>																		
Notes																			

Test <#013>																			
Description	Select the 'es' language.																		
Expected	<i>The system must return the list of all newspapers and the format of the date in the column 'Publication Date' must be 'dd/MM/yyyy'.</i>																		
	<table border="1"> <thead> <tr> <th>Mostrar</th> <th>Titulo:</th> <th>Fecha de publicación:</th> <th>Artículos</th> </tr> </thead> <tbody> <tr> <td>Mostrar</td> <td>title newspaper 5</td> <td>21/09/2017</td> <td>Artículos</td> </tr> <tr> <td>Mostrar</td> <td>title newspaper 6</td> <td>21/09/2017</td> <td>Artículos</td> </tr> <tr> <td>Mostrar</td> <td>title terror newspaper 7</td> <td>21/09/2017</td> <td>Artículos</td> </tr> </tbody> </table>			Mostrar	Titulo:	Fecha de publicación:	Artículos	Mostrar	title newspaper 5	21/09/2017	Artículos	Mostrar	title newspaper 6	21/09/2017	Artículos	Mostrar	title terror newspaper 7	21/09/2017	Artículos
Mostrar	Titulo:	Fecha de publicación:	Artículos																
Mostrar	title newspaper 5	21/09/2017	Artículos																
Mostrar	title newspaper 6	21/09/2017	Artículos																
Mostrar	title terror newspaper 7	21/09/2017	Artículos																
Outcome	<i>El sistema muestra la lista de periódicos y sus fechas están en el formato 'dd/MM/yyyy'.</i>																		
Notes																			

Test <#014>																				
Description	Select on title column header to order list of newspaper by title.																			
Expected	<i>The system must return the list of all newspapers order by title of newspapers.</i>																			
	<p>List newspapers</p> <p><input type="text"/> Search</p> <p>3 items found, displaying all items.</p> <table border="1"> <tr> <td>1</td> </tr> </table> <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Publication date:</th> <th>Articles</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 5</td> <td>2017/09/21</td> <td>Articles</td> </tr> <tr> <td>Display</td> <td>title newspaper 6</td> <td>2017/09/21</td> <td>Articles</td> </tr> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>2017/09/21</td> <td>Articles</td> </tr> </tbody> </table>			1	Display	Title:	Publication date:	Articles	Display	title newspaper 5	2017/09/21	Articles	Display	title newspaper 6	2017/09/21	Articles	Display	title terror newspaper 7	2017/09/21	Articles
1																				
Display	Title:	Publication date:	Articles																	
Display	title newspaper 5	2017/09/21	Articles																	
Display	title newspaper 6	2017/09/21	Articles																	
Display	title terror newspaper 7	2017/09/21	Articles																	
Outcome	<i>El sistema muestra los periódicos ordenados por título.</i>																			
Notes																				

Use case 04 – List the newspapers. (user)

Description

Use case of listing the newspapers that are published and browse their articles.

Access

You can list the newspapers navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Newspapers" then "List newspapers".

Tests

Test <#015>							
Description	<i>Click on display button of a newspaper that is public or has been written by the logged-in user.</i>						
Expected	<i>The system must return full display view for a newspaper with all information.</i> Display newspaper  <p>Title: title newspaper 1 Description: description newspaper 1</p> Articles <table border="1"><tr><td>Summary</td><td>Articles</td><td>Writer</td></tr><tr><td>summary article 1 this ar...</td><td>title article 1 sex</td><td>user 1</td></tr></table>	Summary	Articles	Writer	summary article 1 this ar...	title article 1 sex	user 1
Summary	Articles	Writer					
summary article 1 this ar...	title article 1 sex	user 1					
Outcome	<i>The outcome is correct:</i> Display newspaper  <p>Title: title newspaper 1 Description: description newspaper 1</p> Articles <table border="1"><tr><td>Summary</td><td>Articles</td><td>Writer</td></tr><tr><td>summary article 1 this ar...</td><td>title article 1 sex</td><td>user 1</td></tr></table>	Summary	Articles	Writer	summary article 1 this ar...	title article 1 sex	user 1
Summary	Articles	Writer					
summary article 1 this ar...	title article 1 sex	user 1					

Notes

Test <#016>

Description	<p>Click on display button of a newspaper that is not public and has not been written by the logged-in user.</p>
Expected	<p>The system must return display view for a newspaper but only with certain information.</p> <p>Display newspaper</p> <p>Articles</p> <p></p>
Outcome	<p><i>The outcome is correct:</i></p> <p>Display newspaper</p> <p>Articles</p> <p></p>
Notes	<p>I enter the system as user1 and visit the newspaper with id 596</p>

Test <#017>

Description	Select the 'en' language.
Expected	<p>The system must return the list of all newspapers and the format of the date in the column 'Publication Date' must be 'yyyy/MM/dd'.</p> <p>List newspapers</p> <p><input type="text"/> Search</p> <p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <p></p>
Outcome	<p><i>The outcome is correct.</i></p> <p>List newspapers</p> <p><input type="text"/> Search</p> <p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <p></p>

Notes

Test <#018>

Description	Select the 'es' language.																								
Expected	<p><i>The system must return the list of all newspapers and the format of the date in the column 'Publication Date' must be 'dd/MM/yyyy'.</i></p> <p>Lista de periodicos</p> <p><input type="button" value="Buscar"/> Buscar</p> <p>6 registros encontrados, mostrando del 1 al 5. [Primero/Anterior] 1, 2 [Siguiente/Ultimo]</p> <table border="1"><thead><tr><th>Mostrar</th><th>Titulo:</th><th>Fecha de publicación:</th><th>Público:</th></tr></thead><tbody><tr><td>Mostrar</td><td>title newspaper 1</td><td>21/09/2017</td><td>✗</td></tr><tr><td>Mostrar</td><td>title newspaper 4</td><td>21/09/2017</td><td>✗</td></tr><tr><td>Mostrar</td><td>title newspaper 5</td><td>21/09/2017</td><td>✓</td></tr><tr><td>Mostrar</td><td>title newspaper 6</td><td>21/09/2017</td><td>✓</td></tr><tr><td>Mostrar</td><td>title terror newspaper 7</td><td>21/09/2017</td><td>✓</td></tr></tbody></table>	Mostrar	Titulo:	Fecha de publicación:	Público:	Mostrar	title newspaper 1	21/09/2017	✗	Mostrar	title newspaper 4	21/09/2017	✗	Mostrar	title newspaper 5	21/09/2017	✓	Mostrar	title newspaper 6	21/09/2017	✓	Mostrar	title terror newspaper 7	21/09/2017	✓
Mostrar	Titulo:	Fecha de publicación:	Público:																						
Mostrar	title newspaper 1	21/09/2017	✗																						
Mostrar	title newspaper 4	21/09/2017	✗																						
Mostrar	title newspaper 5	21/09/2017	✓																						
Mostrar	title newspaper 6	21/09/2017	✓																						
Mostrar	title terror newspaper 7	21/09/2017	✓																						

Outcome	<p><i>The outcome is correct:</i></p> <p>Lista de periodicos</p> <p><input type="button" value="Buscar"/> Buscar</p> <p>6 registros encontrados, mostrando del 1 al 5. [Primero/Anterior] 1, 2 [Siguiente/Ultimo]</p> <table border="1"><thead><tr><th>Mostrar</th><th>Titulo:</th><th>Fecha de publicación:</th><th>Público:</th></tr></thead><tbody><tr><td>Mostrar</td><td>title newspaper 1</td><td>21/09/2017</td><td>✗</td></tr><tr><td>Mostrar</td><td>title newspaper 4</td><td>21/09/2017</td><td>✗</td></tr><tr><td>Mostrar</td><td>title newspaper 5</td><td>21/09/2017</td><td>✓</td></tr><tr><td>Mostrar</td><td>title newspaper 6</td><td>21/09/2017</td><td>✓</td></tr><tr><td>Mostrar</td><td>title terror newspaper 7</td><td>21/09/2017</td><td>✓</td></tr></tbody></table>	Mostrar	Titulo:	Fecha de publicación:	Público:	Mostrar	title newspaper 1	21/09/2017	✗	Mostrar	title newspaper 4	21/09/2017	✗	Mostrar	title newspaper 5	21/09/2017	✓	Mostrar	title newspaper 6	21/09/2017	✓	Mostrar	title terror newspaper 7	21/09/2017	✓
Mostrar	Titulo:	Fecha de publicación:	Público:																						
Mostrar	title newspaper 1	21/09/2017	✗																						
Mostrar	title newspaper 4	21/09/2017	✗																						
Mostrar	title newspaper 5	21/09/2017	✓																						
Mostrar	title newspaper 6	21/09/2017	✓																						
Mostrar	title terror newspaper 7	21/09/2017	✓																						

Notes																									
Test <#001>																									
Description	Select different links of pagination and check them works correctly.																								
Expected	<p><i>The system must return the list of all newspapers with different page of paginations.</i></p> <p>Lista de periodicos</p> <p><input type="button" value="Buscar"/> Buscar</p> <p>6 registros encontrados, mostrando del 1 al 5. [Primero/Anterior] 1, 2 [Siguiente/Ultimo]</p> <table border="1"><thead><tr><th>Mostrar</th><th>Titulo:</th><th>Fecha de publicación:</th><th>Público:</th></tr></thead><tbody><tr><td>Mostrar</td><td>title newspaper 1</td><td>21/09/2017</td><td>✗</td></tr><tr><td>Mostrar</td><td>title newspaper 4</td><td>21/09/2017</td><td>✗</td></tr><tr><td>Mostrar</td><td>title newspaper 5</td><td>21/09/2017</td><td>✓</td></tr><tr><td>Mostrar</td><td>title newspaper 6</td><td>21/09/2017</td><td>✓</td></tr><tr><td>Mostrar</td><td>title terror newspaper 7</td><td>21/09/2017</td><td>✓</td></tr></tbody></table>	Mostrar	Titulo:	Fecha de publicación:	Público:	Mostrar	title newspaper 1	21/09/2017	✗	Mostrar	title newspaper 4	21/09/2017	✗	Mostrar	title newspaper 5	21/09/2017	✓	Mostrar	title newspaper 6	21/09/2017	✓	Mostrar	title terror newspaper 7	21/09/2017	✓
Mostrar	Titulo:	Fecha de publicación:	Público:																						
Mostrar	title newspaper 1	21/09/2017	✗																						
Mostrar	title newspaper 4	21/09/2017	✗																						
Mostrar	title newspaper 5	21/09/2017	✓																						
Mostrar	title newspaper 6	21/09/2017	✓																						
Mostrar	title terror newspaper 7	21/09/2017	✓																						

	<p>Lista de periodicos</p> <p><input type="text"/> Buscar</p> <p>6 registros encontrados, mostrando del 6 al 6. [Primero/Anterior] 1, 2 [Siguiente/Último]</p> <table border="1"> <thead> <tr> <th>Mostrar</th><th>Titulo:</th><th>Fecha de publicación:</th><th>Público:</th></tr> </thead> <tbody> <tr> <td>Mostrar</td><td>title newspaper 8</td><td>21/09/2017</td><td></td></tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación:	Público:	Mostrar	title newspaper 8	21/09/2017																	
Mostrar	Titulo:	Fecha de publicación:	Público:																						
Mostrar	title newspaper 8	21/09/2017																							
Outcome	<p><i>The outcome is correct:</i></p> <p>Lista de periodicos</p> <p><input type="text"/> Buscar</p> <p>6 registros encontrados, mostrando del 1 al 5. [Primero/Anterior] 1, 2 [Siguiente/Último]</p> <table border="1"> <thead> <tr> <th>Mostrar</th><th>Titulo:</th><th>Fecha de publicación:</th><th>Público:</th></tr> </thead> <tbody> <tr> <td>Mostrar</td><td>title newspaper 1</td><td>21/09/2017</td><td></td></tr> <tr> <td>Mostrar</td><td>title newspaper 4</td><td>21/09/2017</td><td></td></tr> <tr> <td>Mostrar</td><td>title newspaper 5</td><td>21/09/2017</td><td></td></tr> <tr> <td>Mostrar</td><td>title newspaper 6</td><td>21/09/2017</td><td></td></tr> <tr> <td>Mostrar</td><td>title terror newspaper 7</td><td>21/09/2017</td><td></td></tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación:	Público:	Mostrar	title newspaper 1	21/09/2017		Mostrar	title newspaper 4	21/09/2017		Mostrar	title newspaper 5	21/09/2017		Mostrar	title newspaper 6	21/09/2017		Mostrar	title terror newspaper 7	21/09/2017	
Mostrar	Titulo:	Fecha de publicación:	Público:																						
Mostrar	title newspaper 1	21/09/2017																							
Mostrar	title newspaper 4	21/09/2017																							
Mostrar	title newspaper 5	21/09/2017																							
Mostrar	title newspaper 6	21/09/2017																							
Mostrar	title terror newspaper 7	21/09/2017																							
Notes	<p>Lista de periodicos</p> <p><input type="text"/> Buscar</p> <p>6 registros encontrados, mostrando del 6 al 6. [Primero/Anterior] 1, 2 [Siguiente/Último]</p> <table border="1"> <thead> <tr> <th>Mostrar</th><th>Titulo:</th><th>Fecha de publicación:</th><th>Público:</th></tr> </thead> <tbody> <tr> <td>Mostrar</td><td>title newspaper 8</td><td>21/09/2017</td><td></td></tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación:	Público:	Mostrar	title newspaper 8	21/09/2017																	
Mostrar	Titulo:	Fecha de publicación:	Público:																						
Mostrar	title newspaper 8	21/09/2017																							

Use case 05 – List the users of the system and display their profiles. (not authenticated)

Description

Use case of listing the users of the system and displaying their profiles, which must include their personal data and the list of articles that they have written as long as they are published in a newspaper.

Access

From the Welcome page, you list the newspapers navigating in the menu where it appears "Users", then "List Users".

Tests

Test <#019>	
Description	For each user click on his display button.
Expected	The system must return display view for a user. Within this view, check 'article's link' and 'chirp's link', should be shown articles and chirps of user we clicked his profile.

Display user																					
<p>Name: user 1</p> <p>Surnames: surname user 1</p> <p>Postal address: postal Address user 1</p> <p>Phone number: +34617557203</p> <p>Email: user1@acmenewspaper.com</p> <p>Articles: articles</p> <p>Chirps: chirps</p>																					
<p>Articles:</p> <p>List articles</p> <p>2 items found, displaying all items.</p> <table border="1"> <tr> <td>1</td> </tr> </table> <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title article 6</td> <td>2017/09/20</td> </tr> <tr> <td>Display</td> <td>title article 9</td> <td>2016/10/21</td> </tr> </tbody> </table> <p>Chirps:</p> <p>List of my chirps</p> <p>2 items found, displaying all items.</p> <table border="1"> <tr> <td>1</td> </tr> </table> <table border="1"> <thead> <tr> <th>Published moment:</th> <th>Title:</th> <th>Description:</th> </tr> </thead> <tbody> <tr> <td>2018/01/21</td> <td>title chirp 2 sexo</td> <td>description chirp 2</td> </tr> <tr> <td>2016/01/21</td> <td>title chirp 5</td> <td>description chirp 5</td> </tr> </tbody> </table>		1	Display	Title:	Published moment:	Display	title article 6	2017/09/20	Display	title article 9	2016/10/21	1	Published moment:	Title:	Description:	2018/01/21	title chirp 2 sexo	description chirp 2	2016/01/21	title chirp 5	description chirp 5
1																					
Display	Title:	Published moment:																			
Display	title article 6	2017/09/20																			
Display	title article 9	2016/10/21																			
1																					
Published moment:	Title:	Description:																			
2018/01/21	title chirp 2 sexo	description chirp 2																			
2016/01/21	title chirp 5	description chirp 5																			
Outcome	<i>El sistema muestra la lista de usuarios registrados. Permite navegar por la información personal de cada usuario, y a su vez permite navegar por los artículos y los chirps de cada usuario.</i>																				
Notes																					

Use case 06 – Search for a published article using a single key Word (not authenticated).

Description

Use case of searching for a published article using a single key word that must appear somewhere in its title, summary, or body.

Access

From the Welcome page, you list the newspapers navigating in the menu where it appears "Search articles", then "Search", we write a word and click on the "search" button.

Tests

Test <#020>							
Description	The form must be filled in with the following data: '6', Select the 'en' language.						
Expected	<p>The system must return the list of articles showing in the listing the article 6.</p> <p>The format of the date in the column 'Published Moment' must be 'yyyy/MM/dd'.</p> <p>List articles</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title article 6</td> <td>2017/09/20</td> </tr> </tbody> </table>	Display	Title:	Published moment:	Display	title article 6	2017/09/20
Display	Title:	Published moment:					
Display	title article 6	2017/09/20					
Outcome	<i>El buscador encuentra correctamente el artículo con el formato de fecha indicado.</i>						
Notes							

Test <#021>							
Description	The form must be filled in with the following data: '6', Select the 'es' language.						
Expected	<p>The system must return the list of articles showing in the listing the article 6.</p> <p>The format of the date in the column 'Published Moment' must be 'dd/MM/yyyy'.</p> <p>Lista de artículos</p> <table border="1"> <thead> <tr> <th>Mostrar</th> <th>Titulo:</th> <th>Fecha de publicación:</th> </tr> </thead> <tbody> <tr> <td>Mostrar</td> <td>title article 6</td> <td>20/09/2017</td> </tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación:	Mostrar	title article 6	20/09/2017
Mostrar	Titulo:	Fecha de publicación:					
Mostrar	title article 6	20/09/2017					
Outcome	<i>(BUG) Se encuentra el artículo correcto pero el formato de la fecha no es el indicado.</i>						
Notes							

Test <#022>	
Description	The form must be filled in with the following data: '6',

	<p><i>Then click on display button of newspaper result of search.</i></p>
Expected	<p><i>The system must return the display view of article.</i></p> <p>Display article</p> <hr/> <p>Newspaper title newspaper 6 Title: title article 6 Summary: summary especial article 6 this article is so long Body: body chirp 6 Draft mode: false Published moment: 2017/09/20</p>  <p>Follow-Ups</p> <hr/> <p>Title: title followUp 4 Summary: summary 3 Text: text followUp4 Publication moment: 2017/10/21</p> 
Outcome	<i>El sistema permite navegar por el artículo buscado.</i>
Notes	

	Test <#023>
Description	<i>The form must be filled in with the following data: 'sex'.</i>
Expected	<i>The system must return the list of articles showing the listing empty because 'sex' is a taboo word.</i>
	<h2 style="text-align: center;">Lista de artículos</h2> <div style="text-align: center;"> <input type="text" value="sex"/> <input type="button" value="Buscar"/> Nada para mostrar. </div>
Outcome	<i>El sistema no devuelve ninguna búsqueda al tratarse 'sex' de una palabra tabú.</i>
Notes	

Use case 07 – Search for a published newspaper using a single keyword (not authenticated).

Description

Use case of searching for a published newspaper using a single keyword that must appear somewhere in its title or its description.

Access

From the Welcome page, you list the newspapers navigating in the menu where it appears "Newspapers", then "List Newspapers", we write a word and click on the "search" button.

Tests

Test <#024>	
Description	The form must be filled in with the following data: '6', Select the 'es' language.
Expected	<p><i>The system must return the list of newspapers showing in the listing the newspaper 6.</i></p> <p><i>The format of the date in the column 'Publication date' must be 'dd/MM/yyyy'.</i></p> 
Outcome	<i>El buscador encuentra correctamente el periódico con el formato de fecha indicado.</i>
Notes	

Test <#025>	
Description	The form must be filled in with the following data: '6', Select the 'en' language.
Expected	<p><i>The system must return the list of newspapers showing in the listing the newspaper 6.</i></p> <p><i>The format of the date in the column 'Publication date' must be 'yyyy/MM/dd'.</i></p> 
Outcome	<i>El buscador encuentra correctamente el periódico con el formato de fecha indicado.</i>
Notes	

Test <#026>									
Description	The form must be filled in with the following data: 'terror',								
Expected	<p>The system must return the list of newspapers showing in the listing the newspaper 7.</p> <p>List newspapers</p>  <p>One item found. 1</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Publication date:</th> <th>Articles</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>2017/09/21</td> <td>Articles</td> </tr> </tbody> </table>	Display	Title:	Publication date:	Articles	Display	title terror newspaper 7	2017/09/21	Articles
Display	Title:	Publication date:	Articles						
Display	title terror newspaper 7	2017/09/21	Articles						
Outcome	(BUG) El sistema no devuelve el periódico indicado anteriormente.								
Notes									

Test <#027>	
Description	The form must be filled in with the following data: 'sex'.
Expected	<p>The system must return the list of newspapers showing the listing empty because 'sex' word is taboo word.</p> <p>List newspapers</p>  <p>Nothing found to display.</p>
Outcome	El sistema no devuelve ninguna búsqueda al tratarse 'sex' de una palabra tabú.
Notes	

Use case 08 – Search for a published article using a single key Word (customer).

Description

Use case of searching for a published article using a single key word that must appear somewhere in its title, summary, or body.


Access

You can search for a published article navigating in the menu where it appears "Login", then you must log in the system as customer (username: 'customer1', password: 'customer1'). Once authenticated as customer you must navigate in the menu where appears "Search articles" then "Search".

Tests

Test <#028>							
Description	<p><i>The form must be filled in with the following data: '6', Select the 'en' language.</i></p>						
Expected	<p><i>The system must return the list of articles showing in the listing the article 6.</i></p> <p><i>The format of the date in the column 'Published Moment' must be 'yyyy/MM/dd'.</i></p> <p>List articles</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title article 6</td> <td>2017/09/20</td> </tr> </tbody> </table>	Display	Title:	Published moment	Display	title article 6	2017/09/20
Display	Title:	Published moment					
Display	title article 6	2017/09/20					
Outcome	<p><i>The outcome is correct:</i></p> <p>List articles</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title article 6</td> <td>2017/09/20</td> </tr> </tbody> </table>	Display	Title:	Published moment	Display	title article 6	2017/09/20
Display	Title:	Published moment					
Display	title article 6	2017/09/20					
Notes							

Test <#029>							
Description	<p><i>The form must be filled in with the following data: '6', Select the 'es' language.</i></p>						
Expected	<p><i>The system must return the list of articles showing in the listing the article 6.</i></p> <p><i>The format of the date in the column 'Published Moment' must be 'dd/MM/yyyy'.</i></p> <p>Lista de artículos</p> <table border="1"> <thead> <tr> <th>Mostrar</th> <th>Titulo:</th> <th>Fecha de publicación</th> </tr> </thead> <tbody> <tr> <td>Mostrar</td> <td>title article 6</td> <td>20/09/2017</td> </tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación	Mostrar	title article 6	20/09/2017
Mostrar	Titulo:	Fecha de publicación					
Mostrar	title article 6	20/09/2017					
Outcome	<p><i>(BUG) The outcome isn't correct, the format of the date in the column 'Published Moment' must be 'dd/MM/yyyy'</i></p> <p>Lista de artículos</p> <table border="1"> <thead> <tr> <th>Mostrar</th> <th>Titulo:</th> <th>Fecha de publicación</th> </tr> </thead> <tbody> <tr> <td>Mostrar</td> <td>title article 6</td> <td>2017/09/20</td> </tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación	Mostrar	title article 6	2017/09/20
Mostrar	Titulo:	Fecha de publicación					
Mostrar	title article 6	2017/09/20					

Notes																												
Test <#030>																												
Description	<p><i>The form must be filled in with the following data: 'leave this field BLANK',</i></p> <p><i>Then click on different pages and check that works correctly.</i></p>																											
Expected	<p><i>The system must return the list of articles paginating of different pages.</i></p> <p>List articles</p>  <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment:</th> </tr> </thead> <tbody> <tr><td>Display</td><td>title article 8</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 7</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 6</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 5</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 1 sex</td><td>2017/09/20</td></tr> </tbody> </table> <p>List articles</p>  <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment:</th> </tr> </thead> <tbody> <tr><td>Display</td><td>title article 9</td><td>2016/10/21</td></tr> <tr><td>Display</td><td>title article 10</td><td>2016/10/21</td></tr> </tbody> </table>	Display	Title:	Published moment:	Display	title article 8	2017/09/20	Display	title article 7	2017/09/20	Display	title article 6	2017/09/20	Display	title article 5	2017/09/20	Display	title article 1 sex	2017/09/20	Display	Title:	Published moment:	Display	title article 9	2016/10/21	Display	title article 10	2016/10/21
Display	Title:	Published moment:																										
Display	title article 8	2017/09/20																										
Display	title article 7	2017/09/20																										
Display	title article 6	2017/09/20																										
Display	title article 5	2017/09/20																										
Display	title article 1 sex	2017/09/20																										
Display	Title:	Published moment:																										
Display	title article 9	2016/10/21																										
Display	title article 10	2016/10/21																										
Outcome	<p><i>The outcome is correct:</i></p> <p>List articles</p>  <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment:</th> </tr> </thead> <tbody> <tr><td>Display</td><td>title article 8</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 7</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 6</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 5</td><td>2017/09/20</td></tr> <tr><td>Display</td><td>title article 1 sex</td><td>2017/09/20</td></tr> </tbody> </table> <p>List articles</p>  <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment:</th> </tr> </thead> <tbody> <tr><td>Display</td><td>title article 9</td><td>2016/10/21</td></tr> <tr><td>Display</td><td>title article 10</td><td>2016/10/21</td></tr> </tbody> </table>	Display	Title:	Published moment:	Display	title article 8	2017/09/20	Display	title article 7	2017/09/20	Display	title article 6	2017/09/20	Display	title article 5	2017/09/20	Display	title article 1 sex	2017/09/20	Display	Title:	Published moment:	Display	title article 9	2016/10/21	Display	title article 10	2016/10/21
Display	Title:	Published moment:																										
Display	title article 8	2017/09/20																										
Display	title article 7	2017/09/20																										
Display	title article 6	2017/09/20																										
Display	title article 5	2017/09/20																										
Display	title article 1 sex	2017/09/20																										
Display	Title:	Published moment:																										
Display	title article 9	2016/10/21																										
Display	title article 10	2016/10/21																										
Notes																												

Use case 09 – Search for a published newspaper using a single keyword (customer).

Description

Use case of searching for a published newspaper using a single keyword that must appear somewhere in its title or its description.

Access



You can search for a newspaper navigating in the menu where it appears "Login", then you must log in the system as customer(username: 'customer1', password: 'customer1'). Once authenticated as customer you must navigate in the menu where appears "Newspaper" then "List newspaper".

Tests

Test <#031>																																																																			
Description	The form must be filled in with the following data: 'newspaper', Then click on display button of newspaper that's private and this customer is not subscribe for this newspaper.																																																																		
Expected	<p>The system must return the display views but not full information are shown.</p> <p>Display newspaper</p> <p>Articles</p> <table border="1"><thead><tr><th>Summary:</th><th>Title:</th><th>Writer</th></tr></thead><tbody><tr><td>summary article 1 this ar...</td><td>title article 5</td><td>user 3</td></tr><tr><td>summary article 1 this ar...</td><td>title article 7</td><td>user 3</td></tr></tbody></table>	Summary:	Title:	Writer	summary article 1 this ar...	title article 5	user 3	summary article 1 this ar...	title article 7	user 3																																																									
Summary:	Title:	Writer																																																																	
summary article 1 this ar...	title article 5	user 3																																																																	
summary article 1 this ar...	title article 7	user 3																																																																	
Outcome	<p>The outcome is correct, but you had to do the same as the customer2 since the customer1 is subscribed to all the private ones and it is not possible to see that view that shows you.</p> <table border="1"><thead><tr><th colspan="3">Acme Newspapers</th></tr><tr><th>CUSTOMER</th><th>MESSAGE FOLDERS</th><th>SEND MESSAGE</th><th>SUBSCRIPTIONS</th><th>NEWSPAPER</th><th>USERS</th><th>SEARCH ARTICLES</th><th>VOLUMES</th><th>PROFILE (CUSTOMER2)</th></tr></thead><tbody><tr><td colspan="9">Customer</td></tr><tr><td colspan="9">Newspaper</td></tr><tr><td colspan="9">Articles</td></tr><tr><th colspan="3">Summary:</th><th colspan="2">Title:</th><th colspan="2">Writer</th><th colspan="2">X</th></tr><tr><td colspan="3">summary article 1 this ar...</td><td colspan="2">title article 5</td><td colspan="2">user 3</td><td colspan="2">X</td></tr><tr><td colspan="3">summary article 1 this ar...</td><td colspan="2">title article 7</td><td colspan="2">user 3</td><td colspan="2">X</td></tr></tbody></table>	Acme Newspapers			CUSTOMER	MESSAGE FOLDERS	SEND MESSAGE	SUBSCRIPTIONS	NEWSPAPER	USERS	SEARCH ARTICLES	VOLUMES	PROFILE (CUSTOMER2)	Customer									Newspaper									Articles									Summary:			Title:		Writer		X		summary article 1 this ar...			title article 5		user 3		X		summary article 1 this ar...			title article 7		user 3		X	
Acme Newspapers																																																																			
CUSTOMER	MESSAGE FOLDERS	SEND MESSAGE	SUBSCRIPTIONS	NEWSPAPER	USERS	SEARCH ARTICLES	VOLUMES	PROFILE (CUSTOMER2)																																																											
Customer																																																																			
Newspaper																																																																			
Articles																																																																			
Summary:			Title:		Writer		X																																																												
summary article 1 this ar...			title article 5		user 3		X																																																												
summary article 1 this ar...			title article 7		user 3		X																																																												
Notes																																																																			

Test <#032>

Description The form must be filled in with the following data: 'newspaper',

	<p><i>Then click on display button of newspaper that is not private or this customer is subscribe for this newspaper.</i></p>						
Expected	<p><i>The system must return the display views with full information.</i></p> <p>Display newspaper</p>  <p>Articles</p> <table border="1"> <thead> <tr> <th>Summary</th> <th>Articles</th> <th>Writer</th> </tr> </thead> <tbody> <tr> <td>summary article 1 this ar...</td> <td>title article 1 sex</td> <td>user 1</td> </tr> </tbody> </table>	Summary	Articles	Writer	summary article 1 this ar...	title article 1 sex	user 1
Summary	Articles	Writer					
summary article 1 this ar...	title article 1 sex	user 1					
Outcome	<p><i>The outcome is correct:</i></p> <p>Display newspaper</p>  <p>Articles</p> <table border="1"> <thead> <tr> <th>Summary</th> <th>Articles</th> <th>Writer</th> </tr> </thead> <tbody> <tr> <td>summary article 1 this ar...</td> <td>title article 2</td> <td>user 4</td> </tr> </tbody> </table>	Summary	Articles	Writer	summary article 1 this ar...	title article 2	user 4
Summary	Articles	Writer					
summary article 1 this ar...	title article 2	user 4					
Notes							

	<p>Test <#033></p>																								
Description	<p><i>The form must be filled in with the following data: 'newspaper', Then check links of pagination works correctly.</i></p>																								
Expected	<p><i>The system must return the list of newspaper paginated.</i></p> <p>List newspapers</p> <p><input type="text"/> Search</p> <p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title</th> <th>Publication date:</th> <th>Public:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 1</td> <td>2017/09/21</td> <td></td> </tr> <tr> <td>Display</td> <td>title newspaper 8</td> <td>2017/09/21</td> <td></td> </tr> <tr> <td>Display</td> <td>newspaper9</td> <td>2017/09/21</td> <td></td> </tr> <tr> <td>Display</td> <td>title newspaper 5</td> <td>2017/09/21</td> <td></td> </tr> <tr> <td>Display</td> <td>title newspaper 6</td> <td>2017/09/21</td> <td></td> </tr> </tbody> </table>	Display	Title	Publication date:	Public:	Display	title newspaper 1	2017/09/21		Display	title newspaper 8	2017/09/21		Display	newspaper9	2017/09/21		Display	title newspaper 5	2017/09/21		Display	title newspaper 6	2017/09/21	
Display	Title	Publication date:	Public:																						
Display	title newspaper 1	2017/09/21																							
Display	title newspaper 8	2017/09/21																							
Display	newspaper9	2017/09/21																							
Display	title newspaper 5	2017/09/21																							
Display	title newspaper 6	2017/09/21																							

List newspapers			
<input type="text"/> Search			
6 items found, displaying 6 to 6. [First/Prev] 1, 2 [Next/Last]			
Display	x Title: title terror newspaper 7	x Publication date: 2017/09/21	x Public: <input checked="" type="checkbox"/>
Display			
Outcome	<i>The outcome is correct:</i>		
List newspapers			
<input type="text"/> Search			
6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]			
Display	x Title: title newspaper 1	x Publication date: 2017/09/21	x Public: <input checked="" type="checkbox"/>
Display	x Title: title newspaper 8	x Publication date: 2017/09/21	x Public: <input checked="" type="checkbox"/>
Display	x Title: newspaper9	x Publication date: 2017/09/21	x Public: <input checked="" type="checkbox"/>
Display	x Title: title newspaper 5	x Publication date: 2017/09/21	x Public: <input checked="" type="checkbox"/>
Display	x Title: title newspaper 6	x Publication date: 2017/09/21	x Public: <input checked="" type="checkbox"/>
Notes			

Use case 10 - Create a newspaper (logged in as user).

Description

Use case of creating a newspaper.

Access

You can create newspaper navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Newspapers" then "List my newspapers" and below the list we click on the button "Create newspaper".

Tests

Test <#034>

Description

The form must be filled in with the following data:
 Title: 'Newspaper test',
 Description: 'Newspaper description test',

	<p><i>Picture: 'http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg',</i> <i>Public: 'Yes'.</i> <i>Click save button.</i></p>																								
Expected	<p><i>The system must return the list of my newspapers with the new newspaper.</i></p> <p>List newspapers</p>  <table border="1"> <thead> <tr> <th>Display</th> <th>Title</th> <th>Publication date:</th> <th>Public:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 1</td> <td>2017/09/21</td> <td>✗</td> </tr> <tr> <td>Display</td> <td>title newspaper 4</td> <td>2017/09/21</td> <td>✗</td> </tr> <tr> <td>Display</td> <td>title newspaper 5</td> <td>2017/09/21</td> <td>✓</td> </tr> <tr> <td>Display</td> <td>title newspaper 6</td> <td>2017/09/21</td> <td>✓</td> </tr> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>2017/09/21</td> <td>✓</td> </tr> </tbody> </table>	Display	Title	Publication date:	Public:	Display	title newspaper 1	2017/09/21	✗	Display	title newspaper 4	2017/09/21	✗	Display	title newspaper 5	2017/09/21	✓	Display	title newspaper 6	2017/09/21	✓	Display	title terror newspaper 7	2017/09/21	✓
Display	Title	Publication date:	Public:																						
Display	title newspaper 1	2017/09/21	✗																						
Display	title newspaper 4	2017/09/21	✗																						
Display	title newspaper 5	2017/09/21	✓																						
Display	title newspaper 6	2017/09/21	✓																						
Display	title terror newspaper 7	2017/09/21	✓																						
Outcome	<i>Show expected.</i>																								
Notes	<i>Description could be a text area.</i>																								


	Test <#035>																								
Description	<p><i>The form must be filled in with the following data:</i> <i>Title: 'Newspaper test',</i> <i>Description: 'or'A='A',</i> <i>Picture: 'http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg',</i> <i>Public: 'Yes'.</i> <i>Click save button.</i></p>																								
Expected	<p><i>The system must return the list of my newspapers with the new newspaper.</i></p> <p>List newspapers</p>  <table border="1"> <thead> <tr> <th>Display</th> <th>Title</th> <th>Publication date:</th> <th>Public:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 1</td> <td>2017/09/21</td> <td>✗</td> </tr> <tr> <td>Display</td> <td>title newspaper 4</td> <td>2017/09/21</td> <td>✗</td> </tr> <tr> <td>Display</td> <td>title newspaper 5</td> <td>2017/09/21</td> <td>✓</td> </tr> <tr> <td>Display</td> <td>title newspaper 6</td> <td>2017/09/21</td> <td>✓</td> </tr> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>2017/09/21</td> <td>✓</td> </tr> </tbody> </table>	Display	Title	Publication date:	Public:	Display	title newspaper 1	2017/09/21	✗	Display	title newspaper 4	2017/09/21	✗	Display	title newspaper 5	2017/09/21	✓	Display	title newspaper 6	2017/09/21	✓	Display	title terror newspaper 7	2017/09/21	✓
Display	Title	Publication date:	Public:																						
Display	title newspaper 1	2017/09/21	✗																						
Display	title newspaper 4	2017/09/21	✗																						
Display	title newspaper 5	2017/09/21	✓																						
Display	title newspaper 6	2017/09/21	✓																						
Display	title terror newspaper 7	2017/09/21	✓																						
Outcome	<i>Show expected.</i>																								
Notes																									

Test <#036>	
Description	<p>The form must be filled in with the following data:</p> <p>Title: 'newspaper test', Description: 'description test', Picture: 'bad url', Public: 'Yes'. Click on save button.</p>
Expected	<p>The system must return the form with the following message:</p> <p>Edit newspaper</p> <p>Title: <input type="text" value="Newspaper test"/></p> <p>Description: <input type="text" value="description test"/></p> <p>Picture: <input type="text" value="bad url"/> Invalid URL</p> <p>Public: <input type="button" value="NO ▾"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	Show expected.
Notes	

Test <#037>																																				
Description	<p>The form must be filled in with the following data:</p> <p>Title: 'newspaper test', Description: 'description test', Picture: 'bad url', Public: 'Yes'.</p> <p>The system must return the form with errors. Then click on cancel button.</p>																																			
Expected	<p>The system must return the list of my newspapers:</p> <p>List newspapers</p> <p>4 items found, displaying all items</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Edit</th> <th>Title</th> <th>Publication date</th> <th>Articles</th> <th>Publish</th> <th>Public</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>Edit</td> <td>title newspaper 1</td> <td>2017/09/21</td> <td>Articles</td> <td><input checked="" type="checkbox"/></td> <td>X</td> </tr> <tr> <td>Display</td> <td>Edit</td> <td>title newspaper 2</td> <td></td> <td>Articles</td> <td><input checked="" type="checkbox"/></td> <td>✓</td> </tr> <tr> <td>Display</td> <td>Edit</td> <td>title accidente newspaper 3</td> <td></td> <td>Articles</td> <td><input checked="" type="checkbox"/></td> <td>✓</td> </tr> <tr> <td>Display</td> <td></td> <td>newspaper9</td> <td>2017/09/21</td> <td>Articles</td> <td><input checked="" type="checkbox"/></td> <td>✓</td> </tr> </tbody> </table>	Display	Edit	Title	Publication date	Articles	Publish	Public	Display	Edit	title newspaper 1	2017/09/21	Articles	<input checked="" type="checkbox"/>	X	Display	Edit	title newspaper 2		Articles	<input checked="" type="checkbox"/>	✓	Display	Edit	title accidente newspaper 3		Articles	<input checked="" type="checkbox"/>	✓	Display		newspaper9	2017/09/21	Articles	<input checked="" type="checkbox"/>	✓
Display	Edit	Title	Publication date	Articles	Publish	Public																														
Display	Edit	title newspaper 1	2017/09/21	Articles	<input checked="" type="checkbox"/>	X																														
Display	Edit	title newspaper 2		Articles	<input checked="" type="checkbox"/>	✓																														
Display	Edit	title accidente newspaper 3		Articles	<input checked="" type="checkbox"/>	✓																														
Display		newspaper9	2017/09/21	Articles	<input checked="" type="checkbox"/>	✓																														
Outcome	Show expected.																																			
Notes																																				

Test <#038>	
Description	The form must be filled in with the following data: Title: leave this field BLANK, Description: leave this field BLANK, Picture: leave this field BLANK, Public: 'Yes'.
Expected	The system must return the form with the following message in title and description filed: 'Must not be blank'. 
Outcome	Show expected.
Notes	

You can also edit a newspaper that has been created by clicking on the edit column:

Test <#039>	
Description	We click on button edit of newspaper 2 and we edit the title field: Title: 'Title newspaper 2 edit'.
Expected	The system must return the list of newspaper having edited the title of newspaper 2. 
Outcome	Show expected.
Notes	

Test <#040>	
Description	We click on button edit of newspaper 2 and we edit the title field: Title: leave this field BLANK, Description: leave this field BLANK, Picture: leave this field BLANK. The system returns error messages and the click on cancel button
Expected	The system must return the list newspapers.
Outcome	Show expected.
Notes	

Use case 11 – Publish a newspaper that he or she's created (logged in as user).

Description

Use case of publishing a newspaper that a user created.

Access

You can publish newspaper navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Newspapers" then "List my newspapers" and in the column "publish" click for that newspaper that we want to publish

Tests

Test <#041>	
Description	Click on publish button in the list of newspapers. No newspapers can be published until each of the articles of which it is composed is saved in final mode.
Expected	The edit button will only appear for newspapers that have all of his articles saved in final mode. List newspapers 
Outcome	Show expected.
Notes	

Test <#042>																													
Description	Click on the button publish for newspaper 2.																												
Expected	<p>The system must return the list of newspaper with the following message 'the publication was successful' having published newspaper 2.</p> <p>List newspapers</p> <table border="1"> <thead> <tr> <th>Display</th><th>Edit</th><th>Title:</th><th>Publication date:</th><th>Articles</th><th>Publish</th><th>Public:</th></tr> </thead> <tbody> <tr> <td>Display</td><td></td><td>title newspaper 1</td><td>2017/09/21</td><td>Articles</td><td></td><td></td></tr> <tr> <td>Display</td><td></td><td>title newspaper 2 edit</td><td>2018/04/30</td><td>Articles</td><td></td><td></td></tr> <tr> <td>Display</td><td>Edit</td><td>title accidente newspaper 3</td><td></td><td>Articles</td><td>Publish</td><td></td></tr> </tbody> </table> <p>Create a newspaper the publication was successful</p>	Display	Edit	Title:	Publication date:	Articles	Publish	Public:	Display		title newspaper 1	2017/09/21	Articles			Display		title newspaper 2 edit	2018/04/30	Articles			Display	Edit	title accidente newspaper 3		Articles	Publish	
Display	Edit	Title:	Publication date:	Articles	Publish	Public:																							
Display		title newspaper 1	2017/09/21	Articles																									
Display		title newspaper 2 edit	2018/04/30	Articles																									
Display	Edit	title accidente newspaper 3		Articles	Publish																								
Outcome	Show expected.																												
Notes																													

Test <#043>																																				
Description	Create a new newspaper with valid data. Try to publish this new newspaper.																																			
Expected	<p>The system must return the list of newspaper with the following message 'must have at least one article to be published'.</p> <p>List newspapers</p> <table border="1"> <thead> <tr> <th>Display</th><th>Edit</th><th>Title:</th><th>Publication date:</th><th>Articles</th><th>Publish</th><th>Public:</th></tr> </thead> <tbody> <tr> <td>Display</td><td></td><td>title newspaper 1</td><td>2017/09/21</td><td>Articles</td><td></td><td></td></tr> <tr> <td>Display</td><td></td><td>title newspaper 2 edit</td><td>2018/04/30</td><td>Articles</td><td></td><td></td></tr> <tr> <td>Display</td><td>Edit</td><td>title accidente newspaper 3</td><td></td><td>Articles</td><td>Publish</td><td></td></tr> <tr> <td>Display</td><td>Edit</td><td>newspaper test</td><td></td><td>Articles</td><td>Publish</td><td></td></tr> </tbody> </table> <p>Create a newspaper must have at least one article to be published</p>	Display	Edit	Title:	Publication date:	Articles	Publish	Public:	Display		title newspaper 1	2017/09/21	Articles			Display		title newspaper 2 edit	2018/04/30	Articles			Display	Edit	title accidente newspaper 3		Articles	Publish		Display	Edit	newspaper test		Articles	Publish	
Display	Edit	Title:	Publication date:	Articles	Publish	Public:																														
Display		title newspaper 1	2017/09/21	Articles																																
Display		title newspaper 2 edit	2018/04/30	Articles																																
Display	Edit	title accidente newspaper 3		Articles	Publish																															
Display	Edit	newspaper test		Articles	Publish																															
Outcome	Show expected.																																			
Notes																																				

Test <#044>	
Description	Try to publish newspaper 3.
Expected	<p>The system must return the list of newspaper with the following message 'all articles have to be in final mode'.</p>

List newspapers																																																					
4 items found, displaying all items.																																																					
1																																																					
<table border="1"> <thead> <tr> <th>Display</th><th>Edit</th><th>Title:</th><th>Publication date:</th><th>Articles</th><th>Publish</th><th>Public:</th><th></th><th></th></tr> </thead> <tbody> <tr> <td>Display</td><td></td><td>title newspaper 1</td><td>2017/09/21</td><td>Articles</td><td></td><td></td><td>×</td><td></td></tr> <tr> <td>Display</td><td></td><td>title newspaper 2 edit</td><td>2018/04/30</td><td>Articles</td><td></td><td></td><td>✓</td><td></td></tr> <tr> <td>Display</td><td>Edit</td><td>title accidente newspaper 3</td><td></td><td>Articles</td><td>Publish</td><td></td><td>✓</td><td></td></tr> <tr> <td>Display</td><td>Edit</td><td>newspaper test</td><td></td><td>Articles</td><td>Publish</td><td></td><td>×</td><td></td></tr> </tbody> </table>									Display	Edit	Title:	Publication date:	Articles	Publish	Public:			Display		title newspaper 1	2017/09/21	Articles			×		Display		title newspaper 2 edit	2018/04/30	Articles			✓		Display	Edit	title accidente newspaper 3		Articles	Publish		✓		Display	Edit	newspaper test		Articles	Publish		×	
Display	Edit	Title:	Publication date:	Articles	Publish	Public:																																															
Display		title newspaper 1	2017/09/21	Articles			×																																														
Display		title newspaper 2 edit	2018/04/30	Articles			✓																																														
Display	Edit	title accidente newspaper 3		Articles	Publish		✓																																														
Display	Edit	newspaper test		Articles	Publish		×																																														
Create a newspaper																																																					
all articles have to be in final mode																																																					
Outcome	Show expected.																																																				
Notes																																																					

Use case 12– Write an article and attach it to any newspaper (logged in as user).

Description

Use case of writing an article and attach it to any newspaper that has not been published, yet.


Access

You can write an article and attach it to any newspaper navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Newspapers" then "List my newspapers" and in the column "Articles" click to see articles of a newspaper we want. Once the articles for the newspaper are listed, click on the button below "Create article".

Tests

Test <#045>																
Description	<p><i>List articles for newspaper 3.</i></p> <p><i>Click on articles for newspaper 3.</i></p>															
Expected	<p><i>The system must return the list of articles of newspaper 3.</i></p> <p>List articles</p> <p>2 items found, displaying all items.</p> <p>1</p> <table border="1"> <thead> <tr> <th>Edit</th><th>Display</th><th>Title:</th><th>Published moment:</th><th>Draft mode:</th></tr> </thead> <tbody> <tr> <td>Edit</td><td>Display</td><td>title article 3</td><td></td><td>✓</td></tr> <tr> <td>Edit</td><td>Display</td><td>title article 4</td><td></td><td>✓</td></tr> </tbody> </table> <p>Create a article</p>	Edit	Display	Title:	Published moment:	Draft mode:	Edit	Display	title article 3		✓	Edit	Display	title article 4		✓
Edit	Display	Title:	Published moment:	Draft mode:												
Edit	Display	title article 3		✓												
Edit	Display	title article 4		✓												

Outcome	<i>Show expected.</i>
Notes	

Test <#046>	
Description	<p>Create new article for newspaper 3. The form must be filled in with the following data: Title: 'article test', Summary: 'summary article test new', Body: 'body article test', Pictures: http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg, Draft mode: 'Yes'. Click on save button.</p>
Expected	<p>The system must return the list of articles of newspaper 3. Edit button will be available because is in draft mode.</p> <p>List articles</p>  <p>Create a article</p>
Outcome	<i>Show expected.</i>
Notes	<i>Body could be a text area.</i>

Test <#047>	
Description	<p>Create new article for newspaper 3. The form must be filled in with the following data: Title: leave this field BLANK, Summary: leave this field BLANK, Body: leave this field BLANK, Pictures: leave this field BLANK, Draft mode: 'Yes'.</p>
Expected	<i>The system must return the form with the following messages:</i>

Edit article

Title: Must not be blank

Summary: Must not be blank

Size must be from 9 to 500

Body: Must not be blank

Pictures: http://imagen1 , http://imag

Draft mode: YES ▾

Outcome (BUG) Body's field don't show error message.

Notes

Test <#048>

Description	Create new article for newspaper 3. The form must be filled in with the following data: Title: 'article test', Summary: 'summary of article test', Body: 'body article test', Pictures: 'http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg', Draft mode: 'Yes'.
--------------------	--

Expected The system must return the listing articles being the new article.

List articles

3 items found, displaying all items.

1

Edit	Display	Title:	Published moment:	Draft mode:
Edit	Display	title article 3		✓
Edit	Display	title article 4		✓
Edit	Display	article test		✓

[Create a article](#)

Outcome Show expected.

Notes

Test <#049>

Description	Create new article for newspaper 3. The form must be filled in with the following data: Title: 'article test', Summary: 'summary'
--------------------	--

	<p>Body: 'body article test', Pictures: 'http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg, Draft mode: 'Yes'. <i>In the URL change newspaper Id for a private newspaper or a published newspaper.</i> <i>Press enter.</i></p>
Expected	<p><i>The system must return the Panic page because we can add articles to a private newspaper or published newspaper.</i></p> <p>Panic</p> <p>Sorry for the inconvenience. The following exception was thrown and is not recoverable: <code>IllegalArgumentException</code></p> <p>Message</p> <p>[Assertion failed] - the object argument must be null</p> <p>Stack trace</p> <pre>java.lang.IllegalArgumentException: [Assertion failed] - the object argument must be null at org.springframework.util.Assert.isNull(Assert.java:89) at org.springframework.util.Assert.isNull(Assert.java:108) at services.ArticleService.reconstruct(ArticleService.java:229) at services.ArticleService\$\$FastClassByCGLIB\$\$60a2a2d1.invoke(MethodProxy.java:204) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:204) at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:710) at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:157) at</pre>
Outcome	<i>Show expected.</i>
Notes	

	Test <#050>																									
Description	<p><i>Create new article for newspaper 3.</i></p> <p><i>The form must be filled in with the following data:</i></p> <p>Title: 'article test', Summary: 'summary' Body: 'body article test', Pictures: 'http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg, Draft mode: 'Yes'. <i>The system must return an error message.</i> <i>Then click to cancel button.</i></p>																									
Expected	<p><i>The system must return the list of articles of newspaper 3.</i></p> <p>List articles</p> <table border="1"> <tr> <td>3 items found, displaying all items.</td> </tr> <tr> <td>1</td> </tr> <tr> <td> <table border="1"> <thead> <tr> <th>Edit</th> <th>Display</th> <th>Title:</th> <th>Published moment:</th> <th>Draft mode:</th> </tr> </thead> <tbody> <tr> <td>Edit</td> <td>Display</td> <td>title article 3</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Edit</td> <td>Display</td> <td>title article 4</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Edit</td> <td>Display</td> <td>article test</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> </tbody> </table> </td> </tr> <tr> <td></td><td><i>Create a article</i></td></tr> </table>	3 items found, displaying all items.	1	<table border="1"> <thead> <tr> <th>Edit</th> <th>Display</th> <th>Title:</th> <th>Published moment:</th> <th>Draft mode:</th> </tr> </thead> <tbody> <tr> <td>Edit</td> <td>Display</td> <td>title article 3</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Edit</td> <td>Display</td> <td>title article 4</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Edit</td> <td>Display</td> <td>article test</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> </tbody> </table>	Edit	Display	Title:	Published moment:	Draft mode:	Edit	Display	title article 3		<input checked="" type="checkbox"/>	Edit	Display	title article 4		<input checked="" type="checkbox"/>	Edit	Display	article test		<input checked="" type="checkbox"/>		<i>Create a article</i>
3 items found, displaying all items.																										
1																										
<table border="1"> <thead> <tr> <th>Edit</th> <th>Display</th> <th>Title:</th> <th>Published moment:</th> <th>Draft mode:</th> </tr> </thead> <tbody> <tr> <td>Edit</td> <td>Display</td> <td>title article 3</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Edit</td> <td>Display</td> <td>title article 4</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Edit</td> <td>Display</td> <td>article test</td> <td></td> <td><input checked="" type="checkbox"/></td> </tr> </tbody> </table>	Edit	Display	Title:	Published moment:	Draft mode:	Edit	Display	title article 3		<input checked="" type="checkbox"/>	Edit	Display	title article 4		<input checked="" type="checkbox"/>	Edit	Display	article test		<input checked="" type="checkbox"/>						
Edit	Display	Title:	Published moment:	Draft mode:																						
Edit	Display	title article 3		<input checked="" type="checkbox"/>																						
Edit	Display	title article 4		<input checked="" type="checkbox"/>																						
Edit	Display	article test		<input checked="" type="checkbox"/>																						
	<i>Create a article</i>																									
Outcome	<i>Show expected.</i>																									
Notes																										

Use case 13 – Remove an article that he or she thinks is inappropriate (logged in as administrator).

Description

Use case of removing an article that he or she thinks is inappropriate.

Access

You can remove an article navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Articles" then "Articles" and in the column "Delete" click to delete article you want. We see a confirmation at the time of delete and confirm by clicking on "OK".

Tests

Test <#051>																																									
Description	<p>Check remove alone article on a page of pagination. If we do not have a page with a single article we login as a user and create an article. Then click on delete button to delete single article.</p>																																								
Expected	<p>The system must return the list of all articles and all links must be displayed correctly.</p> <p>List articles</p>  <p>11 items found, displaying 11 to 11. [First/Prev] 1, 2, 3 [Next/Last]</p> <table border="1"><thead><tr><th>Display</th><th>Title</th><th>Published moment:</th><th>Delete</th><th>Draft mode:</th></tr></thead><tbody><tr><td>Display</td><td>title 22</td><td>2018/04/30</td><td>Delete</td><td>X</td></tr></tbody></table> <p>List articles</p>  <p>10 items found, displaying 6 to 10. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"><thead><tr><th>Display</th><th>Title</th><th>Published moment:</th><th>Delete</th><th>Draft mode:</th></tr></thead><tbody><tr><td>Display</td><td>title article 8</td><td>2017/09/20</td><td>Delete</td><td>X</td></tr><tr><td>Display</td><td>title article 9</td><td>2016/10/21</td><td>Delete</td><td>X</td></tr><tr><td>Display</td><td>title article 10</td><td>2016/10/21</td><td>Delete</td><td>X</td></tr><tr><td>Display</td><td>title article 11</td><td>2016/10/21</td><td>Delete</td><td>X</td></tr><tr><td>Display</td><td>title article 12</td><td>2016/10/21</td><td>Delete</td><td>X</td></tr></tbody></table>	Display	Title	Published moment:	Delete	Draft mode:	Display	title 22	2018/04/30	Delete	X	Display	Title	Published moment:	Delete	Draft mode:	Display	title article 8	2017/09/20	Delete	X	Display	title article 9	2016/10/21	Delete	X	Display	title article 10	2016/10/21	Delete	X	Display	title article 11	2016/10/21	Delete	X	Display	title article 12	2016/10/21	Delete	X
Display	Title	Published moment:	Delete	Draft mode:																																					
Display	title 22	2018/04/30	Delete	X																																					
Display	Title	Published moment:	Delete	Draft mode:																																					
Display	title article 8	2017/09/20	Delete	X																																					
Display	title article 9	2016/10/21	Delete	X																																					
Display	title article 10	2016/10/21	Delete	X																																					
Display	title article 11	2016/10/21	Delete	X																																					
Display	title article 12	2016/10/21	Delete	X																																					
Outcome	Show expected.																																								
Notes																																									

Test <#052>	
Description	Select the 'es' language.
Expected	The system must return the list of all articles and the format of the date in the column 'Published Moment' must be 'dd/MM/yyyy'.

Lista de artículos																																								
10 registros encontrados, mostrando del 1 al 5. [Primero/Anterior] 1, 2 [Siguiente/Último]																																								
<table border="1"> <thead> <tr> <th>Mostrar</th><th>×</th><th>Título:</th><th>×</th><th>Fecha de publicación:</th><th>×</th></tr> </thead> <tbody> <tr> <td>Mostrar</td><td></td><td>title article 1 sex</td><td></td><td>20/09/2017</td><td><button>Eliminar</button> </td></tr> <tr> <td>Mostrar</td><td></td><td>title article 2</td><td></td><td>21/10/2017</td><td><button>Eliminar</button> </td></tr> <tr> <td>Mostrar</td><td></td><td>title article 5</td><td></td><td>20/09/2017</td><td><button>Eliminar</button> </td></tr> <tr> <td>Mostrar</td><td></td><td>title article 6</td><td></td><td>20/09/2017</td><td><button>Eliminar</button> </td></tr> <tr> <td>Mostrar</td><td></td><td>title article 7</td><td></td><td>20/09/2017</td><td><button>Eliminar</button> </td></tr> </tbody> </table>					Mostrar	×	Título:	×	Fecha de publicación:	×	Mostrar		title article 1 sex		20/09/2017	<button>Eliminar</button>	Mostrar		title article 2		21/10/2017	<button>Eliminar</button>	Mostrar		title article 5		20/09/2017	<button>Eliminar</button>	Mostrar		title article 6		20/09/2017	<button>Eliminar</button>	Mostrar		title article 7		20/09/2017	<button>Eliminar</button>
Mostrar	×	Título:	×	Fecha de publicación:	×																																			
Mostrar		title article 1 sex		20/09/2017	<button>Eliminar</button>																																			
Mostrar		title article 2		21/10/2017	<button>Eliminar</button>																																			
Mostrar		title article 5		20/09/2017	<button>Eliminar</button>																																			
Mostrar		title article 6		20/09/2017	<button>Eliminar</button>																																			
Mostrar		title article 7		20/09/2017	<button>Eliminar</button>																																			
Outcome	<i>(BUG) The date continues with the English format.</i>																																							
Notes																																								

Test <#053>																																								
Description	Select the 'en' language.																																							
Expected	<p>The system must return the list of all articles and the format of the date in the column 'Published Moment' must be 'yyyy/MM/dd'.</p> <p>List articles</p>																																							
<p>10 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Display</th><th>×</th><th>Title:</th><th>×</th><th>Published moment:</th><th>×</th></tr> </thead> <tbody> <tr> <td>Display</td><td></td><td>title article 1 sex</td><td></td><td>2017/09/20</td><td><button>Delete</button> </td></tr> <tr> <td>Display</td><td></td><td>title article 2</td><td></td><td>2017/10/21</td><td><button>Delete</button> </td></tr> <tr> <td>Display</td><td></td><td>title article 5</td><td></td><td>2017/09/20</td><td><button>Delete</button> </td></tr> <tr> <td>Display</td><td></td><td>title article 6</td><td></td><td>2017/09/20</td><td><button>Delete</button> </td></tr> <tr> <td>Display</td><td></td><td>title article 7</td><td></td><td>2017/09/20</td><td><button>Delete</button> </td></tr> </tbody> </table>					Display	×	Title:	×	Published moment:	×	Display		title article 1 sex		2017/09/20	<button>Delete</button>	Display		title article 2		2017/10/21	<button>Delete</button>	Display		title article 5		2017/09/20	<button>Delete</button>	Display		title article 6		2017/09/20	<button>Delete</button>	Display		title article 7		2017/09/20	<button>Delete</button>
Display	×	Title:	×	Published moment:	×																																			
Display		title article 1 sex		2017/09/20	<button>Delete</button>																																			
Display		title article 2		2017/10/21	<button>Delete</button>																																			
Display		title article 5		2017/09/20	<button>Delete</button>																																			
Display		title article 6		2017/09/20	<button>Delete</button>																																			
Display		title article 7		2017/09/20	<button>Delete</button>																																			
Outcome	Show expected.																																							
Notes																																								

Test <#054>					
Description	Click on the display button for each article.				
Expected	The system must return the display views of an article you clicked.				

Display article

Newspaper title newspaper 2 edit

Title: title article 2

Summary: summary article 1 this article is so long and interesting

Body: body chirp 2 cialis

Draft mode: false

Published moment: 2017/10/21



Follow-Ups

Nothing found to display.

Outcome	Show expected.
Notes	

Use case 14 – Remove a newspaper that he or she thinks is inappropriate (logged in as administrator).

Description

Use case of removing a newspaper that he or she thinks is inappropriate.

Access

You can remove a newspaper navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "List newspapers" then "Newspapers" and in the column "Delete" click to delete newspaper you want. We see a confirmation at the time of delete and confirm by clicking on "OK".

Tests

Test <#055>	
Description	Create new newspapers as a user until you have a paging page with a single newspaper. Then login as administrator and delete the newspaper that is only on one page of pagination.
Expected	The system must return correctly the list of all newspapers.

List newspapers																																		
<p>11 items found, displaying 11 to 11. [First/Prev] 1, 2, 3 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Display</th><th>Title:</th><th>Publication date:</th><th>Delete</th><th>Public:</th></tr> </thead> <tbody> <tr> <td>Display</td><td>title 22</td><td></td><td>Delete</td><td><input checked="" type="checkbox"/></td></tr> </tbody> </table>					Display	Title:	Publication date:	Delete	Public:	Display	title 22		Delete	<input checked="" type="checkbox"/>																				
Display	Title:	Publication date:	Delete	Public:																														
Display	title 22		Delete	<input checked="" type="checkbox"/>																														
List newspapers																																		
<p>10 items found, displaying 6 to 10. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Display</th><th>Title:</th><th>Publication date:</th><th>Delete</th><th>Public:</th></tr> </thead> <tbody> <tr> <td>Display</td><td>title newspaper 6</td><td>2017/09/21</td><td>Delete</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Display</td><td>title terror newspaper 7</td><td>2017/09/21</td><td>Delete</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Display</td><td>title newspaper 8</td><td>2017/09/21</td><td>Delete</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Display</td><td>title newspaper 9</td><td></td><td>Delete</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Display</td><td>newspaper test</td><td></td><td>Delete</td><td><input checked="" type="checkbox"/></td></tr> </tbody> </table>					Display	Title:	Publication date:	Delete	Public:	Display	title newspaper 6	2017/09/21	Delete	<input checked="" type="checkbox"/>	Display	title terror newspaper 7	2017/09/21	Delete	<input checked="" type="checkbox"/>	Display	title newspaper 8	2017/09/21	Delete	<input checked="" type="checkbox"/>	Display	title newspaper 9		Delete	<input checked="" type="checkbox"/>	Display	newspaper test		Delete	<input checked="" type="checkbox"/>
Display	Title:	Publication date:	Delete	Public:																														
Display	title newspaper 6	2017/09/21	Delete	<input checked="" type="checkbox"/>																														
Display	title terror newspaper 7	2017/09/21	Delete	<input checked="" type="checkbox"/>																														
Display	title newspaper 8	2017/09/21	Delete	<input checked="" type="checkbox"/>																														
Display	title newspaper 9		Delete	<input checked="" type="checkbox"/>																														
Display	newspaper test		Delete	<input checked="" type="checkbox"/>																														
Outcome	Show expected.																																	
Notes																																		

Test <#056>																																		
Description	Select the 'es' language.																																	
Expected	<p>The system must return the list of all newspapers and the format of the date in the column 'Publication Date' must be 'dd/MM/yyyy'.</p> <p>Lista de periodicos</p>																																	
<p>11 registros encontrados, mostrando del 1 al 5. [Primero/Anterior] 1, 2, 3 [Siguiente/Ultimo]</p> <table border="1"> <thead> <tr> <th>Mostrar</th><th>Título:</th><th>Fecha de publicación:</th><th>Eliminar</th><th>Público:</th></tr> </thead> <tbody> <tr> <td>Mostrar</td><td>title newspaper 1</td><td>21/09/2017</td><td>Eliminar</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Mostrar</td><td>title newspaper 2 edit</td><td>30/04/2018</td><td>Eliminar</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Mostrar</td><td>title accidente newspaper 3</td><td></td><td>Eliminar</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Mostrar</td><td>title newspaper 4</td><td>21/09/2017</td><td>Eliminar</td><td><input checked="" type="checkbox"/></td></tr> <tr> <td>Mostrar</td><td>title newspaper 5</td><td>21/09/2017</td><td>Eliminar</td><td><input checked="" type="checkbox"/></td></tr> </tbody> </table>					Mostrar	Título:	Fecha de publicación:	Eliminar	Público:	Mostrar	title newspaper 1	21/09/2017	Eliminar	<input checked="" type="checkbox"/>	Mostrar	title newspaper 2 edit	30/04/2018	Eliminar	<input checked="" type="checkbox"/>	Mostrar	title accidente newspaper 3		Eliminar	<input checked="" type="checkbox"/>	Mostrar	title newspaper 4	21/09/2017	Eliminar	<input checked="" type="checkbox"/>	Mostrar	title newspaper 5	21/09/2017	Eliminar	<input checked="" type="checkbox"/>
Mostrar	Título:	Fecha de publicación:	Eliminar	Público:																														
Mostrar	title newspaper 1	21/09/2017	Eliminar	<input checked="" type="checkbox"/>																														
Mostrar	title newspaper 2 edit	30/04/2018	Eliminar	<input checked="" type="checkbox"/>																														
Mostrar	title accidente newspaper 3		Eliminar	<input checked="" type="checkbox"/>																														
Mostrar	title newspaper 4	21/09/2017	Eliminar	<input checked="" type="checkbox"/>																														
Mostrar	title newspaper 5	21/09/2017	Eliminar	<input checked="" type="checkbox"/>																														
Outcome	Show expected.																																	
Notes																																		

Test <#057>					
Description	Select the 'en' language.				
Expected	<p>The system must return the list of all newspapers and the format of the date in the column 'Published Moment' must be 'yyyy/MM/dd'.</p>				

List newspapers

10 items found, displaying 6 to 10.

[First/Prev] 1, 2 [Next/Last]

Display	Title:	Publication date:	Delete	Public:
Display	title newspaper 6	2017/09/21	Delete	<input checked="" type="checkbox"/>
Display	title terror newspaper 7	2017/09/21	Delete	<input checked="" type="checkbox"/>
Display	title newspaper 8	2017/09/21	Delete	<input type="checkbox"/>
Display	title newspaper 9		Delete	<input type="checkbox"/>
Display	newspaper test		Delete	<input type="checkbox"/>

Outcome Show expected.

Notes

Test <#058>

Description Click on the display button for each newspaper.

Expected The system must return the display views of a newspaper you clicked.
Display newspaper



Title: title newspaper 1

Description: description newspaper 1

Articles

Summary	Articles	Writer
summary article 1 this ar...	title article 1 sex	user 1

Outcome Show expected.

Notes

Use case 15 – Write follow-ups (logged in as user).

Description

Use case of creating follow-ups.

Access

You can create follow-ups navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "My articles" then "My articles" and in the column "Create follow-ups" click to 'create follow-ups' for an article you want.

Tests

Test <#059>	
Description	<p>The form must be filled in with the following data:</p> <p>Title: leave this field BLANK,</p> <p>Summary: leave this field BLANK,</p> <p>Text: leave this field BLANK,</p> <p>Pictures: leave this field BLANK.</p>
Expected	<p>The system must return the form with the following message in title, summary and text filed: 'Must not be blank'.</p> <p>Edit followUp</p> <p>Title <input type="text"/> Must not be blank</p> <p>Summary <input type="text"/> Must not be blank</p> <p>Text <input type="text"/> Must not be blank</p> <p>Pictures <input type="text"/> http://imagen1, http://imag</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	(BUG) The field text doesn't show the error. It seems optional.
Notes	

Test <#060>	
Description	<p>The form must be filled in with the following data:</p> <p>Title: 'Title test 1',</p> <p>Summary: 'summary of follow-up test',</p> <p>Text: 'text of follow-up test',</p>

	<p><i>Pictures: 'http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg.. http://sirse.info/wp-content/uploads/2016/09/DiarioPeriodico-541x311-800x500_c.jpg'</i></p>
Expected	<p><i>The system must return the form with the following message in pictures field 'Invalid URL'.</i></p> 
Outcome	<i>Show as expected.</i>
Notes	

	Test <#061>
Description	<p><i>The form must be filled in with the following data: Title: leave this field BLANK, Summary: leave this field BLANK, Text: leave this field BLANK, Pictures: leave this field BLANK. Click on save button and then click on cancel button.</i></p>
Expected	<i>The system must redirect to list articles view.</i>
Outcome	<i>Show as expected.</i>
Notes	

Use case 16 – Post a chirp (logged in as user).

Description

Use case of posting chirps.

Access

You can post a chirp navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Chirp" then "Create chirp".

Tests

Test <#062>	
Description	The form must be filled in with the following data: Title: leave this field BLANK, Description: leave this field BLANK.
Expected	The system must return the form with the following message in title, and description filed: 'Must not be blank'. Edit of chirp Published moment: <input type="text" value="2018/04/30"/> Title: <input type="text"/> Must not be blank Description: <input type="text"/> Must not be blank <input type="button" value="Save"/> <input type="button" value="Cancel"/>
Outcome	<i>The outcome is correct</i>
Notes	

Test <#063>																			
Description	The form must be filled in with the following data: Title: leave this field BLANK, Description: leave this field BLANK. Click on save button and then click on cancel button.																		
Expected	The system must return list view of my chirps. List of my chirps 2 items found, displaying all items. 1 <table border="1"> <thead> <tr> <th>Published moment:</th><th>x</th><th>Title:</th><th>x</th><th>Description:</th><th>x</th></tr> </thead> <tbody> <tr> <td>2017/10/21</td><td></td><td>title chirp 1 cialis</td><td></td><td>description chirp 1</td><td></td></tr> <tr> <td>2017/10/21</td><td></td><td>title chirp 4</td><td></td><td>description chirp 4</td><td></td></tr> </tbody> </table>	Published moment:	x	Title:	x	Description:	x	2017/10/21		title chirp 1 cialis		description chirp 1		2017/10/21		title chirp 4		description chirp 4	
Published moment:	x	Title:	x	Description:	x														
2017/10/21		title chirp 1 cialis		description chirp 1															
2017/10/21		title chirp 4		description chirp 4															
Outcome	<i>The outcome is correct</i>																		
Notes																			

Test <#064>

Description	<p>The form must be filled in with the following data:</p> <p>Title: 'title chirp test',</p> <p>Description: 'description chirp test'.</p>												
Expected	<p>The system must return list view of my chirps having created chirp test.</p> <p>List of my chirps</p> <p>3 items found, displaying all items.</p> <table border="1"><thead><tr><th>Published moment:</th><th>Title:</th><th>Description:</th></tr></thead><tbody><tr><td>2017/10/21</td><td>title chirp 1 cialis</td><td>description chirp 1</td></tr><tr><td>2017/10/21</td><td>title chirp 4</td><td>description chirp 4</td></tr><tr><td>2018/05/02</td><td>title chirp test</td><td>description chirp test</td></tr></tbody></table>	Published moment:	Title:	Description:	2017/10/21	title chirp 1 cialis	description chirp 1	2017/10/21	title chirp 4	description chirp 4	2018/05/02	title chirp test	description chirp test
Published moment:	Title:	Description:											
2017/10/21	title chirp 1 cialis	description chirp 1											
2017/10/21	title chirp 4	description chirp 4											
2018/05/02	title chirp test	description chirp test											
Outcome	<p>The outcome is correct</p>												
Notes													

Use case 17 – Follow another user (logged in as user).

Description


Use case of following or unfollowing another user.

Access

You can follow or unfollowing another user navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Users" then "Not followed".

Tests

Test <#065>													
Description	<p>Click on the follow button for follow a user.</p>												
Expected	<p>The system must return list view of users not followed with the following message: 'You have successfully followed the user'.</p> <p>List user</p> <p>2 items found, displaying all items.</p> <table border="1"><thead><tr><th>Profile</th><th>Name</th><th>Surnames</th><th>Action</th></tr></thead><tbody><tr><td>Profile</td><td>user 2</td><td>surname user 2</td><td>Follow</td></tr><tr><td>Profile</td><td>user 3</td><td>surname user 3</td><td>Follow</td></tr></tbody></table> <p>You have successfully followed the user</p>	Profile	Name	Surnames	Action	Profile	user 2	surname user 2	Follow	Profile	user 3	surname user 3	Follow
Profile	Name	Surnames	Action										
Profile	user 2	surname user 2	Follow										
Profile	user 3	surname user 3	Follow										
Outcome	<p>The outcome is correct</p>												
Notes													

Test <#066>																	
Description	<i>Click on the name column header for order listing users.</i>																
Expected	<p><i>The system must return list view of users not followed order by name of users.</i></p> <p>List user</p>  <table border="1"> <thead> <tr> <th>Profile</th> <th>Name</th> <th>Surnames</th> <th>Action</th> </tr> </thead> <tbody> <tr> <td>Profile</td> <td>user 1</td> <td>surname user 1</td> <td>Follow</td> </tr> <tr> <td>Profile</td> <td>user 2</td> <td>surname user 2</td> <td>Follow</td> </tr> <tr> <td>Profile</td> <td>user 3</td> <td>surname user 3</td> <td>Follow</td> </tr> </tbody> </table>	Profile	Name	Surnames	Action	Profile	user 1	surname user 1	Follow	Profile	user 2	surname user 2	Follow	Profile	user 3	surname user 3	Follow
Profile	Name	Surnames	Action														
Profile	user 1	surname user 1	Follow														
Profile	user 2	surname user 2	Follow														
Profile	user 3	surname user 3	Follow														
Outcome	<i>The outcome is correct</i>																
Notes																	

Test <#0067>	
Description	<i>Click on display of users.</i>
Expected	<p><i>The system must return display view of user.</i></p> <p>Display user</p>  <p>Name: user 1 Surnames: surname user 1 Postal address: postal Address user 1 Phone number: +34617557203 Email: user1@acmenewspaper.com Articles: articles Chirps: chirps</p>
Outcome	<i>The outcome is correct</i>
Notes	

Use case 18 – Unfollow another user (logged in as user).

Description

Use case of following or unfollowing another user.

Access

You can follow or unfollowing another user navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Users" then "Followed".

Tests

Test <#068>																													
Description	Click on the unfollow button for unfollow a user.																												
Expected	The system must return list view of users followed with the following message: 'You have stopped following the user'.																												
	<table border="1"> <thead> <tr> <th>Profile</th><th>Name</th><th>Surnames</th><th>Action</th></tr> </thead> <tbody> <tr> <td>Profile</td><td>user 2</td><td>surname user 2</td><td>Unfollow</td></tr> <tr> <td>Profile</td><td>user 3</td><td>surname user 3</td><td>Unfollow</td></tr> <tr> <td>Profile</td><td>user 4</td><td>surname user 4</td><td>Unfollow</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Profile</th><th>Name</th><th>Surnames</th><th>Action</th></tr> </thead> <tbody> <tr> <td>Profile</td><td>user 3</td><td>surname user 3</td><td>Unfollow</td></tr> <tr> <td>Profile</td><td>user 4</td><td>surname user 4</td><td>Unfollow</td></tr> </tbody> </table> <p>You have stopped following the user</p>	Profile	Name	Surnames	Action	Profile	user 2	surname user 2	Unfollow	Profile	user 3	surname user 3	Unfollow	Profile	user 4	surname user 4	Unfollow	Profile	Name	Surnames	Action	Profile	user 3	surname user 3	Unfollow	Profile	user 4	surname user 4	Unfollow
Profile	Name	Surnames	Action																										
Profile	user 2	surname user 2	Unfollow																										
Profile	user 3	surname user 3	Unfollow																										
Profile	user 4	surname user 4	Unfollow																										
Profile	Name	Surnames	Action																										
Profile	user 3	surname user 3	Unfollow																										
Profile	user 4	surname user 4	Unfollow																										
Outcome	The outcome is correct																												
Notes																													

Use case 19 – List the users who he or she follows (logged in as user).

Description

Use case of list the users who a user follows.

Access

You can list the users who a user follows navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Users" then "Followed".

Tests

Test <#069>													
Description	Click on the name column header for order listing users.												
Expected	The system must return list view of users followed order by name of users.												
	<table border="1"> <thead> <tr> <th>Profile</th><th>Name</th><th>Surnames</th><th>Action</th></tr> </thead> <tbody> <tr> <td>Profile</td><td>user 3</td><td>surname user 3</td><td>Unfollow</td></tr> <tr> <td>Profile</td><td>user 4</td><td>surname user 4</td><td>Unfollow</td></tr> </tbody> </table>	Profile	Name	Surnames	Action	Profile	user 3	surname user 3	Unfollow	Profile	user 4	surname user 4	Unfollow
Profile	Name	Surnames	Action										
Profile	user 3	surname user 3	Unfollow										
Profile	user 4	surname user 4	Unfollow										
Outcome	The outcome is correct												
Notes													

Test <#070>

Description

Click on display of users.

Expected The system must return display view of user.

	Display user
<p>Name: user 1</p> <p>Surnames: surname user 1</p> <p>Postal address: postal Address user 1</p> <p>Phone number: +34617557203</p> <p>Email: user1@acmenewspaper.com</p> <p>Articles: articles</p> <p>Chirps: chirps</p>	
Outcome	<i>The outcome is correct</i>
Notes	

Use case 20 – List the users who follow a user (logged in as user).

Description

Use case of list the users who follow a user.

Access

You can list the users who follow a user navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Users" then "Followers".

Tests

	Test <#071>															
Description	<i>Click on the name column header for order listing users.</i>															
Expected	<p><i>The system must return list view of users followed order by name of users.</i></p> <p>List user</p> <table border="1"> <tr> <td>Profile</td> <td>Name</td> <td>x</td> <td>Surnames</td> <td>x</td> </tr> <tr> <td>Profile</td> <td>user 2</td> <td></td> <td>surname user 2</td> <td></td> </tr> <tr> <td>Profile</td> <td>user 3</td> <td></td> <td>surname user 3</td> <td></td> </tr> </table>	Profile	Name	x	Surnames	x	Profile	user 2		surname user 2		Profile	user 3		surname user 3	
Profile	Name	x	Surnames	x												
Profile	user 2		surname user 2													
Profile	user 3		surname user 3													
Outcome	<i>The outcome is correct</i>															
Notes																

	Test <#072>
Description	<i>Click on display of users.</i>
Expected	<i>The system must return display view of user.</i>

	Display user
<p>Name: user 1</p> <p>Surnames: surname user 1</p> <p>Postal address: postal Address user 1</p> <p>Phone number: +34617557203</p> <p>Email: user1@acmenewspaper.com</p> <p>Articles: articles</p> <p>Chirps: chirps</p>	
Outcome	<i>The outcome is correct</i>
Notes	

Use case 21 – Display a stream with the chirps posted (logged in as user).

Description

Use case of displaying a stream with the chirps posted by all of the users that he or she follows.

Access

You can display a stream of chirps navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Chirps" then "List chirps of the users you follow".

Tests

Test <#073>	
Description	<i>Click on the user button for each user in user column.</i>
Expected	<i>The system must return display view for a user. Within this view, check 'article's link' and 'chirp's link', should be shown articles and chirps of user we clicked his profile.</i>
Outcome	<i>The outcome is correct</i>
Notes	

Test <#074>	
Description	<i>Click on the title header for order the listing by title.</i>
Expected	<i>The system must return listing of chirps order by a title of chirps.</i>

List chirps of the users you follow				
5 items found, displaying all items.				
1				
Published moment:	Title:	Description:	User:	x
2018/01/21	title chirp 2 sexo	description chirp 2	user 2	x
2018/01/21	title chirp 3	description chirp 3 sexo	user 3	x
2016/01/21	title chirp 5	description chirp 5	user 2	x
2018/02/21	title chirp 6	description chirp 6	user 3	x
2018/01/21	title chirp 7	description chirp 7	user 4	x

Outcome *The outcome is correct*

Notes

Test <#075>

Description *Select the 'es' language*

Expected *The system must return listing of chirps in spanish.
The format of the date in the column 'Momento de publicación' must be 'dd/MM/yyyy'.*

Outcome *The outcome is correct*

Notes

Test <#076>

Description *Select the 'en' language*

Expected *The system must return listing of chirps in english.
The format of the date in the column 'Publicated Moment' must be 'yyyy/MM/dd'.*

Outcome *The outcome is correct*

Notes

Test <#077>

Description *Click on different pages of pagination to check it.*

Expected *The system must return listing of chirps paginated.*

Listado de chirps de los usuarios que sigues

6 registros encontrados, mostrando del 1 al 5.

[Primero/Anterior] 1, 2 [Siguiente/Último]

Momento de publicación:	Titulo:	Descripción:	Usuario:	x
21/01/2018	title chirp 2 sexo	description chirp 2	user 2	x
21/01/2018	title chirp 3	description chirp 3 sexo	user 3	x
21/01/2016	title chirp 5	description chirp 5	user 2	x
21/02/2018	title chirp 6	description chirp 6	user 3	x
21/01/2018	title chirp 7	description chirp 7	user 4	x

	<p>Listado de chirps de los usuarios que sigues</p> <p>6 registros encontrados, mostrando del 6 al 6. [Primero/Anterior] 1, 2 [Siguiente/Último]</p> <table border="1"> <thead> <tr> <th>Momento de publicación:</th><th>× Título:</th><th>× Descripción:</th><th>× Usuario:</th></tr> </thead> <tbody> <tr> <td>30/04/2018</td><td>nueva</td><td>nueva</td><td>user_2</td></tr> </tbody> </table>	Momento de publicación:	× Título:	× Descripción:	× Usuario:	30/04/2018	nueva	nueva	user_2
Momento de publicación:	× Título:	× Descripción:	× Usuario:						
30/04/2018	nueva	nueva	user_2						
Outcome	-								
Notes	<i>There aren't enough chirps to test it.</i>								

Use case 22 – Manage a list of taboo words. (logged in as administrator).

Description

Use case of managing a list of taboo words.

Access


You can manage a list of taboo words navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Configuration system" then "Taboo words".

Tests

Test <#078>											
Description	<i>Listing taboo words.</i>										
Expected	<i>The system must return list taboo words by default. Default taboo words will not have edit button and cannot be edited.</i>										
Outcome	<p>List of taboo words</p> <p>2 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Edit</th> <th>× Taboo word</th> </tr> </thead> <tbody> <tr> <td></td> <td>sex</td> </tr> <tr> <td></td> <td>sexo</td> </tr> <tr> <td></td> <td>viagra</td> </tr> <tr> <td></td> <td>cialis</td> </tr> </tbody> </table> <p>Add or remove taboo word</p> <p><i>Show as expected.</i></p>	Edit	× Taboo word		sex		sexo		viagra		cialis
Edit	× Taboo word										
	sex										
	sexo										
	viagra										
	cialis										
Notes											

Test <#079>

Description	<p><i>Creating new taboo word clicking 'Add taboo word'. The form must be filled in with the following data: Taboo word: leave this field BLANK, Click on save button.</i></p>
Expected	<p><i>The system must return the form with the following message in taboo word filed: 'Must not be blank'.</i></p>
Outcome	<p>Edit taboo word</p> <p>Taboo word <input type="text"/> Must not be blank</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p> <p>Show as expected.</p>
Notes	

Test <#080>													
Description	<p><i>Creating new taboo word clicking 'Add taboo word'. The form must be filled in with the following data: Taboo word: 'football', Click on save button.</i></p>												
Expected	<p><i>The system must return the listing taboo words with the news taboo word created.</i></p> <p>List of taboo words</p>  <p>5 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Edit</th> <th>Taboo word</th> </tr> </thead> <tbody> <tr> <td></td> <td>sex</td> </tr> <tr> <td></td> <td>sexo</td> </tr> <tr> <td></td> <td>viagra</td> </tr> <tr> <td></td> <td>cialis</td> </tr> <tr> <td>Edit</td> <td>football</td> </tr> </tbody> </table> <p>Add or remove taboo word</p>	Edit	Taboo word		sex		sexo		viagra		cialis	Edit	football
Edit	Taboo word												
	sex												
	sexo												
	viagra												
	cialis												
Edit	football												
Outcome	<p><i>Show as expected.</i></p>												
Notes													

Test <#0081>	
Description	<p><i>Deleting taboo word that is on a page of pagination alone. If there is no word in a single page of pagination create it. Go over the page where there is a single word taboo listed and click on the button edit. Click on delete button and confirm is clicking OK button.</i></p>

Expected	<p>List of taboo words</p> <p>6 items found, displaying 6 to 6 [First/Prev] 1, 2 [Next/Last]</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #FFD700;">Edit</th><th style="background-color: #FFD700;">Taboo word</th></tr> </thead> <tbody> <tr> <td>Edit</td><td>tit</td></tr> </tbody> </table> <p>Add or remove taboo word</p> <p><i>The system must return the listing taboo words with the page one and showing the links correctly.</i></p> <p>List of taboo words</p> <p>5 items found, displaying all items. 1</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #FFD700;">Edit</th><th style="background-color: #FFD700;">Taboo word</th></tr> </thead> <tbody> <tr> <td></td><td>sex</td></tr> <tr> <td></td><td>sexo</td></tr> <tr> <td></td><td>viagra</td></tr> <tr> <td></td><td>cialis</td></tr> <tr> <td>Edit</td><td>football</td></tr> </tbody> </table> <p>Add or remove taboo word</p>	Edit	Taboo word	Edit	tit	Edit	Taboo word		sex		sexo		viagra		cialis	Edit	football
Edit	Taboo word																
Edit	tit																
Edit	Taboo word																
	sex																
	sexo																
	viagra																
	cialis																
Edit	football																
Outcome	<i>Show as expected.</i>																
Notes																	

Test <#082>													
Description	<p><i>Editing taboo word clicking 'Edit' link.</i></p> <p><i>The form must be filled in with the following data:</i></p> <p><i>Taboo word: 'football edited'.</i></p> <p><i>Click save to edit taboo word.</i></p>												
Expected	<p><i>The system must return the listing taboo words with the taboo word edited.</i></p> <p>List of taboo words</p> <p>5 items found, displaying all items. 1</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #FFD700;">Edit</th><th style="background-color: #FFD700;">Taboo word</th></tr> </thead> <tbody> <tr> <td></td><td>sex</td></tr> <tr> <td></td><td>sexo</td></tr> <tr> <td></td><td>viagra</td></tr> <tr> <td></td><td>cialis</td></tr> <tr> <td>Edit</td><td>football edited</td></tr> </tbody> </table> <p>Add or remove taboo word</p>	Edit	Taboo word		sex		sexo		viagra		cialis	Edit	football edited
Edit	Taboo word												
	sex												
	sexo												
	viagra												
	cialis												
Edit	football edited												
Outcome	<i>Show as expected.</i>												
Notes													

Test <#083>	
Description	<p><i>Editing taboo word clicking 'Edit' link.</i></p> <p><i>The form must be filled in with the following data:</i></p>

	<p><i>Taboo word: 'sex edited'.</i> <i>Change Id of taboo word in the URL by default taboo word Id and press enter.</i></p>
Expected	<p><i>The system must return Panic page because we cannot edit default taboo word.</i></p> <p>Panic</p> <p>Sorry for the inconvenience. The following exception was thrown and is not recoverable: <code>IllegalArgumentException</code>.</p> <p>Message</p> <p><code>[Assertion failed] - this expression must be true</code></p> <p>Stack trace</p> <pre>java.lang.IllegalArgumentException: [Assertion failed] - this expression must be true at org.springframework.util.Assert.isTrue(Assert.java:65) at org.springframework.util.Assert.isTrue(Assert.java:77) at services.TabooWordService.findOne(TabooWordService.java:62) at services.TabooWordService\$\$FastClassByCGLIB\$\$c9ddc0 org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:204) at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:713) at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:157) at</pre>
Outcome	<i>Show as expected.</i>
Notes	

Use case 23 – List the articles that contain taboo words.

Description

Use case of listing articles that contain taboo words.

Access

You can list the articles that contain taboo words navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Articles" then "Articles with taboo words".

Tests

Test <#084>																	
Description	<p><i>Listing articles that contain taboo words.</i> <i>Check all articles are listed contain taboo word.</i></p>																
Expected	<p><i>The system must return list of articles contain taboo words.</i> <i>Articles not contain taboo words will not be listed.</i></p> <p>List articles</p> <p>3 items found, displaying all items.</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title</th> <th>Published moment</th> <th>Draft mode:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title article 5</td> <td>2017/09/20</td> <td></td> </tr> <tr> <td>Display</td> <td>title article 1 sex</td> <td>2017/09/20</td> <td></td> </tr> <tr> <td>Display</td> <td>title article 2</td> <td>2017/10/21</td> <td></td> </tr> </tbody> </table>	Display	Title	Published moment	Draft mode:	Display	title article 5	2017/09/20		Display	title article 1 sex	2017/09/20		Display	title article 2	2017/10/21	
Display	Title	Published moment	Draft mode:														
Display	title article 5	2017/09/20															
Display	title article 1 sex	2017/09/20															
Display	title article 2	2017/10/21															
Outcome	<i>Show as expected.</i>																

Notes

Test <#085>

Description	<i>Listing articles that contain taboo words. Select the 'es' language.</i>																
Expected	<i>The system must return list of articles contain taboo words. The format of the date in the column 'Published Moment' must be 'dd/MM/yyyy'.</i>																
	<table border="1"> <thead> <tr> <th>Mostrar</th> <th>Titulo:</th> <th>Fecha de publicación:</th> <th>Modo borrador:</th> </tr> </thead> <tbody> <tr> <td>Mostrar</td> <td>title article 1 sex</td> <td>20/09/2017</td> <td>X</td> </tr> <tr> <td>Mostrar</td> <td>title article 2</td> <td>21/10/2017</td> <td>X</td> </tr> <tr> <td>Mostrar</td> <td>title article 5</td> <td>20/09/2017</td> <td>X</td> </tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación:	Modo borrador:	Mostrar	title article 1 sex	20/09/2017	X	Mostrar	title article 2	21/10/2017	X	Mostrar	title article 5	20/09/2017	X
Mostrar	Titulo:	Fecha de publicación:	Modo borrador:														
Mostrar	title article 1 sex	20/09/2017	X														
Mostrar	title article 2	21/10/2017	X														
Mostrar	title article 5	20/09/2017	X														
Outcome	(BUG) The date continue displaying in the English format.																
Notes																	

Test <#086>

Description	<i>Listing articles that contain taboo words. Select the 'en' language.</i>																
Expected	<i>The system must return list of articles contain taboo words. The format of the date in the column 'Published Moment' must be 'yyyy/MM/dd'.</i>																
	<table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Published moment:</th> <th>Draft mode:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title article 1 sex</td> <td>2017/09/20</td> <td>X</td> </tr> <tr> <td>Display</td> <td>title article 2</td> <td>2017/10/21</td> <td>X</td> </tr> <tr> <td>Display</td> <td>title article 5</td> <td>2017/09/20</td> <td>X</td> </tr> </tbody> </table>	Display	Title:	Published moment:	Draft mode:	Display	title article 1 sex	2017/09/20	X	Display	title article 2	2017/10/21	X	Display	title article 5	2017/09/20	X
Display	Title:	Published moment:	Draft mode:														
Display	title article 1 sex	2017/09/20	X														
Display	title article 2	2017/10/21	X														
Display	title article 5	2017/09/20	X														
Outcome	<i>Show as expected.</i>																
Notes																	

Test <#087>

Description	<i>Listing articles that contain taboo words. Sort the list by the title of the article by clicking on the title header column.</i>																
Expected	<i>The system must return list of articles contain taboo words. The order must be by title of articles.</i>																
	<table border="1"> <thead> <tr> <th>Mostrar</th> <th>Titulo:</th> <th>Fecha de publicación:</th> <th>Modo borrador:</th> </tr> </thead> <tbody> <tr> <td>Mostrar</td> <td>title article 1 sex</td> <td>20/09/2017</td> <td>X</td> </tr> <tr> <td>Mostrar</td> <td>title article 2</td> <td>21/10/2017</td> <td>X</td> </tr> <tr> <td>Mostrar</td> <td>title article 5</td> <td>20/09/2017</td> <td>X</td> </tr> </tbody> </table>	Mostrar	Titulo:	Fecha de publicación:	Modo borrador:	Mostrar	title article 1 sex	20/09/2017	X	Mostrar	title article 2	21/10/2017	X	Mostrar	title article 5	20/09/2017	X
Mostrar	Titulo:	Fecha de publicación:	Modo borrador:														
Mostrar	title article 1 sex	20/09/2017	X														
Mostrar	title article 2	21/10/2017	X														
Mostrar	title article 5	20/09/2017	X														
Outcome	<i>Show as expected.</i>																
Notes																	

Use case 24 – List the newspapers that contain taboo words.


Description


Use case of listing newspapers that contain taboo words.

Access

You can list the newspapers that contain taboo words navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Newspapers" then "Newspapers with taboo words".

Tests

Test <#088>													
Description	<i>Listing newspapers that contain taboo words. Check all newspapers are listed contain taboo word.</i>												
Expected	<i>The system must return list of newspapers contain taboo words. Newspapers not contain taboo words will not be listed. List newspapers</i>												
	 <p>2 items found, displaying all items. 1</p> <table border="1"><thead><tr><th>Display</th><th>Title</th><th>Publication date:</th><th>Public:</th></tr></thead><tbody><tr><td>Display</td><td>title newspaper 5</td><td>2017/09/21</td><td><input checked="" type="checkbox"/></td></tr><tr><td>Display</td><td>title newspaper 2</td><td></td><td><input type="checkbox"/></td></tr></tbody></table>	Display	Title	Publication date:	Public:	Display	title newspaper 5	2017/09/21	<input checked="" type="checkbox"/>	Display	title newspaper 2		<input type="checkbox"/>
Display	Title	Publication date:	Public:										
Display	title newspaper 5	2017/09/21	<input checked="" type="checkbox"/>										
Display	title newspaper 2		<input type="checkbox"/>										
Outcome	<i>Show as expected.</i>												
Notes													

Test <#089>													
Description	<i>Listing articles that contain taboo words. Select the 'es' language.</i>												
Expected	<i>The system must return list of articles contain taboo words. The format of the date in the column 'Published Moment' must be 'dd/MM/yyyy'.</i>												
	 <table border="1"><thead><tr><th>Mostrar</th><th>Título:</th><th>Fecha de publicación:</th><th>Publico:</th></tr></thead><tbody><tr><td>Mostrar</td><td>title newspaper 2</td><td></td><td><input checked="" type="checkbox"/></td></tr><tr><td>Mostrar</td><td>title newspaper 5</td><td>21/09/2017</td><td><input checked="" type="checkbox"/></td></tr></tbody></table>	Mostrar	Título:	Fecha de publicación:	Publico:	Mostrar	title newspaper 2		<input checked="" type="checkbox"/>	Mostrar	title newspaper 5	21/09/2017	<input checked="" type="checkbox"/>
Mostrar	Título:	Fecha de publicación:	Publico:										
Mostrar	title newspaper 2		<input checked="" type="checkbox"/>										
Mostrar	title newspaper 5	21/09/2017	<input checked="" type="checkbox"/>										
Outcome	<i>Show as expected.</i>												
Notes													

Test <#090>

Description	<i>Listing newspapers that contain taboo words. Select the 'en' language.</i>												
Expected	<p><i>The system must return list of newspapers contain taboo words. The format of the date in the column 'Publication Date' must be 'yyyy/MM/dd'. Check field Publication Date being optional show correctly this.</i></p> <table border="1"> <tr> <td>Display</td> <td>✓ Title:</td> <td>x Publication date:</td> <td>x Public:</td> </tr> <tr> <td>Display</td> <td>title newspaper 2</td> <td></td> <td>✓</td> </tr> <tr> <td>Display</td> <td>title newspaper 5</td> <td>2017/09/21</td> <td>✓</td> </tr> </table>	Display	✓ Title:	x Publication date:	x Public:	Display	title newspaper 2		✓	Display	title newspaper 5	2017/09/21	✓
Display	✓ Title:	x Publication date:	x Public:										
Display	title newspaper 2		✓										
Display	title newspaper 5	2017/09/21	✓										
Outcome	<i>Show as expected.</i>												
Notes													

Test <#091>													
Description	<i>Listing newspapers that contain taboo words. Sort the list by the title of the newspapers by clicking on the title header column.</i>												
Expected	<p><i>The system must return list of newspapers contain taboo words. The order must be by title of newspapers.</i></p> <table border="1"> <tr> <td>Mostrar</td> <td>x Titulo:</td> <td>✓ Fecha de publicación:</td> <td>x Publico:</td> </tr> <tr> <td>Mostrar</td> <td>title newspaper 2</td> <td></td> <td>✓</td> </tr> <tr> <td>Mostrar</td> <td>title newspaper 5</td> <td>21/09/2017</td> <td>✓</td> </tr> </table>	Mostrar	x Titulo:	✓ Fecha de publicación:	x Publico:	Mostrar	title newspaper 2		✓	Mostrar	title newspaper 5	21/09/2017	✓
Mostrar	x Titulo:	✓ Fecha de publicación:	x Publico:										
Mostrar	title newspaper 2		✓										
Mostrar	title newspaper 5	21/09/2017	✓										
Outcome	<i>Show as expected.</i>												
Notes													

Test <#092>							
Description	<i>Listing newspapers that contain taboo words. For each newspaper check display link.</i>						
Expected	<p><i>The system must return display view of a newspaper. Display newspaper</i></p>  <p>Title: title newspaper 5 Description: description newspaper 5 cialis</p>						
Articles	<p>summary article 1 this ar... title_article_8 user 4</p> <table border="1"> <tr> <td>Summary</td> <td>x Articles</td> <td>x Writer</td> </tr> <tr> <td>summary article 1 this ar...</td> <td>title_article_8</td> <td>user 4</td> </tr> </table>	Summary	x Articles	x Writer	summary article 1 this ar...	title_article_8	user 4
Summary	x Articles	x Writer					
summary article 1 this ar...	title_article_8	user 4					

Outcome	<i>Show as expected.</i>
Notes	

Use case 25 – List the chirps that contain taboo words.

Description

Use case of listing chirps that contain taboo words.

Access

You can manage a list of taboo words navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Chirps" then "Chirps with taboo words".

Tests

Test <#093>	
Description	<i>Listing chirps that contain taboo words. Check all chirps are listed contain taboo word.</i>
Expected	<i>The system must return list of chirps contain taboo words. Chirps not contain taboo words will not be listed.</i>
Outcome	(BUG) Some chirps, with taboo words in his title are not displaying.
Notes	

Test <#094>													
Description	<i>Listing chirps that contain taboo words. Select the 'es' language.</i>												
Expected	<i>The system must return list of chirps contain taboo words. The format of the date in the column 'Published Moment' must be 'dd/MM/yyyy'.</i>												
	<table border="1"> <thead> <tr> <th>Momento de publicacion:</th> <th>Titulo:</th> <th>Descripción:</th> </tr> </thead> <tbody> <tr> <td>21/10/2017</td> <td>title chirp 1 cialis</td> <td>description chirp 1</td> </tr> <tr style="background-color: #ffffcc;"> <td>21/01/2018</td> <td>title chirp 3</td> <td>description chirp 3 sex</td> </tr> <tr> <td>21/01/2018</td> <td>title chirp 2 sexo</td> <td>description chirp 2</td> </tr> </tbody> </table>	Momento de publicacion:	Titulo:	Descripción:	21/10/2017	title chirp 1 cialis	description chirp 1	21/01/2018	title chirp 3	description chirp 3 sex	21/01/2018	title chirp 2 sexo	description chirp 2
Momento de publicacion:	Titulo:	Descripción:											
21/10/2017	title chirp 1 cialis	description chirp 1											
21/01/2018	title chirp 3	description chirp 3 sex											
21/01/2018	title chirp 2 sexo	description chirp 2											
Outcome	<i>Show as expected.</i>												
Notes													

Test <#095>	
Description	<i>Listing chirps that contain taboo words. Select the 'en' language.</i>
Expected	<i>The system must return list of chirps contain taboo words. The format of the date in the column 'Published Moment' must be</i>

	'yyyy/MM/dd'.		
	Published moment:	Title:	Description:
	2017/10/21	title chirp 1 cialis	description chirp 1
	2018/01/21	title chirp 3	description chirp 3 sex
	2018/01/21	title chirp 2 sexo	description chirp 2
Outcome	<i>Show as expected.</i>		
Notes			

	Test <#096>														
Description	<p><i>Listing chirps that contain taboo words.</i></p> <p><i>Sort the list by the title of the chirps by clicking on the title header column.</i></p>														
Expected	<p><i>The system must return list of chirps contain taboo words.</i></p> <p><i>The order must be by title of chirps.</i></p>														
	<table border="1"> <thead> <tr> <th>Published moment:</th> <th>Title:</th> <th>Description:</th> </tr> </thead> <tbody> <tr> <td>2017/10/21</td> <td>title chirp 1 cialis</td> <td>description chirp 1</td> </tr> <tr> <td>2018/01/21</td> <td>title chirp 2 sexo</td> <td>description chirp 2</td> </tr> <tr> <td>2018/01/21</td> <td>title chirp 3</td> <td>description chirp 3 sex</td> </tr> </tbody> </table>			Published moment:	Title:	Description:	2017/10/21	title chirp 1 cialis	description chirp 1	2018/01/21	title chirp 2 sexo	description chirp 2	2018/01/21	title chirp 3	description chirp 3 sex
Published moment:	Title:	Description:													
2017/10/21	title chirp 1 cialis	description chirp 1													
2018/01/21	title chirp 2 sexo	description chirp 2													
2018/01/21	title chirp 3	description chirp 3 sex													
Outcome	<i>Show as expected.</i>														
Notes															

Use case 26 – Remove a chirp that he or she thinks is inappropriate.

Description

Use case of removing chirps that administrator thinks are inappropriate.


Access

You can manage a list of taboo words navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Chirps" then "Chirps" and in the column delete we could click on delete button for remove a chirp.

Tests

	Test <#097>		
Description	<p><i>Removing chirps that contain taboo words.</i></p> <p><i>Click on the button delete and confirm clicking OK.</i></p>		
Expected	<i>The system must return list of chirps contain taboo words having removed the chirp.</i>		
Outcome	<i>Show as expected.</i>		
Notes			

Test <#098>	
Description	<p>Removing chirps that contain taboo words being in last page of pagination alone.</p> <p>Click on the button delete and confirm clicking OK.</p>
Expected	<p>The system must return list of chirps contain taboo words having removed the chirp.</p> <p>List of my chirps</p>  <p>The system must return to listing chirps with one less page of pagination and showing links correctly.</p> <p>List of my chirps</p> 
Outcome	Show as expected.
Notes	

Test <#099>	
Description	Click on the Description column header for order list by description of chirps.
Expected	<p>The system must return list of chirp order by description of chirps.</p> <p>List of my chirps</p> 
Outcome	Show as expected.
Notes	

Use case 27 – Register as customer

Description

Use case of register as a customer, using valid information.

Access

From the Welcome page, you can register as a user navigating in the menu where it appears "Register", then "Register user". Once you have written all the information, you just need to use save button.

Tests

Test <#100>	
Description	<p>The form must be filled in with the following data:</p> <p>Username: 'customer9', Password: 'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'.</p> <p>And accept terms and conditions click marking the box.</p>
Expected	<p>The system must return the Welcome Page having created the new customer.</p> 
Outcome	<p><i>El cliente se loguea correctamente y el sistema te redirige a la página de inicio.</i></p>
Notes	

Test <#101>	
Description	<p>The form must be filled in with the following data:</p> <p>Username: leave this field BLANK, Password: leave this field BLANK, Name: leave this field BLANK, Surnames: leave this field BLANK, Postal address: leave this field BLANK, Phone number: leave this field BLANK, Email: leave this field BLANK.</p>

Expected	<p><i>The system must return the form with the following messages:</i></p> <h2 style="margin: 0;">Edit customer</h2> <p>Username <input type="text"/> Size must be from 5 to 32</p> <p>Password <input type="text"/> Size must be from 5 to 32</p> <p>Password <input type="text"/></p> <p>Name <input type="text"/> Must not be blank</p> <p>Surnames <input type="text"/> Must not be blank</p> <p>Postal address <input type="text"/></p> <p>Phone number <input type="text"/></p> <p>Email <input type="text"/> Must not be blank</p> <p style="margin-top: 10px;"><input type="button" value="Save"/> <input type="button" value="Cancel"/></p> <p>I accept terms and conditions - More info <input type="checkbox"/></p>
Outcome	<p><i>Se recarga la página avisando de que nombre de usuario, contraseña, nombre, apellidos y email no pueden estar en blanco.</i></p>
Notes	

Test <#102>	
Description	<p><i>The form must be filled in with the following data: Username: 'customer9, Password:'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322", Email: 'jose@gmail.com'. And not accept terms and conditions click marking the box.</i></p>
Expected	<p><i>The system must return the form with the following messages: 'You must accept our terms and conditions.'</i></p>

Edit customer

Username

Password

Password

Name

Surnames

Postal address

Phone number

Email

I accept terms and conditions - [More info](#)

You must accept our terms and conditions.

Outcome	<i>Se recarga la vista mostrándonos un mensaje que nos dice que tenemos que aceptar los términos y condiciones.</i>
Notes	

Test <#103>

Description	<i>The form must be filled in with the following data: Username: 'customer9', Password: 'Secreta123', and repeat different password like 'Secreta1', Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. And not accept terms and conditions click marking the box.</i>
Expected	<i>The system must return the form with the following messages: 'You must accept our terms and conditions.'</i>

Edit customer

Username

Password

Password

Name

Surnames

Postal address

Phone number

Email

I accept terms and conditions - [More info](#)

Password don't match

Outcome	<i>Se recarga la vista y nos muestra un mensaje que nos dice que las contraseñas no coinciden.</i>
Notes	

Test <#104>

Description	Select 'es' language. The form must be filled in with the following data: Username: leave this field BLANK, Password: leave this field BLANK, Name: leave this field BLANK, Surnames: leave this field BLANK, Postal address: leave this field BLANK, Phone number: leave this field BLANK, Email: leave this field BLANK.
Expected	The system must return the form with the following messages in spanish:

Editar cliente

Username **El tamaño debe estar entre 5 y 32**

Contraseña **El tamaño debe estar entre 5 y 32**

Contraseña

Nombre **No debe estar en blanco**

Apellidos **No debe estar en blanco**

Dirección

Teléfono

Correo electrónico **No debe estar en blanco**

Acepto términos y condiciones - [Más información](#)

Outcome	Se recarga la página avisando de que nombre de usuario, contraseña, nombre, apellidos y email no pueden estar en blanco.
Notes	

Test <#105>

Description	Select 'es' language. The form must be filled in with the following data: Username: 'customer9', Password: 'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose'. And accept terms and conditions click marking the box.
Expected	The system must return the form with the following messages: 'E-mail incorrecto'.

Editar cliente

Username

Contraseña

Contraseña

Nombre

Apellidos

Dirección

Teléfono

Correo electrónico E-mail incorrecto

Acepto términos y condiciones - [Más información](#)

Outcome	<i>El sistema recarga la página mostrando un mensaje que nos dice que el e-mail es incorrecto.</i>
Notes	

Use case 28 – Edit customer profile

Description

Use case of edit personal date of customer.

Access

You can edit personal data of customer navigating in the menu where it appears "Login", then you must log in the system as customer (username: 'customer1', password: 'customer1'). Once authenticated as customer you must navigate in the menu where appears "Customer" then "Edit personal data".

Tests

Test <#106>

Description	The form must be filled in with the following data:
--------------------	---

	Name: 'Jose Joaquin edited', Not edit the other fields.
Expected	The system must return to the Welcome Page having edited name of customer.
Outcome	Show as expected.
Notes	

Test <#107>	
Description	The form must be filled in with the following data: Surnames: 'leave this field BLANK', Not edit the other fields.
Expected	The system must return to the form with the following message in the Surnames field: 'Must not be blank'.
	<p style="text-align: center;">Edit customer</p> <p>Name <input type="text" value="customer 1 edited"/></p> <p>Surnames <input type="text"/> Must not be blank</p> <p>Postal address <input type="text" value="postal Adress customer 1"/></p> <p>Phone number <input type="text" value="+34617557203"/></p> <p>Email <input type="text" value="customer1@acmenewspa"/></p> <p style="text-align: center;"><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	Show as expected.
Notes	

Test <#108>	
Description	The form must be filled in with the following data: Surnames: 'leave this field BLANK', Not edit the other fields. The system must return a message error and then click on cancel button.
Expected	The system must return to the Welcome Page correctly.
Outcome	Show as expected.
Notes	

Use case 29 – Subscribe to a private newspaper.

Description

Use case of subscribing to a private newspaper by providing a valid credit card.


Access

You can subscribe to a private newspaper navigating in the menu where it appears "Login", then you must log in the system as customer (username: 'customer1', password: 'customer1'). Once authenticated as customer you must navigate in the menu where appears "Subscriptions" then "List subscriptions".

Tests

Test <#109>	
Description	<i>In the listing views of subscriptions, we clicked on display link of newspaper that we have subscribed.</i>
Expected	<i>The system must return to the full display view of that newspaper.</i> Display newspaper  <p>Title: title newspaper 1 Description: description newspaper 1</p>
Outcome	<i>The outcome is correct:</i>

Display newspaper



Title: title newspaper 1
Description: description newspaper 1

Articles

Summary	Articles	Writer
summary article 1 this ar...	title article 1 sex	user 1

Notes

Test <#110>

Description In the listing views of subscriptions, we clicked on display link of newspaper that we have not subscribed.

Expected The system must return to the display view of that newspaper.
As we are not subscribed you should show only certain information.
Display newspaper

Articles

Summary	Title	Writer
summary article 1 this ar...	title article 11	user 2

Outcome The outcome is correct but the user of system not customer1, is customer2.
Customer1 is subscribes to all private newspapers.ç
Mostrar periódico

Artículos

Resumen:	Título:	Escrítor
summary article 1 this ar...	title article 5	user 3
summary article 1 this ar...	title article 7	user 3

Notes

Test <#111>


Description The form must be filled in with the following data:
Holder name: leave this field BLANK,
Brand name: leave this field BLANK,
Number: leave this field BLANK,
Expiration month: leave this field BLANK,
Expiration year: leave this field BLANK,
CVV: leave this field BLANK.

Expected The system must return to the form with the following messages:

Edit subscription	
Outcome	<i>The outcome is correct</i>
Notes	<p>Edit subscription</p> <p>Holder name: <input type="text"/> Must not be blank</p> <p>Brand name: <input type="text"/> Must not be blank</p> <p>Number: <input type="text"/> Ej. XXXXXXXXXXXXXXXXX Must not be blank</p> <p>Expiration month: <input type="text"/> XX Does not match pattern</p> <p>Expiration year: <input type="text"/> XX Does not match pattern</p> <p>CVV: <input type="text"/> 0 Out of range (100-999)</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>

Test <#112>

Description	<p><i>The form must be filled in with the following data:</i></p> <p><i>Holder name: 'Jose Joaquin',</i></p> <p><i>Brand name: 'Rodriguez Perez',</i></p> <p><i>Number: '4388576018410707',</i></p> <p><i>Expiration month: '05',</i></p> <p><i>Expiration year: '23',</i></p> <p><i>CVV: '107'.</i></p>																				
Expected	<i>The system must return to the listing subscriptions with the new subscription.</i>																				
Outcome	<p><i>The outcome is correct:</i></p> <p>List newspapers</p> <p>3 items found, displaying all items.</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title</th> <th>Publication date:</th> <th>Subscription</th> <th>Public:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 1</td> <td>2017/09/21</td> <td></td> <td>✗</td> </tr> <tr> <td>Display</td> <td>title newspaper 4</td> <td>2017/09/21</td> <td></td> <td>✗</td> </tr> <tr> <td>Display</td> <td>title newspaper 8</td> <td>2017/09/21</td> <td></td> <td>✗</td> </tr> </tbody> </table>	Display	Title	Publication date:	Subscription	Public:	Display	title newspaper 1	2017/09/21		✗	Display	title newspaper 4	2017/09/21		✗	Display	title newspaper 8	2017/09/21		✗
Display	Title	Publication date:	Subscription	Public:																	
Display	title newspaper 1	2017/09/21		✗																	
Display	title newspaper 4	2017/09/21		✗																	
Display	title newspaper 8	2017/09/21		✗																	
Notes																					

Test <#113>	
Description	<p>The form must be filled in with the following data:</p> <p>Holder name: 'Jose Joaquin', Brand name: 'Rodriguez Perez', Number: '4388576018410707', Expiration month: '05', Expiration year: '23', CVV: '17'.</p> <p>The system must return error message, then click on cancel button.</p>
Expected	The system must return to the listing subscriptions.
Outcome	<p>The outcome is correct:</p> <p>Editar suscripcion</p> 
Notes	

Use case 30 – Register as agent

Description

Use case of register as a agent.

Access

From the Welcome page, you can register as a user navigating in the menu where it appears "Register", then "Register agent". Once you have written all the information, you just need to use save button.

Tests

Test <#114>	
Description	<p>The form must be filled in with the following data:</p> <p>Username: 'agent21',</p>

	<p>Password: 'Secreta123' and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. And accept terms and conditions click marking the box.</p>
Expected	<p>The system must return the Welcome Page.</p> <p>Welcome!</p> <p>Welcome to Acme Newspaper!</p> <p>Current time is 30/04/2018 17:18</p>
Outcome	<i>El agente se loguea correctamente y el sistema te redirige a la página de inicio.</i>
Notes	

Test <#115>

Description	<p>The form must be filled in with the following data: Username: 'agent26', Password: 'Secreta123', and repeat different password like 'Secreta12', Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. And accept terms and conditions click marking the box.</p>
Expected	<p>The system must return the form with the following message: 'Password don't match'.</p>

Edit agent

Username:

Password:

Password:

Name:

Surnames:

Postal address:

Phone number:

Email:

I accept terms and conditions - [More info](#)

Password don't match

Outcome	<i>Se recarga la vista y nos muestra un mensaje que nos dice que las contraseñas no coinciden.</i>
Notes	

Test <#116>

Description	<i>The form must be filled in with the following data: Username: 'agent1', Password: 'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. And accept terms and conditions click marking the box.</i>
Expected	<i>The system must return the form with the following message: 'This profile already exists'.</i>

Edit agent

Username:

Password:

Password:

Name:

Surnames:

Postal address:

Phone number:

Email:

I accept terms and conditions - [More info](#)

This profile already exist

Outcome	<i>Se recarga la página mostrándonos un mensaje que dice el agente ya existe.</i>
Notes	

Test <#117>

Description	<i>The form must be filled in with the following data: Username: leave this field BLANK, Password: leave this field BLANK and repeat password too, Name: leave this field BLANK, Surnames: leave this field BLANK, Postal address: leave this field BLANK, Phone number: leave this field BLANK, Email: leave this field BLANK, And accept terms and conditions click marking the box.</i>
Expected	<i>The system must return the form with the following messages:</i>

Edit agent

Username: **Size must be from 5 to 32**

Password: **Size must be from 5 to 32**

Repeat password:

Name: **Must not be blank**

Surnames: **Must not be blank**

Postal address:

Phone number:

Email: **Must not be blank**

I accept terms and conditions - [More info](#)

Outcome	<i>Se recarga la página avisando de que nombre de usuario, contraseña, nombre, apellidos y email no pueden estar en blanco.</i>
Notes	

Description	Select 'es' language. The form must be filled in with the following data: Username: leave this field BLANK, Password: leave this field BLANK and repeat password too, Name: leave this field BLANK, Surnames: leave this field BLANK, Postal address: leave this field BLANK, Phone number: leave this field BLANK, Email: leave this field BLANK, And accept terms and conditions click marking the box.
Expected	The system must return the form with the following messages in spanish:

Editar agente

Cuenta de usuario: **El tamaño debe estar entre 5 y 32**

Contraseña: **El tamaño debe estar entre 5 y 32**

Contraseña:

Nombre: **No debe estar en blanco**

Apellidos: **No debe estar en blanco**

Dirección:

Teléfono:

Correo electrónico: **No debe estar en blanco**

Acepto términos y condiciones - [Más información](#)

Outcome	Se recarga la página avisando de que nombre de usuario, contraseña, nombre, apellidos y email no pueden estar en blanco.
Notes	

Test <#119>

Description	The form must be filled in with the following data: Username: 'user6', Password: 'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: '662657322', Email: 'jose@gmail.com'. Don't accept terms and conditions click marking the box. You must redirect to the same form, now click 'Cancel' button.
Expected	The system must return the Welcome Page.
Outcome	El sistema nos redirige a la misma vista, y al pulsar el botón de cancelar nos redirige a la página principal.
Notes	

Test <#120>	
Description	The form must be filled in with the following data: Username: 'user6', Password:'Secreta123', and repeat again the same password, Name: 'Jose Joaquin', Surnames: 'Rodriguez Perez', Postal address: 'calle Huertas 3', Phone number: 'pepe', Email: 'jose@gmail.com'.
Expected	<p>The system must return the form with the following message:</p> <p>Edit user</p> <p>Username <input type="text" value="user26"/></p> <p>Password <input type="password"/></p> <p>Password <input type="password"/></p> <p>Name <input type="text" value="jose joaquin"/></p> <p>Surnames <input type="text" value="rodriguez perez"/></p> <p>Postal address <input type="text"/></p> <p>Phone number <input type="text" value="pepe"/> Does not match pattern</p> <p>Email <input type="text" value="jose@gmail.com"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p> <p>I accept terms and conditions - More info <input checked="" type="checkbox"/></p>
Outcome	(BUG) El sistema permite registrar a un agente introduciendo una cadena de texto en el número de teléfono que no cumple el patrón
Notes	

Test <#121>	
Description	Select 'es' language and then click on form.
Expected	The system must return the Spanish form:

<h1>Editar cliente</h1>	
Username	<input type="text"/>
Contraseña	<input type="password"/>
Contraseña	<input type="password"/>
Nombre	<input type="text"/>
Apellidos	<input type="text"/>
Dirección	<input type="text"/>
Teléfono	<input type="text"/>
Correo electrónico	<input type="text"/>
<input type="button" value="Guardar"/>	<input type="button" value="Cancelar"/>
Acepto términos y condiciones - Más información <input type="checkbox"/>	
Outcome	<i>Se muestra correctamente el formulario de registro en español.</i>
Notes	

Use case 31 – Register an advertisement.

Description

Register an advertisement and place it in a newspaper.

Access

You can register an advertisement navigating in the menu where it appears "Login", then you must log in the system as agent (username: 'agent1', password: 'agent1'). Once authenticated as agent you must navigate in the menu where appears "Newspaper" then "Create advertisement".

Tests

Test <#122>

Description	<p><i>List of newspapers must be shown correctly:</i></p> <ul style="list-style-type: none"> <i>-Only newspapers are not private will be shown in this listing.</i> <i>-The publication date is optional.</i>
-------------	---

Expected

The system must return the listing of newspapers like this:

List newspapers

5 items found, displaying all items.
1

Display	Title:	Publication date:	Public:	Advertisement
Display	title newspaper 2		<input checked="" type="checkbox"/>	Create advertisement
Display	title accidente newspaper 3		<input checked="" type="checkbox"/>	Create advertisement
Display	title newspaper 5	2017/09/21	<input checked="" type="checkbox"/>	Create advertisement
Display	title newspaper 6	2017/09/21	<input checked="" type="checkbox"/>	Create advertisement
Display	title terror newspaper 7	2017/09/21	<input checked="" type="checkbox"/>	Create advertisement

Outcome

The outcome is correct:

List newspapers

5 items found, displaying all items.
1

Display	Title:	Publication date:	Public:	Advertisement
Display	title newspaper 2		<input checked="" type="checkbox"/>	Create advertisement
Display	title accidente newspaper 3		<input checked="" type="checkbox"/>	Create advertisement
Display	title newspaper 5	2017/09/21	<input checked="" type="checkbox"/>	Create advertisement
Display	title newspaper 6	2017/09/21	<input checked="" type="checkbox"/>	Create advertisement
Display	title terror newspaper 7	2017/09/21	<input checked="" type="checkbox"/>	Create advertisement

Notes


Test <#123>

Description

For each newspaper click on display link of newspaper.

Expected

The system must return display view of newspaper we clicked.

Display newspaper**Articles**

Summary	Articles	Writer
summary article 1 this ar...	title article 8	user 4

Outcome

The outcome is correct:

Display newspaper



Title: title newspaper 5

Description: description newspaper 5 cialis

Articles

Summary	Articles	Writer
summary article 1 this ar...	title article 8	user 4

Notes

Test <#124>

Description	<p>Click on create advertisement for a newspaper in listing. The form must be filled in with the following data: Title: leave this field BLANK, Advertisement's banner: leave this field BLANK, Target page: leave this field BLANK, Holder name: leave this field BLANK, Brande name: leave this field BLANK, Number: leave this field BLANK, Expiration month: leave this field BLANK, Expiration year: leave this field BLANK, CVV: leave this field BLANK.</p>
Expected	<p>The system must return the form with the following messages:</p> <p>Edit advertisement</p> <p>Title: <input type="text"/> Must not be blank</p> <p>Advertisement's banner <input type="text"/> Must not be blank</p> <p>Target Page <input type="text"/> Must not be blank</p> <p>Holder name: <input type="text"/> Must not be blank</p> <p>Brande name: <input type="text"/> Must not be blank</p> <p>Number: <input type="text"/> Must not be blank</p> <p>Expiration month: <input type="text"/> Does not match pattern</p> <p>Expiration year: <input type="text"/> Does not match pattern</p> <p>CVV: <input type="text"/> Out of range (100-999)</p> <p><input type="button"/> Save <input type="button"/> Cancel</p>

Outcome	(BUG) The outcome isn't correct, the target page must be not blank:
<h2>Edit advertisement</h2> <p>Title: <input type="text"/> Must not be blank</p> <p>Advertisement's banner <input type="text"/> Must not be blank</p> <p>Target Page <input type="text"/></p> <hr/> <p>Holder name: <input type="text"/> Must not be blank</p> <p>Brand name: <input type="text"/> Must not be blank</p> <p>Number: <input type="text"/> Must not be blank</p> <p>Expiration month: <input type="text"/> Does not match pattern</p> <p>Expiration year: <input type="text"/> Does not match pattern</p> <p>CVV: <input type="text"/> Out of range (100-999)</p>	
Notes	

Test <#125>	
Description	Click on create advertisement for a newspaper in listing. Then change newspaper Id for another newspaper Id that be private, and press enter.
Expected	The system must return the Panic page because you can't create an advertisement for a private newspaper.
Panic	<p>Sorry for the inconvenience. The following exception was thrown and is not recoverable: <code>IllegalArgumentException</code>.</p> <p>Message</p> <p>Cannot commit this operation</p> <p>Stack trace</p> <pre>java.lang.IllegalArgumentException: Cannot commit this operation at org.springframework.util.Assert.controllers.agent.AdvertisementAgentController.create(AdvertisementAgentController.java:49) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:601) at org.springframework.web.method.support.InvocableHandlerMethod.invoke(InvocableHandlerMethod.java:21) at org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle at org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandleMeth</pre>
Outcome	The outcome is correct:

www.acme.com/advertisement/agent/create.do?newspaperId=589

Panic

Sorry for the inconvenience. The following exception was thrown and is not recoverable: `IllegalArgumentException`.

Message

Cannot commit this operation

Stack trace

```
java.lang.IllegalArgumentException: Cannot commit this operation at org.springframework.util.Assert.isTrue(Assert.java:65) at controllers.agent.AdvertisementAgentController.create(AdvertisementAgentController.java:49) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:601) at org.springframework.web.method.support.InvocableHandlerMethod.invoke(InvocableHandlerMethod.java:132) at org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:122) at org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:104) at org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandleMethod(RequestMappingHandlerAdapter.java:748) at org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:689) at org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:83) at org.springframework.web.DispatcherServlet.doDispatch(DispatcherServlet.java:945) at
```

Notes

Test <#126>

Description	<i>Click on create advertisement for a newspaper in listing. Do not fill in any field of the form and press enter. The system must return to form with messages of error. Then press on cancel button.</i>																														
Expected	<i>The system must return the listing of newspapers.</i>																														
Outcome	<p><i>The outcome is correct:</i></p> <p>List newspapers</p> <p>5 items found, displaying all items.</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title</th> <th>Publication date</th> <th>Public</th> <th>Advertisement</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 2</td> <td></td> <td>✓</td> <td>Create advertisement</td> </tr> <tr> <td>Display</td> <td>title accident newspaper 3</td> <td></td> <td>✓</td> <td>Create advertisement</td> </tr> <tr> <td>Display</td> <td>title newspaper 5</td> <td>2017/09/21</td> <td>✓</td> <td>Create advertisement</td> </tr> <tr> <td>Display</td> <td>title newspaper 6</td> <td>2017/09/21</td> <td>✓</td> <td>Create advertisement</td> </tr> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>2017/09/21</td> <td>✓</td> <td>Create advertisement</td> </tr> </tbody> </table>	Display	Title	Publication date	Public	Advertisement	Display	title newspaper 2		✓	Create advertisement	Display	title accident newspaper 3		✓	Create advertisement	Display	title newspaper 5	2017/09/21	✓	Create advertisement	Display	title newspaper 6	2017/09/21	✓	Create advertisement	Display	title terror newspaper 7	2017/09/21	✓	Create advertisement
Display	Title	Publication date	Public	Advertisement																											
Display	title newspaper 2		✓	Create advertisement																											
Display	title accident newspaper 3		✓	Create advertisement																											
Display	title newspaper 5	2017/09/21	✓	Create advertisement																											
Display	title newspaper 6	2017/09/21	✓	Create advertisement																											
Display	title terror newspaper 7	2017/09/21	✓	Create advertisement																											
Notes																															

Use case 32 – List the newspapers in which they have placed an advertisement.

Description

List the newspapers in which they have placed an advertisement

Access


You can register an advertisement navigating in the menu where it appears "Login", then you must log in the system as agent (username: 'agent1', password: 'agent1'). Once authenticated as agent you must navigate in the menu where appears "Newspaper" then "Newspapers with at least one advertisement".


Tests

Test <#127>																					
Description	<p><i>List of newspapers must be shown correctly:</i></p> <ul style="list-style-type: none"> -Only newspapers are with at least one advertisement will be shown in this listing. -The publication date is optional. - Select the 'en' language. 																				
Expected	<p><i>The system must return the listing of newspapers like this:</i></p> <p><i>The format of the date in the column 'Publication Date' must be 'yyyy/MM/dd'.</i></p> <p>List newspapers</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title</th> <th>Description</th> <th>Publication date</th> <th>Public</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 5</td> <td>description newspaper 5 cialis</td> <td>2017/09/21</td> <td>✓</td> </tr> <tr> <td>Display</td> <td>title newspaper 2</td> <td>description newspaper 2 sex</td> <td></td> <td>✓</td> </tr> <tr> <td>Display</td> <td>title accidente newspaper 3</td> <td>description newspaper 3</td> <td></td> <td>✓</td> </tr> </tbody> </table>	Display	Title	Description	Publication date	Public	Display	title newspaper 5	description newspaper 5 cialis	2017/09/21	✓	Display	title newspaper 2	description newspaper 2 sex		✓	Display	title accidente newspaper 3	description newspaper 3		✓
Display	Title	Description	Publication date	Public																	
Display	title newspaper 5	description newspaper 5 cialis	2017/09/21	✓																	
Display	title newspaper 2	description newspaper 2 sex		✓																	
Display	title accidente newspaper 3	description newspaper 3		✓																	
Outcome	Show as expected.																				
Notes																					

Test <#128>																					
Description	<p><i>Select 'es' language.</i></p> <p><i>List of newspapers must be shown correctly:</i></p> <ul style="list-style-type: none"> -Only newspapers are with at least one advertisement will be shown in this listing. -The publication date is optional. 																				
Expected	<p><i>The system must return the listing of newspapers like this:</i></p> <p><i>The format of the date in the column 'Publication Date' must be 'dd/MM/yyyy'.</i></p> <p>Lista de periodicos</p> <table border="1"> <thead> <tr> <th>Mostrar</th> <th>Titulo</th> <th>Descripción</th> <th>Fecha de publicación</th> <th>Público</th> </tr> </thead> <tbody> <tr> <td>Mostrar</td> <td>title newspaper 5</td> <td>description newspaper 5 cialis</td> <td>21/09/2017</td> <td>✓</td> </tr> <tr> <td>Mostrar</td> <td>title newspaper 2</td> <td>description newspaper 2 sex</td> <td></td> <td>✓</td> </tr> <tr> <td>Mostrar</td> <td>title accidente newspaper 3</td> <td>description newspaper 3</td> <td></td> <td>✓</td> </tr> </tbody> </table>	Mostrar	Titulo	Descripción	Fecha de publicación	Público	Mostrar	title newspaper 5	description newspaper 5 cialis	21/09/2017	✓	Mostrar	title newspaper 2	description newspaper 2 sex		✓	Mostrar	title accidente newspaper 3	description newspaper 3		✓
Mostrar	Titulo	Descripción	Fecha de publicación	Público																	
Mostrar	title newspaper 5	description newspaper 5 cialis	21/09/2017	✓																	
Mostrar	title newspaper 2	description newspaper 2 sex		✓																	
Mostrar	title accidente newspaper 3	description newspaper 3		✓																	
Outcome	Show as expected.																				

Notes

Test <#129>	
Description	<i>Click on the title column header to order that column.</i>
Expected	<i>The system must return the listing of newspapers order by title column:</i> 
Outcome	<i>Show as expected.</i>
Notes	

Test <#130>							
Description	<i>Click on display link of each newspapers.</i>						
Expected	<i>The system must return the view display of newspapers:</i> Display newspaper  <p>Title: title newspaper 5 Description: description newspaper 5 cialis</p> <p>Articles</p> <table border="1"><tr><td>Summary</td><td>Articles</td><td>Writer</td></tr><tr><td>summary article 1 this ar...</td><td>title article 8</td><td>user 4</td></tr></table>	Summary	Articles	Writer	summary article 1 this ar...	title article 8	user 4
Summary	Articles	Writer					
summary article 1 this ar...	title article 8	user 4					
Outcome	<i>Show as expected.</i>						
Notes							

Use case 33 – List the newspapers in which they not placed any advertisements.

Description

List the newspapers in which they have not placed any advertisements.

Access

You can register an advertisement navigating in the menu where it appears "Login", then you must log in the system as agent (username: 'agent1', password: 'agent1'). Once authenticated as agent you must navigate in the menu where appears "Newspaper" then "Newspapers without advertisements".


Tests

Test <#131>																
Description	<p><i>List of newspapers must be shown correctly:</i></p> <ul style="list-style-type: none"> -Only newspapers that don't have any advertisements will be shown in this listing. -The publication date is optional. - Select the 'en' language. 															
Expected	<p><i>The system must return the listing of newspapers like this:</i></p> <p><i>The format of the date in the column 'Publication Date' must be 'yyyy/MM/dd'.</i></p> <p>List newspapers</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Description:</th> <th>Publication date:</th> <th>Public:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 6</td> <td>description amanecer newspaper 6</td> <td>2017/09/21</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>description newspaper 7</td> <td>2017/09/21</td> <td><input checked="" type="checkbox"/></td> </tr> </tbody> </table>	Display	Title:	Description:	Publication date:	Public:	Display	title newspaper 6	description amanecer newspaper 6	2017/09/21	<input checked="" type="checkbox"/>	Display	title terror newspaper 7	description newspaper 7	2017/09/21	<input checked="" type="checkbox"/>
Display	Title:	Description:	Publication date:	Public:												
Display	title newspaper 6	description amanecer newspaper 6	2017/09/21	<input checked="" type="checkbox"/>												
Display	title terror newspaper 7	description newspaper 7	2017/09/21	<input checked="" type="checkbox"/>												
Outcome	Show expected.															
Notes																

Test <#132>																
Description	<i>Click on the title column header to order that column.</i>															
Expected	<i>The system must return the listing of newspapers order by title column:</i>															
	<table border="1"> <thead> <tr> <th>Display</th> <th>Title:</th> <th>Description:</th> <th>Publication date:</th> <th>Public:</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>title newspaper 6</td> <td>description amanecer newspaper 6</td> <td>2017/09/21</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Display</td> <td>title terror newspaper 7</td> <td>description newspaper 7</td> <td>2017/09/21</td> <td><input checked="" type="checkbox"/></td> </tr> </tbody> </table>	Display	Title:	Description:	Publication date:	Public:	Display	title newspaper 6	description amanecer newspaper 6	2017/09/21	<input checked="" type="checkbox"/>	Display	title terror newspaper 7	description newspaper 7	2017/09/21	<input checked="" type="checkbox"/>
Display	Title:	Description:	Publication date:	Public:												
Display	title newspaper 6	description amanecer newspaper 6	2017/09/21	<input checked="" type="checkbox"/>												
Display	title terror newspaper 7	description newspaper 7	2017/09/21	<input checked="" type="checkbox"/>												
Outcome	Show expected.															
Notes																

Test <#133>	
Description	<i>Click on display link of each newspapers.</i>
Expected	<i>The system must return the view display of newspapers:</i>

Display newspaper



Title: title newspaper 6
Description: description amanecer newspaper 6

Articles

Summary	Articles	Writer
summary especial article ...	title article 6	user 2
summary article 1 this ar...	title article 9	user 2

Outcome Show expected.

Notes

Use case 34 – List the advertisements that contain taboo words in its title.

Description


List the advertisements that contain taboo words in its title.

Access

You can register an advertisement navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Advertisement" then "List the advertisement with taboo words".

Tests

Test <#134>	
Description	<i>List of advertisement must be shown correctly: -Only advertisement that contain taboo word in its title will be shown in this listing. -Advertisement banner will be shown as image.</i>
Expected	<i>The system must return the listing of advertisement like this:</i>

List advertisements	
3 items found, displaying all items. 1	
Title:	Advertisement's banner
title 5 Agent2 sexo	
title 7 Agent2 cialis	
title 6 Agent3 viagra	

Outcome *The outcome is correct*

Notes

Test <#135>

Description	Click on title column header for order list by title of advertisements.
Expected	<p><i>The system must return the list of advertisement order by title.</i></p> <p>List advertisements</p>
3 items found, displaying all items. 1	
Title:	Advertisement's banner
title 5 Agent2 sexo	
title 6 Agent3 viagra	
title 7 Agent2 cialis	

Outcome *The outcome is correct*

Notes

Use case 35 – Remove advertisement.

Description

User case of remove an advertisement that he or she thinks is inappropriate.




Access

You can remove and advertisement navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Advertisement" then "List the advertisement".

Tests

Test <#136>	
Description	<p><i>List of advertisement must be shown correctly:</i></p> <p><i>-All advertisement will be shown in this list.</i></p>
Expected	<p><i>The system must return the listing of advertisement like this:</i></p> <p>List advertisements</p>
Outcome	<i>El sistema muestra el listado correctamente pero no muestra las imágenes por problemas de conexión.</i>
Notes	

Test <#137>	
Description	<i>Click on delete button of an advertisement and confirm it clicking OK.</i>
Expected	<i>The system must return the listing of advertisement without advertisement deleted.</i>

	<h3>List advertisements</h3> <p>2 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Title:</th><th>Advertisement's banner</th><th>Delete</th></tr> </thead> <tbody> <tr> <td>title 5 Agent2 sexo</td><td></td><td><input type="button" value="Delete"/></td></tr> <tr> <td>title 7 Agent2 cialis</td><td></td><td><input type="button" value="Delete"/></td></tr> </tbody> </table>	Title:	Advertisement's banner	Delete	title 5 Agent2 sexo		<input type="button" value="Delete"/>	title 7 Agent2 cialis		<input type="button" value="Delete"/>
Title:	Advertisement's banner	Delete								
title 5 Agent2 sexo		<input type="button" value="Delete"/>								
title 7 Agent2 cialis		<input type="button" value="Delete"/>								
Outcome	<i>El sistema elimina correctamente el anuncio y devuelve la vista sin el anuncio eliminado.</i>									
Notes										

	<h3>List advertisements</h3> <p>Test <#138></p> <p>Description</p> <p><i>You must have single advertisement on a page of pagination. If you don't have one, create or delete advertisement until you have single advertisement in a page of pagination. Click on delete button of an advertisement and confirm it clicking OK.</i></p> <p>Expected</p> <p><i>The system must return the listing of advertisement without advertisement deleted and only one page of pagination showing link correctly.</i></p> <p>List advertisements</p> <p>6 items found, displaying 6 to 6. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Title:</th><th>Advertisement's banner</th><th>Delete</th></tr> </thead> <tbody> <tr> <td>title 8 Agent3</td><td></td><td><input type="button" value="Delete"/></td></tr> </tbody> </table> <p>List advertisements</p> <p>5 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Title:</th><th>Advertisement's banner</th><th>Delete</th></tr> </thead> <tbody> <tr> <td>title 1 Agent1</td><td></td><td><input type="button" value="Delete"/></td></tr> <tr> <td>title 2 Agent1</td><td></td><td><input type="button" value="Delete"/></td></tr> <tr> <td>title 3 Agent1</td><td></td><td><input type="button" value="Delete"/></td></tr> <tr> <td>title 4 Agent2</td><td></td><td><input type="button" value="Delete"/></td></tr> </tbody> </table>	Title:	Advertisement's banner	Delete	title 8 Agent3		<input type="button" value="Delete"/>	Title:	Advertisement's banner	Delete	title 1 Agent1		<input type="button" value="Delete"/>	title 2 Agent1		<input type="button" value="Delete"/>	title 3 Agent1		<input type="button" value="Delete"/>	title 4 Agent2		<input type="button" value="Delete"/>
Title:	Advertisement's banner	Delete																				
title 8 Agent3		<input type="button" value="Delete"/>																				
Title:	Advertisement's banner	Delete																				
title 1 Agent1		<input type="button" value="Delete"/>																				
title 2 Agent1		<input type="button" value="Delete"/>																				
title 3 Agent1		<input type="button" value="Delete"/>																				
title 4 Agent2		<input type="button" value="Delete"/>																				

Outcome	<i>El sistema muestra correctamente una sola página de paginación.</i>
Notes	

Test <#139>													
Description	<i>Click on title column header for order list by title of advertisement.</i>												
Expected	<i>The system must return the listing of advertisement order by title of advertisement.</i>												
	List advertisements												
	<p>3 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Title:</th> <th>Advertisement's banner</th> <th>Delete</th> </tr> </thead> <tbody> <tr> <td>title 5 Agent2 sexo</td> <td></td> <td>Delete</td> </tr> <tr> <td>title 6 Agent3 viagra</td> <td></td> <td>Delete</td> </tr> <tr> <td>title 7 Agent2 cialis</td> <td></td> <td>Delete</td> </tr> </tbody> </table>	Title:	Advertisement's banner	Delete	title 5 Agent2 sexo		Delete	title 6 Agent3 viagra		Delete	title 7 Agent2 cialis		Delete
Title:	Advertisement's banner	Delete											
title 5 Agent2 sexo		Delete											
title 6 Agent3 viagra		Delete											
title 7 Agent2 cialis		Delete											
Outcome	<i>El sistema muestra correctamente los anuncios ordenados por título.</i>												
Notes													

Use case 36 – List Volumes (not authenticate)

Description

Use case of listing the volumes in the system and browse their newspapers as long as they are authorised (for instance, a private newspaper cannot be fully displayed to unauthenticated actors).

Access

From the Welcome page, you list the volumes navigating in the menu where it appears "Volumes", then "List volumes".

Tests

Test <#140>	
Description	<i>Listing advertisement clicking on title column header for order listing by titles of newspapers.</i>
Expected	<i>The system must return list of advertisement order by title.</i>

List of Volumes				
<p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p>				
Title	Description	Year	Display newspapers	x
title volume5 user3	description5	2018	Display	x
title volume4 user2	description4	2018	Display	x
title volume3 user2	description3	2018	Display	x
title volume2 user1	description2	2018	Display	x
title volume1 user1	description1	2018	Display	x

Outcome Show as expected.


Notes

Test <#141>

Description Click on display newspaper of an advertisement.

Expected The system must return display view with all newspaper with that volume except privates newspapers.

Display newspaper



Outcome Show as expected.

Notes

Test <#142>

Description Click on different pages of pagination.

Expected The system must return list of advertisements on different pages.

List of Volumes

6 items found, displaying 1 to 5.

[\[First/Prev\]](#) [1](#), [2](#) [\[Next/Last\]](#)

Title	Description	Year	Display newspapers	x
title volume5 user3	description5	2018	Display	x
title volume4 user2	description4	2018	Display	x
title volume3 user2	description3	2018	Display	x
title volume2 user1	description2	2018	Display	x
title volume1 user1	description1	2018	Display	x

List of Volumes					
6 items found, displaying 6 to 6. [First/Prev] 1, 2 [Next/Last]					
Title	Description	Year	Display newspapers		x
title volume6 user3	description6	2018	Display		x

Outcome	<i>Show as expected.</i>
Notes	

Use case 37 – Subscribe to a volume.

Description

Use case of subscribe to a volume by providing a credit card. Note that subscribing to a volume implies subscribing automatically to all of the newspapers of which it is composed, including newspapers that might be published after the subscription takes place.

Access

You can subscribe to a volume navigating in the menu where it appears "Login", then you must log in the system as customer (username: 'customer1', password: 'customer1'). Once authenticated as customer you must navigate in the menu where appears "Volumes" then "List volumes".

Tests

Test <#143>									
Description	<i>Click on different pages of pagination.</i>								
Expected	<i>The system must return list of volumes on different pages showing links correctly.</i>								
List of Volumes									
6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]									
Edit	x	Title	x	Description	x	Year	x	Display	x
Underwrite	x	title volume1 user1	x	description1	x	2018	x	Display	x
		title volume2 user1		description2		2018		Display	
		title volume3 user2		description3		2018		Display	
		title volume4 user2		description4		2018		Display	
		title volume5 user3		description5		2018		Display	

List of Volumes																					
6 items found, displaying 6 to 6. [First/Prev] 1, 2 [Next/Last]																					
<table border="1"> <thead> <tr> <th>Edit</th><th>x</th><th>Title</th><th>x</th><th>Description</th><th>x</th><th>Year</th><th>x</th><th>Display</th><th>x</th></tr> </thead> <tbody> <tr> <td></td><td></td><td>title volume6 user3</td><td></td><td>description6</td><td></td><td>2018</td><td></td><td>Display</td><td></td></tr> </tbody> </table>		Edit	x	Title	x	Description	x	Year	x	Display	x			title volume6 user3		description6		2018		Display	
Edit	x	Title	x	Description	x	Year	x	Display	x												
		title volume6 user3		description6		2018		Display													
Outcome	Show expected.																				
Notes																					

Test <#144>	
Description	<p>Click on underwrite link of edit column.</p> <p>The form must be filled in with the following data:</p> <p>Holder name: leave this field BLANK,</p> <p>Brand name: leave this field BLANK,</p> <p>Number: leave this field BLANK,</p> <p>Expiration month: leave this field BLANK,</p> <p>Expiration year: leave this field BLANK,</p> <p>CVV: leave this field BLANK.</p>
Expected	<p>The system must return to the form with the following messages:</p> <p>Edit subscription</p> <p>Holder name: <input type="text"/> Must not be blank</p> <p>Brand name: <input type="text"/> Must not be blank</p> <p>Number: <input type="text"/> Ej. XXXXXXXXXXXXXXXX Must not be blank</p> <p>Expiration month: <input type="text"/> XX Does not match pattern</p> <p>Expiration year: <input type="text"/> XX Does not match pattern</p> <p>CVV: <input type="text"/> 0 Out of range (100-999)</p> <p>Save Cancel</p>
Outcome	Show expected.
Notes	

Test <#145>	
Description	<p>Click on underwrite link of edit column.</p> <p>The form must be filled in with the following data:</p> <p>Holder name: 'Jose Joaquin',</p>

	<p><i>Brand name: 'Rodriguez Perez', Number: '4388576018410707', Expiration month: '05', Expiration year: '23', CVV: '107'.</i></p>																														
Expected	<p><i>The system must return to the listing volumes with the button underwrite disable for the volume that we have subscribed.</i></p> <p>List of Volumes</p> <p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Edit</th><th>Title</th><th>Description</th><th>Year</th><th>Display</th></tr> </thead> <tbody> <tr> <td></td><td>title volume1 user1</td><td>description1</td><td>2018</td><td>Display</td></tr> <tr> <td></td><td>title volume2 user1</td><td>description2</td><td>2018</td><td>Display</td></tr> <tr> <td></td><td>title volume3 user2</td><td>description3</td><td>2018</td><td>Display</td></tr> <tr> <td></td><td>title volume4 user2</td><td>description4</td><td>2018</td><td>Display</td></tr> <tr> <td></td><td>title volume5 user3</td><td>description5</td><td>2018</td><td>Display</td></tr> </tbody> </table>	Edit	Title	Description	Year	Display		title volume1 user1	description1	2018	Display		title volume2 user1	description2	2018	Display		title volume3 user2	description3	2018	Display		title volume4 user2	description4	2018	Display		title volume5 user3	description5	2018	Display
Edit	Title	Description	Year	Display																											
	title volume1 user1	description1	2018	Display																											
	title volume2 user1	description2	2018	Display																											
	title volume3 user2	description3	2018	Display																											
	title volume4 user2	description4	2018	Display																											
	title volume5 user3	description5	2018	Display																											
Outcome	<i>Show expected.</i>																														
Notes																															

Test <#146>																	
Description	<i>Click on display of each volume.</i>																
Expected	<p><i>The system must return to display view of volume showing all volumes that this volume you clicked to display has.</i></p> <p><i>-Display link of newspapers will be disabled for newspaper don't have publication date.</i></p> <p>Display Volume</p> <p>Title title volume1 user1, Description description1, Year 2018</p> <p>3 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Display</th><th>Title:</th><th>Publication date:</th><th>Public:</th></tr> </thead> <tbody> <tr> <td>Display</td><td>title newspaper 1</td><td>2017/09/21</td><td></td></tr> <tr> <td></td><td>title newspaper 2</td><td></td><td></td></tr> <tr> <td></td><td>title accidente newspaper 3</td><td></td><td></td></tr> </tbody> </table>	Display	Title:	Publication date:	Public:	Display	title newspaper 1	2017/09/21			title newspaper 2				title accidente newspaper 3		
Display	Title:	Publication date:	Public:														
Display	title newspaper 1	2017/09/21															
	title newspaper 2																
	title accidente newspaper 3																
Outcome	<i>Show expected.</i>																
Notes																	

Use case 38 – Create a volume.

Description

Use case of create a volume with as many published newspapers as he or she wishes. Note that the newspapers in a volume can be added or removed at any time. The same newspaper may be used to create different volumes.

Access

You can create a volume navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "My volume" then "New volume".

Tests

Test <#147>													
Description	Click on title column header to order listing of volumes.												
Expected	<p>The system must return listing of volumes order by volume.</p> <p>List of volumes</p> <p>2 items found, displaying all items.</p> <table border="1"> <thead> <tr> <th>Edit</th><th>Title</th><th>Description</th><th>Year</th></tr> </thead> <tbody> <tr> <td>Edit</td><td>title volume1 user1</td><td>description1</td><td>2018</td></tr> <tr> <td>Edit</td><td>title volume2 user1</td><td>description2</td><td>2018</td></tr> </tbody> </table> <p>New Volume</p>	Edit	Title	Description	Year	Edit	title volume1 user1	description1	2018	Edit	title volume2 user1	description2	2018
Edit	Title	Description	Year										
Edit	title volume1 user1	description1	2018										
Edit	title volume2 user1	description2	2018										
Outcome	The outcome is correct												
Notes													

Test <#148>	
Description	Click on new volume link. The form must be filled in with the following data: Title: leave this field BLANK, Description: leave this field BLANK.
Expected	The system must return the form with the following messages:
	<p>Edit volume</p> <p>Title <input type="text"/> Must not be blank</p> <p>Description <input type="text"/> Must not be blank</p> <p>Year <input type="text" value="1000"/></p> <p>Newspaper <input type="text" value="title newspaper 1"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	(BUG) The outcome is incorrect. The field title, is not displaying his error.

Edit volume

Title

Description **Must not be blank**

Year

Newspaper

Notes

Test <#149>

Description	<p>Click on new volume link.</p> <p>The form must be filled in with the following data:</p> <p>Title: 'volume test',</p> <p>Description: 'description of volume test'.</p> <p>Click on save button.</p>																	
Expected	<p>The system must return the listing volumes with new volume created.</p> <p>List of volumes</p> <p>3 items found, displaying all items.</p> <table border="1"> <tr> <td>1</td> </tr> <tr> <td>Edit</td> <td>Title</td> <td>Description</td> <td>Year</td> </tr> <tr> <td>Edit</td> <td>title volume1 user1</td> <td>description1</td> <td>2018</td> </tr> <tr> <td>Edit</td> <td>title volume2 user1</td> <td>description2</td> <td>2018</td> </tr> <tr> <td>Edit</td> <td>volume test</td> <td>description of volume test</td> <td>1000</td> </tr> </table> <p>New Volume</p>	1	Edit	Title	Description	Year	Edit	title volume1 user1	description1	2018	Edit	title volume2 user1	description2	2018	Edit	volume test	description of volume test	1000
1																		
Edit	Title	Description	Year															
Edit	title volume1 user1	description1	2018															
Edit	title volume2 user1	description2	2018															
Edit	volume test	description of volume test	1000															
Outcome	The outcome is correct if you fill the fields year and newspaper.																	
Notes	You must to fill the fields year and newspaper.																	

Test <#150>

Description	<p>Click on new volume link.</p> <p>The form must be filled in with the following data:</p> <p>Title: leave this field BLANK,</p> <p>Description: leave this field BLANK.</p> <p>Click on save button, the system must return the form with error messages.</p> <p>Then click on cancel button.</p>
Expected	The system must return the listing volumes.
Outcome	The outcome is correct.
Notes	

Use case 39 – Dashboard administrator.

Description

Use case view dashboard.

Access

You can view a dashboard navigating in the menu where it appears "Login", then you must log in the system as admin (username: 'admin', password: 'admin'). Once authenticated as admin you must navigate in the menu where appears "Administrator" then "Statistics".

Tests

Test <#151>													
Description	Select 'en' language.												
Expected	<p>The system must return dashboard view in English.</p> <p>Web statistics</p> <p>The average and the standard deviation of newspapers created per user.</p> <table border="1"><thead><tr><th>Avg</th><th>Standard deviation</th></tr></thead><tbody><tr><td>2.250</td><td>0.433</td></tr></tbody></table> <p>The average and the standard deviation of articles written by writer.</p> <table border="1"><thead><tr><th>Avg</th><th>Standard deviation</th></tr></thead><tbody><tr><td>3.000</td><td>0.707</td></tr></tbody></table> <p>The average and the standard deviation of articles per newspaper.</p> <table border="1"><thead><tr><th>Avg</th><th>Standard deviation</th></tr></thead><tbody><tr><td>1.333</td><td>0.471</td></tr></tbody></table>	Avg	Standard deviation	2.250	0.433	Avg	Standard deviation	3.000	0.707	Avg	Standard deviation	1.333	0.471
Avg	Standard deviation												
2.250	0.433												
Avg	Standard deviation												
3.000	0.707												
Avg	Standard deviation												
1.333	0.471												
Outcome	<p>The outcome is correct:</p> <p>Web statistics</p> <p>The average and the standard deviation of newspapers created per user.</p> <table border="1"><thead><tr><th>Avg</th><th>Standard deviation</th></tr></thead><tbody><tr><td>2.250</td><td>0.433</td></tr></tbody></table> <p>The average and the standard deviation of articles written by writer.</p> <table border="1"><thead><tr><th>Avg</th><th>Standard deviation</th></tr></thead><tbody><tr><td>3.000</td><td>0.707</td></tr></tbody></table> <p>The average and the standard deviation of articles per newspaper.</p> <table border="1"><thead><tr><th>Avg</th><th>Standard deviation</th></tr></thead><tbody><tr><td>1.333</td><td>0.471</td></tr></tbody></table>	Avg	Standard deviation	2.250	0.433	Avg	Standard deviation	3.000	0.707	Avg	Standard deviation	1.333	0.471
Avg	Standard deviation												
2.250	0.433												
Avg	Standard deviation												
3.000	0.707												
Avg	Standard deviation												
1.333	0.471												
Notes													

Test <#152>	
Description	Select 'es' language.
Expected	The system must return dashboard view in Spanish.

	<p>Estadísticas de la web</p> <table border="1"> <tr> <td colspan="2">El promedio y la desviación estándar de los periódicos creados por usuario.</td> </tr> <tr> <td>Media</td><td>Desviación estándar</td></tr> <tr> <td>2,250</td><td>0,433</td></tr> </table> <table border="1"> <tr> <td colspan="2">El promedio y la desviación estándar de los artículos escritos por el escritor.</td> </tr> <tr> <td>Media</td><td>Desviación estándar</td></tr> <tr> <td>3,000</td><td>0,707</td></tr> </table> <table border="1"> <tr> <td colspan="2">El promedio y la desviación estándar de artículos por periódico.</td> </tr> <tr> <td>Media</td><td>Desviación estándar</td></tr> <tr> <td>1,333</td><td>0,471</td></tr> </table>	El promedio y la desviación estándar de los periódicos creados por usuario.		Media	Desviación estándar	2,250	0,433	El promedio y la desviación estándar de los artículos escritos por el escritor.		Media	Desviación estándar	3,000	0,707	El promedio y la desviación estándar de artículos por periódico.		Media	Desviación estándar	1,333	0,471
El promedio y la desviación estándar de los periódicos creados por usuario.																			
Media	Desviación estándar																		
2,250	0,433																		
El promedio y la desviación estándar de los artículos escritos por el escritor.																			
Media	Desviación estándar																		
3,000	0,707																		
El promedio y la desviación estándar de artículos por periódico.																			
Media	Desviación estándar																		
1,333	0,471																		
Outcome	<p><i>The outcome is correct:</i></p> <p>Estadísticas de la web</p> <table border="1"> <tr> <td colspan="2">El promedio y la desviación estándar de los periódicos creados por usuario.</td> </tr> <tr> <td>Media</td><td>Desviación estándar</td></tr> <tr> <td>2,250</td><td>0,433</td></tr> </table> <table border="1"> <tr> <td colspan="2">El promedio y la desviación estándar de los artículos escritos por el escritor.</td> </tr> <tr> <td>Media</td><td>Desviación estándar</td></tr> <tr> <td>3,000</td><td>0,707</td></tr> </table> <table border="1"> <tr> <td colspan="2">El promedio y la desviación estándar de artículos por periódico.</td> </tr> <tr> <td>Media</td><td>Desviación estándar</td></tr> <tr> <td>1,333</td><td>0,471</td></tr> </table>	El promedio y la desviación estándar de los periódicos creados por usuario.		Media	Desviación estándar	2,250	0,433	El promedio y la desviación estándar de los artículos escritos por el escritor.		Media	Desviación estándar	3,000	0,707	El promedio y la desviación estándar de artículos por periódico.		Media	Desviación estándar	1,333	0,471
El promedio y la desviación estándar de los periódicos creados por usuario.																			
Media	Desviación estándar																		
2,250	0,433																		
El promedio y la desviación estándar de los artículos escritos por el escritor.																			
Media	Desviación estándar																		
3,000	0,707																		
El promedio y la desviación estándar de artículos por periódico.																			
Media	Desviación estándar																		
1,333	0,471																		
Notes																			

	Test <#153>
Description	<p><i>Copy URL of dashboard.</i></p> <p><i>Then log our as administrator and log in as user.</i></p> <p><i>Once u log in as user paste URL and press enter.</i></p>
Expected	<p><i>The system must return you don't have access because only administrator can view a dashboard.</i></p> <p><i>Oops! You don't have access to this resource.</i></p> <p><u>Return to the welcome page</u></p>
Outcome	<p><i>The outcome is correct:</i></p> <p><i>Oops! You don't have access to this resource.</i></p> <p><u>Return to the welcome page</u></p>
Notes	

Test <#154>	
Description	<i>Click on display links of newspapers.</i>
Expected	<p><i>The system must return view display of newspaper you clicked.</i></p> <p>Mostrar periódico</p>  <p style="text-align: right;">Título: title newspaper 1 Descripción: description newspaper 1</p>
Outcome	<p><i>The outcome is correct:</i></p> <p>Mostrar periódico</p>  <p style="text-align: right;">Título: title newspaper 1 Descripción: description newspaper 1</p>
Notes	

Use case 40 – Actors can exchange messages.

Description

Use case of actors can exchange messages.

For every message, the system must keep track of the sender, the recipient, the moment when it was sent, the subject, the body, and its priority.

Access

You can exchange messages navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Send message".

Tests

Test <#155>	
Description	The form must be filled in with the following data: Send to: leave this field by default, Priority: leave this field by default, Subject: leave this field BLANK, Body: leave this field BLANK.
Expected	The system must return form with the following messaged:
	<p>Send message</p> <p>Send to: <input type="text"/> Cannot be null</p> <p>Priority: <input type="text"/> LOW</p> <p>Subject: <input type="text"/> Must not be blank</p> <p>Body: <input type="text"/> Must not be blank</p> <p><input type="button"/> Send <input type="button"/> Cancel</p>
Outcome	El sistema recarga la vista mostrando un mensaje que nos dice que el destinatario no puede ser nulo y que el asunto y el cuerpo del mensaje no pueden ir en blanco.
Notes	

Test <#156>	
Description	Click on select of send to.
Expected	The system must return form with the all user registered in the system in the send to field.

Send message

Send to:

Priority:

Subject:

Body:

Outcome	<i>El sistema muestra correctamente todos los actores para mandarles un mensaje.</i>
Notes	

Test <#157>

Description	<p>The form must be filled in with the following data:</p> <p>Send to: select 'user2',</p> <p>Priority: leave this field by default,</p> <p>Subject: 'subject test',</p> <p>Body: 'body test'.</p> <p>Click on send button.</p>																		
Expected	<p>The system must return list of messages of out box folder.</p> <p>List of messages</p> <p>2 items found, displaying all items.</p> <table border="1"> <thead> <tr> <th>Display</th> <th>Date</th> <th>Subject</th> <th>Send by</th> <th>Delete</th> <th>Move</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>2018/05/02</td> <td>subject test</td> <td>user 1</td> <td><input type="button" value="Delete"/></td> <td><input type="button" value="Move"/></td> </tr> <tr> <td>Display</td> <td>2018/01/01</td> <td>subject3</td> <td>user 1</td> <td><input type="button" value="Delete"/></td> <td><input type="button" value="Move"/></td> </tr> </tbody> </table>	Display	Date	Subject	Send by	Delete	Move	Display	2018/05/02	subject test	user 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>	Display	2018/01/01	subject3	user 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>
Display	Date	Subject	Send by	Delete	Move														
Display	2018/05/02	subject test	user 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>														
Display	2018/01/01	subject3	user 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>														
Outcome	<i>El sistema envía el correo correctamente y te redirige a la carpeta out box.</i>																		
Notes																			

Test <#158>

Description	<i>Click on My folder message.</i>
-------------	------------------------------------

	<p><i>Then click on move link of message.</i> <i>Copy URL and change message Id for message Id of a message belongs to another user.</i></p>
Expected	<p><i>The system must return Page panic because you can not move a message that belong to another user.</i></p> <p>Panic</p> <p>Sorry for the inconvenience. The following exception was thrown and is not recoverable: <code>IllegalArgumentException</code>.</p> <p>Message</p> <pre>[Assertion failed] - this expression must be true</pre> <p>Stack trace</p> <pre>java.lang.IllegalArgumentException: [Assertion failed] - this expression must be true at org.springframework.util.Assert.isTrue(Assert.java:65) at org.springframework.util.Assert.isTrue(Assert.java:77) services.MessageService.findOne(MessageService.java:94) at services.MessageService\$\$FastClassByCGLIB\$\$e1a5e45e.in org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:204) at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:713) at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:157) at</pre>
Outcome	<i>El sistema muestra un Panic al intentar realizar esta acción.</i>
Notes	

Test <#159>	
Description	<p>Select 'es' language. The form must be filled in with the following data: Send to: 'leave this field by default, Priority: leave this field by default, Subject: leave this field BLANK, Body: leave this field BLANK.</p>
Expected	<i>The system must return the form with the following messages:</i>

Enviar mensaje

Enviar mensaje a: **No puede ser null**

Prioridad: **LOW**

Asunto:

No debe estar en blanco

Cuerpo:

No debe estar en blanco

Outcome *El sistema recarga la vista mostrando un mensaje que nos dice que el destinatario no puede ser nulo y que el asunto y el cuerpo del mensaje no pueden ir en blanco.*

Notes

Test <#160>

Description	<p>The form must be filled in with the following data: <i>Send to: select 'user2', Priority: leave this field by default, Subject: 'subject test', Body: 'body test'. Click on send button. Then log out and log in as user2. Click on my messaged folders and then in box message folder.</i></p>
--------------------	---

Expected	<p>The system must return list of messages of in box folder. <i>Must show the message that user1 send to user2.</i></p> <p>List of messages</p> <table border="1"> <tr> <td>One item found.</td></tr> <tr> <td>1</td></tr> <tr> <td> <table border="1"> <thead> <tr> <th>Display</th><th>Date</th><th>Subject</th><th>Send by</th><th>Delete</th><th>Move</th></tr> </thead> <tbody> <tr> <td>Display</td><td>2018/05/02</td><td>replay</td><td>user 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> </tbody> </table> </td></tr> </table>	One item found.	1	<table border="1"> <thead> <tr> <th>Display</th><th>Date</th><th>Subject</th><th>Send by</th><th>Delete</th><th>Move</th></tr> </thead> <tbody> <tr> <td>Display</td><td>2018/05/02</td><td>replay</td><td>user 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> </tbody> </table>	Display	Date	Subject	Send by	Delete	Move	Display	2018/05/02	replay	user 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>
One item found.																
1																
<table border="1"> <thead> <tr> <th>Display</th><th>Date</th><th>Subject</th><th>Send by</th><th>Delete</th><th>Move</th></tr> </thead> <tbody> <tr> <td>Display</td><td>2018/05/02</td><td>replay</td><td>user 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> </tbody> </table>	Display	Date	Subject	Send by	Delete	Move	Display	2018/05/02	replay	user 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>				
Display	Date	Subject	Send by	Delete	Move											
Display	2018/05/02	replay	user 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>											

Outcome	<i>Al usuario 2 le aparece en la bandeja de entrada el correo que le ha enviado el usuario 1.</i>
----------------	---

Notes

Test <#161>



Description	<p>The form must be filled in with the following data:</p> <p><i>Send to:</i> select 'user2', <i>Priority:</i> leave this field by default, <i>Subject:</i> 'subject sex test', <i>Body:</i> 'body test'.</p> <p>Click on send button.</p> <p>Then log out and log in as user2.</p> <p>Click on my messaged folders and then in spam message folder.</p>
Expected	<p>The system must return list of messages of in box folder.</p> <p>Must show the message that user1 send to user2 because contain spam word.</p> <p>List of messages</p>
Outcome	<i>El correo le llega a user 2 a la carpeta de spam.</i>
Notes	

Test <#162>

Description	<p>Click on my messages folders.</p> <p>Then out box folder.</p> <p>Listing messages click on move of message.</p> <p>Leave all by default.</p>
Expected	<p>The system must return the form with the following message:</p> <p>Move message of folder</p> <p>You must select a folder</p>

Notes

Test <#163>

Description	<p><i>Click on my messages folders.</i></p> <p><i>Then out box folder.</i></p> <p><i>Listing messages click on move of message.</i></p> <p><i>The form must be filled in with the following data:</i></p> <p><i>Folder: select 'trash box'.</i></p> <p><i>Then click on move button.</i></p>
Expected	<p><i>The system must return the list of messages folder and in trash folder must be show the message you moved it.</i></p> <p>List message folder</p>  <p>List of messages</p> 
Outcome	<i>El mensaje se mueve de carpeta correctamente.</i>
Notes	

Test <#164>

Description	<p><i>Click on My folder message.</i></p> <p><i>Then click out box folder an delete one message clicking on delete button confirm it clicking Ok.</i></p> <p><i>Then go to trash box.</i></p>
Expected	<p><i>The system must return list of trash box message folder and will be show message deleted.</i></p> <p>List of messages</p> 
Outcome	<i>El mensaje eliminado aparece en la carpeta trash box</i>

Notes

Use case 41 – Manage messages folders.

Description

Use case of managing messages folders.

Access

You can manage messages folders navigating in the menu where it appears "Login", then you must log in the system as user (username: 'user1', password: 'user1'). Once authenticated as user you must navigate in the menu where appears "Message folders", then click on 'My folders' for manage message folders of user or 'Create folder' for create new message folder.


Tests

Test <#165>																			
Description	<p><i>Click on message folders.</i></p>																		
Expected	<p><i>The system must return the list of message folders by default. Button edit must be disabled for default messages.</i></p> <p>List message folder</p> <table border="1"><thead><tr><th>Edit</th><th>Message folder</th><th>Messages</th></tr></thead><tbody><tr><td></td><td>In box</td><td>Messages</td></tr><tr><td></td><td>Notification box</td><td>Messages</td></tr><tr><td></td><td>Out box</td><td>Messages</td></tr><tr><td></td><td>Spam box</td><td>Messages</td></tr><tr><td></td><td>Trash box</td><td>Messages</td></tr></tbody></table>	Edit	Message folder	Messages		In box	Messages		Notification box	Messages		Out box	Messages		Spam box	Messages		Trash box	Messages
Edit	Message folder	Messages																	
	In box	Messages																	
	Notification box	Messages																	
	Out box	Messages																	
	Spam box	Messages																	
	Trash box	Messages																	
Outcome	<p><i>Show as expected.</i></p>																		
Notes																			

Test <#166>																
Description	<p><i>Click on messages link of each messages folder.</i></p>															
Expected	<p><i>The system must return the list of messages of message folder you clicked.</i></p> <p>List of messages</p> <table border="1"><thead><tr><th>Display</th><th>Date</th><th>Subject:</th><th>Send by</th><th>Delete</th></tr></thead><tbody><tr><td>Display</td><td>2018/05/02</td><td>subject test</td><td>user 1</td><td>Delete</td></tr><tr><td>Display</td><td>2018/01/01</td><td>subject3</td><td>user 1</td><td>Delete</td></tr></tbody></table>	Display	Date	Subject:	Send by	Delete	Display	2018/05/02	subject test	user 1	Delete	Display	2018/01/01	subject3	user 1	Delete
Display	Date	Subject:	Send by	Delete												
Display	2018/05/02	subject test	user 1	Delete												
Display	2018/01/01	subject3	user 1	Delete												
Outcome	<p><i>Show as expected.</i></p>															

Notes

Test <#167>													
Description	<p>Click on messages link of each messages folder. Then click on delete button and then confirm OK.</p>												
Expected	<p>The system must return the list of messages again but message you clicked on delete must not be shown.</p> <p>List of messages</p>  <p>One item found. 1</p> <table border="1"><tr><td>Display</td><td>Date</td><td>Subject</td><td>Send by</td><td>Delete</td><td>Move</td></tr><tr><td>Display</td><td>2018/05/02</td><td>subject test</td><td>user 1</td><td><input type="button" value="Delete"/></td><td>Move</td></tr></table>	Display	Date	Subject	Send by	Delete	Move	Display	2018/05/02	subject test	user 1	<input type="button" value="Delete"/>	Move
Display	Date	Subject	Send by	Delete	Move								
Display	2018/05/02	subject test	user 1	<input type="button" value="Delete"/>	Move								
Outcome	Show as expected.												
Notes													

Test <#168>	
Description	<p>Click on messages link of each messages folder. Then click on display link of message.</p>
Expected	<p>The system must return display view of message.</p> <p>Display a message</p>  <p>Date 2018/05/02 Subject : subject test Body : body test Priority : LOW Folder : Out box Send by : surname user 1, user 1 Received by : surname user 2, user 2 Reply</p>
Outcome	Show as expected.
Notes	

Test <#169>																			
Description	<p>Click on messages link of each messages folder. Then click on display link of message. The system must return display view of message. Then click on replay link for replay this message using valid information in the form.</p>																		
Expected	<p>The system must redirect to the list of messages of out box message folder must be show the new replay message:</p> <p>List of messages</p> <p>2 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Display</th><th>Date</th><th>Subject</th><th>Send by</th><th>Delete</th><th>Move</th></tr> </thead> <tbody> <tr> <td>Display</td><td>2018/05/02</td><td>replay</td><td>user 1</td><td>Delete</td><td>Move</td></tr> <tr> <td>Display</td><td>2018/05/02</td><td>subject test</td><td>user 1</td><td>Delete</td><td>Move</td></tr> </tbody> </table>	Display	Date	Subject	Send by	Delete	Move	Display	2018/05/02	replay	user 1	Delete	Move	Display	2018/05/02	subject test	user 1	Delete	Move
Display	Date	Subject	Send by	Delete	Move														
Display	2018/05/02	replay	user 1	Delete	Move														
Display	2018/05/02	subject test	user 1	Delete	Move														
Outcome	Show as expected.																		
Notes																			

Test <#170>	
Description	<p>Click on create message folder. The form must be filled in with the following data: Message folder: leave this field BLANK. Press save button.</p>
Expected	<p>The system must redirect to the form with the following message:</p> <p>Edit a message Folder</p> <p>Message folder <input type="text"/> Must not be blank</p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Outcome	Show as expected.
Notes	

Test <#171>	
Description	<p>Click on edit of message folder that isn't default. Change Id message folder by message folder default Id Press enter.</p>
Expected	The system must redirect to the Panic page because you cannot edit default message folder.

Panic

Sorry for the inconvenience. The following exception was thrown and is not recoverable: IllegalArgumentException.

Message

[Assertion failed] - this expression must be true

Stack trace

```
java.lang.IllegalArgumentException: [Assertion failed] - this expression must be true at  
org.springframework.util.Assert.isTrue(Assert.java:65) at org.springframework.util.Assert.isTrue  
services.MessageFolderService.findOne(MessageFolderService.java:71) at  
services.MessageFolderService$$FastClassByCGLIB$910be8550.invoke() at  
org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:204) at  
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.invokeJoinpoint(CglibA
```

Outcome	<i>Show as expected.</i>
Notes	

Test <#172>

Description	<p>Click on 'es' language.</p> <p>Click on create message folder.</p> <p>The form must be filled in with the following data:</p> <p>Carpeta de mensajes: leave this field BLANK.</p> <p>Press save button.</p>
Expected	<p>The system must redirect to the form with the following message:</p> <p>Editar una carpeta de mensajes</p> <p>Carpeta de mensajes <input type="text"/> No debe estar en blanco</p> <p><input type="button" value="Guardar"/> <input type="button" value="Cancelar"/></p>
Outcome	Show as expected.
Notes	

Test <#173>

Description	<p>Click on create message folder.</p> <p>The form must be filled in with the following data:</p> <p>Message folder: 'new'.</p> <p>Press save button.</p>
Expected	<p>The system must redirect to the list of messages folders, must be show new message folder you created.</p>

List message folder																				
6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]																				
<table border="1"> <thead> <tr> <th>Edit</th><th>Message folder</th><th>Messages</th></tr> </thead> <tbody> <tr> <td></td><td>In box</td><td>Messages</td></tr> <tr> <td>Edit</td><td>new</td><td>Messages</td></tr> <tr> <td></td><td>Notification box</td><td>Messages</td></tr> <tr> <td></td><td>Out box</td><td>Messages</td></tr> <tr> <td></td><td>Spam box</td><td>Messages</td></tr> </tbody> </table>			Edit	Message folder	Messages		In box	Messages	Edit	new	Messages		Notification box	Messages		Out box	Messages		Spam box	Messages
Edit	Message folder	Messages																		
	In box	Messages																		
Edit	new	Messages																		
	Notification box	Messages																		
	Out box	Messages																		
	Spam box	Messages																		
Outcome	Show as expected.																			
Notes																				

Test <#174>	
Description	<p>Click edit of message folder.</p> <p>The form must be filled in with the following data:</p> <p>Message folder: leave this field BLANK.</p> <p>Press save button.</p>
Expected	<p>The system must redirect to the form with the following message:</p> <p>Edit a message Folder</p> <p>Message folder <input type="text"/> Must not be blank</p> <p><input type="button" value="Save"/> <input type="button" value="Delete"/> <input type="button" value="Cancel"/></p>
Outcome	Show as expected.
Notes	

Test <#175>																			
Description	<p>Click on my folders.</p> <p>Click on different links of pagination.</p>																		
Expected	<p>The system must redirect to the list of message folders for each page of pagination.</p> <p>List message folder</p> <p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Edit</th><th>Message folder</th><th>Messages</th></tr> </thead> <tbody> <tr> <td></td><td>In box</td><td>Messages</td></tr> <tr> <td>Edit</td><td>new</td><td>Messages</td></tr> <tr> <td></td><td>Notification box</td><td>Messages</td></tr> <tr> <td></td><td>Out box</td><td>Messages</td></tr> <tr> <td></td><td>Spam box</td><td>Messages</td></tr> </tbody> </table>	Edit	Message folder	Messages		In box	Messages	Edit	new	Messages		Notification box	Messages		Out box	Messages		Spam box	Messages
Edit	Message folder	Messages																	
	In box	Messages																	
Edit	new	Messages																	
	Notification box	Messages																	
	Out box	Messages																	
	Spam box	Messages																	

	<p>List message folder</p> <p>6 items found, displaying 6 to 6. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Edit</th><th>Message folder</th><th>Messages</th></tr> </thead> <tbody> <tr> <td></td><td>Trash box</td><td>Messages</td></tr> </tbody> </table>	Edit	Message folder	Messages		Trash box	Messages
Edit	Message folder	Messages					
	Trash box	Messages					
Outcome	<i>Show as expected.</i>						
Notes							

	<p>Test <#176></p> <table border="1"> <tr> <td>Description</td><td><i>Click on my folders. Click on edit of message folder aren't default. Then click on delete and confirm it.</i></td></tr> <tr> <td>Expected</td><td><i>The system must redirect to the list of message folders having deleted the message folder.</i></td></tr> </table> <p>List message folder</p> <p>5 items found, displaying all items. 1</p> <table border="1"> <thead> <tr> <th>Edit</th><th>Message folder</th><th>Messages</th></tr> </thead> <tbody> <tr> <td></td><td>In box</td><td>Messages</td></tr> <tr> <td></td><td>Notification box</td><td>Messages</td></tr> <tr> <td></td><td>Out box</td><td>Messages</td></tr> <tr> <td></td><td>Spam box</td><td>Messages</td></tr> <tr> <td></td><td>Trash box</td><td>Messages</td></tr> </tbody> </table>	Description	<i>Click on my folders. Click on edit of message folder aren't default. Then click on delete and confirm it.</i>	Expected	<i>The system must redirect to the list of message folders having deleted the message folder.</i>	Edit	Message folder	Messages		In box	Messages		Notification box	Messages		Out box	Messages		Spam box	Messages		Trash box	Messages
Description	<i>Click on my folders. Click on edit of message folder aren't default. Then click on delete and confirm it.</i>																						
Expected	<i>The system must redirect to the list of message folders having deleted the message folder.</i>																						
Edit	Message folder	Messages																					
	In box	Messages																					
	Notification box	Messages																					
	Out box	Messages																					
	Spam box	Messages																					
	Trash box	Messages																					
Outcome	<i>Show as expected.</i>																						
Notes																							

Use case 42 – Send broadcast messages.

Description

Use case of send broadcast messages to the users.

Access

You can send broadcast messages navigating in the menu where it appears "Login", then you must log in the system as administrator (username: 'admin', password: 'admin'). Once authenticated as administrator you must navigate in the menu where appears "Send message", then click on 'Send message to all actors'.

Tests

Test <#177>

Description	<p>The form must be filled in with the following data: Priority: leave this field by default, Subject: leave this field BLANK, Body: leave this field BLANK.</p>
Expected	<p>The system must return the form with the following messages:</p> <p>Send a message to all the actors</p> <p>Priority: <input type="button" value="LOW ▾"/></p> <p>Subject: <input type="text"/> Must not be blank</p> <p>Body: <input type="text"/> Must not be blank</p> <p><input type="button" value="Send message for all actors"/> <input type="button" value="Cancel"/></p>
Outcome	Show expected.
Notes	

Test <#178>																																					
Description	<p>The form must be filled in with the following data: Subject: 'subject test', Body: 'body test'. Click on the send message for all actor button.</p>																																				
Expected	<p>The system must return the list of messages of out box message folder.</p> <p>List of messages</p> <p>14 items found, displaying 1 to 5. [First/Prev] 1, 2, 3 [Next/Last]</p> <table border="1"> <thead> <tr> <th>Display</th><th>Date</th><th>Subject</th><th>Send by</th><th>Delete</th><th>Move</th></tr> </thead> <tbody> <tr> <td>Display</td><td>2018/05/02</td><td>subject test</td><td>admin 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> <tr> <td>Display</td><td>2018/05/02</td><td>subject test</td><td>admin 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> <tr> <td>Display</td><td>2018/05/02</td><td>subject test</td><td>admin 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> <tr> <td>Display</td><td>2018/05/02</td><td>subject test</td><td>admin 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> <tr> <td>Display</td><td>2018/05/02</td><td>subject test</td><td>admin 1</td><td><input type="button" value="Delete"/></td><td><input type="button" value="Move"/></td></tr> </tbody> </table>	Display	Date	Subject	Send by	Delete	Move	Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>	Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>	Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>	Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>	Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>
Display	Date	Subject	Send by	Delete	Move																																
Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>																																
Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>																																
Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>																																
Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>																																
Display	2018/05/02	subject test	admin 1	<input type="button" value="Delete"/>	<input type="button" value="Move"/>																																
Outcome	Show expected.																																				
Notes																																					

Additional tests

If necessary, design additional tests that cannot be easily associated with a particular use case. Describe them in this section.

Test <#179>	
Description	From the Welcome page click on the Terms and Conditions link.
Expected	<p>The system must return to terms and conditions page explaining the reasons why an article or a newspaper may be considered inappropriate.</p> <p>THIRD.- RESPONSIBILITY .-</p> <p>3.1.- THE OWNER will not be responsible for:</p> <ul style="list-style-type: none"> 3.1.1.- Failures and incidents that could occur in communications, deletion or incomplete transmissions so that the services of the website are not always operational. 3.1.2.- Of the production of any type of damage that the USERS or third parties could cause on the website. 3.1.3.- Of the reliability and veracity of the information introduced by third parties on the website, either directly or through links or links. Likewise, ACME-NEWSPAPER will collaborate and notify the competent authority of these incidents when it is aware that the damage caused constitutes any type of illegal activity. 3.1.4.- The Admin is responsible for deleting articles, newspapers, and chirps that she or he considers inappropriate. The reasons why the admin can delete a newspaper is because that contains inappropriate content in its title, description or image, however, the admins do not have the privileges to delete any newspaper if a customer has already subscribe, under any circumstances. The reasons for deleting articles are that it contains inappropriate content in its title, body, summary or image. Under no circumstances may the Admin delete articles from the newspapers that have been published. The reasons why to delete the chirps are: that it contains inappropriate content in its title or description. We consider that inappropriate content is: disturbing images or videos, the latest trends that contribute to negative values, health risks or bad habits, or the false or lacking information that circulates through the network. <p>3.2.- THE OWNER reserves the right to suspend access without prior notice in a discretionary manner and with a definitive or temporary nature until the assurance of the effective responsibility for any damages that may occur. Likewise, THE OWNER shall collaborate and notify the competent authority of these incidents when he or she is aware that the damage caused constitutes any type of illegal activity.</p>
Outcome	The outcome is correct:
Notes	<p>THIRD.- RESPONSIBILITY .-</p> <p>3.1.- THE OWNER will not be responsible for:</p> <ul style="list-style-type: none"> 3.1.1.- Failures and incidents that could occur in communications, deletion or incomplete transmissions so that the services of the website are not always operational. 3.1.2.- Of the production of any type of damage that the USERS or third parties could cause on the website. 3.1.3.- Of the reliability and veracity of the information introduced by third parties on the website, either directly or through links or links. Likewise, ACME-NEWSPAPER will collaborate and notify the competent authority of these incidents when it is aware that the damage caused constitutes any type of illegal activity. 3.1.4.- The Admin is responsible for deleting articles, newspapers, and chirps that she or he considers inappropriate. The reasons why the admin can delete a newspaper is because that contains inappropriate content in its title, description or image, however, the admins do not have the privileges to delete any newspaper if a customer has already subscribe, under any circumstances. The reasons for deleting articles are that it contains inappropriate content in its title, body, summary or image. Under no circumstances may the Admin delete articles from the newspapers that have been published. The reasons why to delete the chirps are: that it contains inappropriate content in its title or description. We consider that inappropriate content is: disturbing images or videos, the latest trends that contribute to negative values, health risks or bad habits, or the false or lacking information that circulates through the network. <p>3.2.- THE OWNER reserves the right to suspend access without prior notice in a discretionary manner and with a definitive or temporary nature until the assurance of the effective responsibility for any damages that may occur. Likewise, THE OWNER shall collaborate and notify the competent authority of these incidents when he or she is aware that the damage caused constitutes any type of illegal activity.</p>

Test <#180>											
Description	From the Welcome page click on the Login page, login as administrator (username:'admin', password:'admin'), then click on 'configuration system' then 'taboo words'.										
Expected	<p>The system must return list of taboo words by default.</p> <p>List of taboo words</p> <table border="1"> <thead> <tr> <th>Edit</th> <th>Taboo word</th> </tr> </thead> <tbody> <tr> <td></td> <td>sex</td> </tr> <tr> <td></td> <td>sexo</td> </tr> <tr> <td></td> <td>viagra</td> </tr> <tr> <td></td> <td>cialis</td> </tr> </tbody> </table> <p>Add or remove taboo word</p>	Edit	Taboo word		sex		sexo		viagra		cialis
Edit	Taboo word										
	sex										
	sexo										
	viagra										
	cialis										
Outcome	The outcome is correct										
Notes											

Test <#181>	
Description	<p>From the Welcome page click on the Login page, login as user (username:'user1', password:'user1'), then click on 'My articles' then display link of article2.</p> <p>Go back to list my articles.</p> <p>Then click again on display link of article 2.</p>
Expected	<p>The system must return display view of article with random advertisement changed.</p> <p>Random advertisement</p> <div style="border: 1px solid black; padding: 10px;"> <p>Target Page</p>  <p>Banner:</p> <p>Title: title 4 Agent2</p> <p>Agent: agent 2</p> </div> <p>Random advertisement</p> <div style="border: 1px solid black; padding: 10px;"> <p>Target Page</p>  <p>Banner:</p> <p>Title: title 6 Agent3 viagra</p> <p>Agent: agent 3</p> </div>
Outcome	The outcome is correct
Notes	