



Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




Parameter

- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application_1|ProtocolSchematem|Dose
- Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration–GFR|GFR fraction

Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)






Parameter

- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application_1|Protocol|Schematem|Dose
- Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction


Organism|ArterialBlood|Plasma|Aciclovir



Parameter


- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application_1|ProtocolSchematem|Dose
- Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction

Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)



Parameter

- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application_1|ProtocolSchematem|Dose
- Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction



Organism|ArterialBlood|Plasma|Aciclovir

