PAGE 2026 — {ospsuite} + {esqlabsR} Cheatsheet

Workshop reference — 2 pages

Pavel Balazki · Wilbert de Witte

2026-06-01

{ospsuite} essentials

Workflow

load → inspect → modify → run → extract → analyze → plot

Load + save

```
sim <- loadSimulation("path/Model.pkml")
saveSimulation(sim, "path/Model_v2.pkml")
# Independent copy? Reload - sim$clone() is broken
# for ospsuite (.NET-backed R6).
sim_copy <- loadSimulation("path/Model.pkml")
```

Inspect

```
getAllParameterPathsIn(sim)
getAllMoleculePathsIn(sim)
getAllContainerPathsIn(sim)
getAllParametersMatching("**|Volume", sim)
```

Parameter access

```
p  <- getParameter("Organism|Liver|Volume", sim)
p$value; p$unit
setParameterValuesByPath("Organism|Weight", 75, sim, units =
 ↪  "kg")
```

Run

```
res <- runSimulations(sim)[[1]]              # single
res_list <- runSimulations(list(sim1, sim2)) # batch
```

Extract

```
out <- getOutputValues(res, quantitiesOrPaths =
 ↪  "...|Concentration")
out$data  # → data.frame: Time, paths, values
```

Plot — DataCombined

```
dc <- DataCombined$new()
dc$addSimulationResults(res)
dc$addObservedData(loadDataSetFromPKML("obs.pkml"))
plotIndividualTimeProfile(dc)        # time profile
plotObservedVsSimulated(dc)          # GoF
plotResidualsVsTime(dc)              # residuals
```

PK params

```
pk <- calculatePKAnalyses(res, "...|Concentration")
pkAnalysesAsDataFrame(pk)            # AUC, C_max, t_max, t½
addUserDefinedPKParameter(...)
```

Local sensitivity

```
sa <- sensitivityCalculation(
  simulation = sim,
  variableParameterPaths = c("...|Lipophilicity",
                             "...|GFR_filtration_fraction"),
  variationRange = 0.1)
mostSensitiveParameters(sa, totalSensitivityThreshold = 0.9)
```

Units

```
toUnit("Concentration", 1, "mg/L")
toBaseUnit("Volume", 70, "kg")
toDisplayUnit(p, p$value)
```

Path conventions

`Aciclovir|Organism|Liver|Volume`

Levels: `organ` → `compartment` → `parameter`. `|` separates levels. `**` = recursive wildcard.

Parameter identification

```
library(ospsuite.parameteridentification)
```

Optimization parameter

```
piPar <- PIParameters$new(
  parameters = getParameter("Aciclovir|Lipophilicity", sim))
piPar$minValue <- -5
piPar$maxValue <-  5
piPar$startValue <- 2          # optional
```

Observed data → output mapping

```
obs <- loadDataSetsFromExcel(
  "Data/Obs.xlsx", projectConfiguration = project)

simPath <- "Organism|PeripheralVenousBlood|Aciclovir|Plasma
 ↪  (Peripheral Venous Blood)"
mapping <- PIOutputMapping$new(
  quantity = getQuantity(simPath, container = sim))
mapping$addObservedDataSets(obs$`Aciclovir.Vergin1995.IV250`)
```

Configure + run

```
cfg <- PIConfiguration$new()
cfg$algorithm     <- "DEoptim"   # or "LevenbergMarquardt"
cfg$autoEstimateCI <- TRUE

piTask <- ParameterIdentification$new(
  simulations    = sim,
  parameters     = piPar,
  outputMappings = mapping,
  configuration  = cfg)

res <- piTask$run()
piTask$plotResults()
```

{esqlabsR} essentials

Project structure

```
MyProject/
   ProjectConfiguration.xlsx     ← master
   Models/
       Simulations/   *.pkml
   Configurations/
       Scenarios.xlsx
       ModelParameters.xlsx
       Applications.xlsx
       Plots.xlsx
   Data/            *.xlsx
   Results/
   Reports/         *.qmd
```

Initialize

```
library(esqlabsR)
initProject(path = "~/MyProject")
```

Project object

```
project <-
 ↪  createProjectConfiguration("ProjectConfiguration.xlsx")
project$paths$ModelsFolder
project$paths$ConfigurationsFolder
```

Load + run scenarios

```
cfg <- readScenarioConfigurationFromExcel(
  scenarioNames = c("PO_7.5mg", "IV_2mg"),
  projectConfiguration = project)
sc  <- createScenarios(cfg)
res <- runScenarios(scenarios = sc)
```

Snapshot / restore

```
snapshot(project)        # Excel → JSON snapshot
restore(project)         # JSON → Excel
status(project)          # diff
```

Plots from Excel

```
plots <- createPlotsFromExcel(
  plotGridNames        = c("PO_vs_obs"),
  simulatedScenarios   = res,
  observedData         = obs,
  projectConfiguration = project)
plots[[1]]
```

Sensitivity (multi-range)

```
simulation <- scenarios$PO_7.5mg$simulation
analysis <- sensitivityCalculation(
  simulation     = simulation,
  outputPaths    = c(Plasma = "..."),
  parameterPaths = c(Lipo = "Midazolam|Lipophilicity"),
  variationRange = c(0.1, 0.5, 1, 2, 10),
  pkParameters   = c("C_max", "AUC_inf"))
sensitivitySpiderPlot(analysis)
sensitivityTornadoPlot(analysis)
sensitivityTimeProfiles(analysis)
saveSensitivityCalculation(analysis, outputDir = "Results/SA")
```

Excel cheat-row reference

File	One row =	Key columns
Scenarios	one scenario	`Scenario`, `ModelFile`, `ApplicationProtocol`, `IndividualId`, `OutputPathsId`
ModelParameters	parameter override	`Id`, `ContainerPath`, `ParameterName`, `Value`, `Units`
Applications	dosing protocol	`Id`, `DrugMass`, `DoseUnit`, `StartTime`, `Route`
Plots	one figure	`PlotID`, `ScenarioName`, `OutputPath`, `xLog`, `yLog`

Quarto report — re-render

```
quarto render Reports/MyReport.qmd                  # default
quarto render Reports/MyReport.qmd -P dose_mg:15    # override
 ↪  param
quarto render Reports/MyReport.qmd --to pdf         # PDF only
```

In a chunk

```
# parameters from YAML
params$dose_mg

# auto-run scenarios
cfg   <- readScenarioConfigurationFromExcel(params$scenario,
 ↪  project)
sc    <- createScenarios(cfg)
res   <- runScenarios(sc)
plots <- createPlotsFromExcel(plotGridNames = "MyPlot",
                              simulatedScenarios = res,
                              projectConfiguration = project)
```

Repo

`r-training.esqlabs.com` `github.com/esqLABS/r-packages-training`