



FIRST STEPS WITH EMACS

PART OF THE ESS-INTRO SERIES

Dirk Eddelbuettel

Incomplete draft dated 13 Mar 2021

The Perception of Emacs

EMACS: GETTING STARTED

The Perception of Emacs



Intimidated?

The Perception of Emacs



The Perception of Emacs



Intimidated?

- Decades of history.

The Perception of Emacs



Intimidated?

- Decades of history.
- Bazillion tutorials.

The Perception of Emacs



Intimidated?

- Decades of history.
- Bazillion tutorials.
- *Opinionated* views.

The Perception of Emacs



Intimidated?

- Decades of history.
- Bazillion tutorials.
- *Opinionated* views.

The Perception of Emacs



Intimidated?

- Decades of history.
- Bazillion tutorials.
- *Opinionated* views.

But fear not!

The Perception of Emacs



Intimidated?

- Decades of history.
- Bazillion tutorials.
- *Opinionated* views.

But fear not!

- *Incremental* use works.

The Perception of Emacs



Intimidated?

- Decades of history.
- Bazillion tutorials.
- *Opinionated* views.

But fear not!

- *Incremental use* works.
- Learn a few steps. Master them.

The Perception of Emacs




Intimidated?

- Decades of history.
- Bazillion tutorials.
- *Opinionated* views.

But fear not!

- *Incremental* use works.
- Learn a few steps. Master them.
- Learn some more.

EMACS: BASICS MOVEMENT



```
TUTORIAL
File Edit Options Buffers Tools Virtual Envs Help
Emacs tutorial. See end for copying conditions.

NOTICE: The main purpose of the Emacs tutorial is to teach you
the most important standard Emacs commands (key bindings).
However, your Emacs has been customized by changing some of
these basic editing commands, so it doesn't correspond to the
tutorial. We have inserted colored notices where the altered
commands have been introduced. [More]

Emacs commands generally involve the CONTROL key (sometimes labeled
CTRL or CTL) or the META key (sometimes labeled EDIT or ALT). Rather than
write that in full each time, we'll use the following abbreviations:

C-<chr> means hold the CONTROL key while typing the character <chr>
Thus, C-f would be: hold the CONTROL key and type f.
M-<chr> means hold the META or EDIT or ALT key down while typing <chr>.
If there is no META, EDIT or ALT key, instead press and release the
ESC key and then type <chr>. We write <ESC> for the ESC key.

Important note: to end the Emacs session, type C-x C-c. (Two characters.)
To quit a partially entered command, type C-g.
To stop the tutorial, type C-x k, then <Return> at the prompt.
The characters ">>" at the left margin indicate directions for you to
try using a command. For instance:

[Middle of page left blank for didactic purposes. Text continues below]

>> Now type C-v (View next screen) to scroll down in the tutorial.
(go ahead, do it by holding down the CONTROL key while typing v).
From now on, please do this whenever you reach the end of the screen.

--:--- TUTORIAL Top of 48k (1,0) (Fundamental EditorConfig) 4:37PM 0.60 Mail
```

A really good **buitin** resource

EMACS: BASICS MOVEMENT

A screenshot of the Emacs editor window titled "TUTORIAL". The window has a menu bar with "File", "Edit", "Options", "Buffers", "Tools", "Virtual Envs", and "Help". The text inside the window is as follows:

```
Emacs tutorial. See end for copying conditions.

NOTICE: The main purpose of the Emacs tutorial is to teach you
the most important standard Emacs commands (key bindings).
However, your Emacs has been customized by changing some of
these basic editing commands, so it doesn't correspond to the
tutorial. We have inserted colored notices where the altered
commands have been introduced. [More]

Emacs commands generally involve the CONTROL key (sometimes labeled
CTRL or CTL) or the META key (sometimes labeled EDIT or ALT). Rather than
write that in full each time, we'll use the following abbreviations:

C-<chr> means hold the CONTROL key while typing the character <chr>
Thus, C-f would be: hold the CONTROL key and type f.
M-<chr> means hold the META or EDIT or ALT key down while typing <chr>.
If there is no META, EDIT or ALT key, instead press and release the
ESC key and then type <chr>. We write <ESC> for the ESC key.

Important note: to end the Emacs session, type C-x C-c. (Two characters.)
To quit a partially entered command, type C-g.
To stop the tutorial, type C-x k, then <Return> at the prompt.
The characters ">>" at the left margin indicate directions for you to
try using a command. For instance:

[Middle of page left blank for didactic purposes. Text continues below]

>> Now type C-v (View next screen) to scroll down in the tutorial.
(go ahead, do it by holding down the CONTROL key while typing v).
From now on, please do this whenever you reach the end of the screen.
```

The status bar at the bottom shows "Top of 48k (1,0) (Fundamental EditorConfig) 4:37PM 0.60 Mail".

A really good **builtin** resource

- The Emacs Tutorial

EMACS: BASICS MOVEMENT



The screenshot shows the Emacs editor window titled "TUTORIAL". The menu bar includes "File", "Edit", "Options", "Buffers", "Tools", "Virtual Envs", and "Help". The text content is as follows:

```
Emacs tutorial. See end for copying conditions.

NOTICE: The main purpose of the Emacs tutorial is to teach you
the most important standard Emacs commands (key bindings).
However, your Emacs has been customized by changing some of
these basic editing commands, so it doesn't correspond to the
tutorial. We have inserted colored notices where the altered
commands have been introduced. [More]

Emacs commands generally involve the CONTROL key (sometimes labeled
CTRL or CTL) or the META key (sometimes labeled EDIT or ALT). Rather than
write that in full each time, we'll use the following abbreviations:

C-<chr> means hold the CONTROL key while typing the character <chr>
Thus, C-f would be: hold the CONTROL key and type f.
M-<chr> means hold the META or EDIT or ALT key down while typing <chr>.
If there is no META, EDIT or ALT key, instead press and release the
ESC key and then type <chr>. We write <ESC> for the ESC key.

Important note: to end the Emacs session, type C-x C-c. (Two characters.)
To quit a partially entered command, type C-g.
To stop the tutorial, type C-x k, then <Return> at the prompt.
The characters ">>" at the left margin indicate directions for you to
try using a command. For instance:

[Middle of page left blank for didactic purposes. Text continues below]


>> Now type C-v (View next screen) to scroll down in the tutorial.
(go ahead, do it by holding down the CONTROL key while typing v).
From now on, please do this whenever you reach the end of the screen.
```

The status bar at the bottom shows: "TUTORIAL Top of 48k (1,0) (Fundamental EditorConfig) 4:37PM 0.60 Mail".

A really good **buitin** resource

- The Emacs Tutorial
- just hit C-h t

EMACS: BASICS MOVEMENT



```
TUTORIAL
File Edit Options Buffers Tools Virtual Envs Help
Emacs tutorial. See end for copying conditions.

NOTICE: The main purpose of the Emacs tutorial is to teach you
the most important standard Emacs commands (key bindings).
However, your Emacs has been customized by changing some of
these basic editing commands, so it doesn't correspond to the
tutorial. We have inserted colored notices where the altered
commands have been introduced. [More]

Emacs commands generally involve the CONTROL key (sometimes labeled
CTRL or CTL) or the META key (sometimes labeled EDIT or ALT). Rather than
write that in full each time, we'll use the following abbreviations:

C-<chr> means hold the CONTROL key while typing the character <chr>
Thus, C-f would be: hold the CONTROL key and type f.
M-<chr> means hold the META or EDIT or ALT key down while typing <chr>.
If there is no META, EDIT or ALT key, instead press and release the
ESC key and then type <chr>. We write <ESC> for the ESC key.

Important note: to end the Emacs session, type C-x C-c. (Two characters.)
To quit a partially entered command, type C-g.
To stop the tutorial, type C-x k, then <Return> at the prompt.
The characters ">>" at the left margin indicate directions for you to
try using a command. For instance:

[Middle of page left blank for didactic purposes. Text continues below]

>> Now type C-v (View next screen) to scroll down in the tutorial.
(go ahead, do it by holding down the CONTROL key while typing v).
From now on, please do this whenever you reach the end of the screen.

--:--- TUTORIAL Top of 48k (1,0) (Fundamental EditorConfig) 4:37PM 0.60 Mail
```

A really good **buitin** resource

- The Emacs Tutorial
 - just hit C-h t
 - ie type Ctr`l` and h, then type t.

EMACS: BASICS MOVEMENT



The screenshot shows the Emacs editor window titled "TUTORIAL". The menu bar includes File, Edit, Options, Buffers, Tools, Virtual Envs, and Help. The text content is as follows:

```
Emacs tutorial. See end for copying conditions.

NOTICE: The main purpose of the Emacs tutorial is to teach you
the most important standard Emacs commands (key bindings).
However, your Emacs has been customized by changing some of
these basic editing commands, so it doesn't correspond to the
tutorial. We have inserted colored notices where the altered
commands have been introduced. [More]

Emacs commands generally involve the CONTROL key (sometimes labeled
CTRL or CTL) or the META key (sometimes labeled EDIT or ALT). Rather than
write that in full each time, we'll use the following abbreviations:

C-<chr> means hold the CONTROL key while typing the character <chr>
Thus, C-f would be: hold the CONTROL key and type f.
M-<chr> means hold the META or EDIT or ALT key down while typing <chr>.
If there is no META, EDIT or ALT key, instead press and release the
ESC key and then type <chr>. We write <ESC> for the ESC key.

Important note: to end the Emacs session, type C-x C-c. (Two characters.)
To quit a partially entered command, type C-g.
To stop the tutorial, type C-x k, then <Return> at the prompt.
The characters ">>" at the left margin indicate directions for you to
try using a command. For instance:

[Middle of page left blank for didactic purposes. Text continues below]

>> Now type C-v (View next screen) to scroll down in the tutorial.
    (go ahead, do it by holding down the CONTROL key while typing v).
    From now on, please do this whenever you reach the end of the screen.
```

The status bar at the bottom shows: --- TUTORIAL Top of 48k (1,0) (Fundamental EditorConfig) 4:37PM 0.60 Mail

A really good **buitin** resource

- The Emacs Tutorial
 - just hit C-h t
 - ie type `Ctrl` and `h`, then type `t`.
- Covers a lot of the basis

EMACS: BASICS MOVEMENT



```
TUTORIAL
File Edit Options Buffers Tools Virtual Envs Help
Emacs tutorial. See end for copying conditions.

NOTICE: The main purpose of the Emacs tutorial is to teach you
the most important standard Emacs commands (key bindings).
However, your Emacs has been customized by changing some of
these basic editing commands, so it doesn't correspond to the
tutorial. We have inserted colored notices where the altered
commands have been introduced. [More]

Emacs commands generally involve the CONTROL key (sometimes labeled
CTRL or CTL) or the META key (sometimes labeled EDIT or ALT). Rather than
write that in full each time, we'll use the following abbreviations:

C-<chr> means hold the CONTROL key while typing the character <chr>
Thus, C-f would be: hold the CONTROL key and type f.
M-<chr> means hold the META or EDIT or ALT key down while typing <chr>.
If there is no META, EDIT or ALT key, instead press and release the
ESC key and then type <chr>. We write <ESC> for the ESC key.

Important note: to end the Emacs session, type C-x C-c. (Two characters.)
To quit a partially entered command, type C-g.
To stop the tutorial, type C-x k, then <Return> at the prompt.
The characters ">>" at the left margin indicate directions for you to
try using a command. For instance:

[Middle of page left blank for didactic purposes. Text continues below]

>> Now type C-v (View next screen) to scroll down in the tutorial.
(go ahead, do it by holding down the CONTROL key while typing v).
From now on, please do this whenever you reach the end of the screen.

--- TUTORIAL Top of 48k (1,0) (Fundamental EditorConfig) 4:37PM 0.60 Mail
```

A really good **buitin** resource

- The Emacs Tutorial
 - just hit C-h t
 - ie type **Ctrl** and **h**, then type **t**.
- Covers a lot of the basis
- Worth spending some time with

EMACS: BASICS MOVEMENT

A screenshot of the Emacs editor window titled 'TUTORIAL'. The window has a menu bar with 'File', 'Edit', 'Options', 'Buffers', 'Tools', 'Virtual Envs', and 'Help'. The text inside the window is the Emacs tutorial, explaining the purpose of the tutorial, key bindings (C- and M-), and how to quit the session. The status bar at the bottom shows '--- TUTORIAL', 'Top of 48k (1,0)', and '(Fundamental EditorConfig) 4:37PM 0.60 Mail'.

```
TUTORIAL
File Edit Options Buffers Tools Virtual Envs Help
Emacs tutorial. See end for copying conditions.

NOTICE: The main purpose of the Emacs tutorial is to teach you
the most important standard Emacs commands (key bindings).
However, your Emacs has been customized by changing some of
these basic editing commands, so it doesn't correspond to the
tutorial. We have inserted colored notices where the altered
commands have been introduced. [More]

Emacs commands generally involve the CONTROL key (sometimes labeled
CTRL or CTL) or the META key (sometimes labeled EDIT or ALT). Rather than
write that in full each time, we'll use the following abbreviations:

C-<chr> means hold the CONTROL key while typing the character <chr>
Thus, C-f would be: hold the CONTROL key and type f.
M-<chr> means hold the META or EDIT or ALT key down while typing <chr>.
If there is no META, EDIT or ALT key, instead press and release the
ESC key and then type <chr>. We write <ESC> for the ESC key.

Important note: to end the Emacs session, type C-x C-c. (Two characters.)
To quit a partially entered command, type C-g.
To stop the tutorial, type C-x k, then <Return> at the prompt.
The characters ">>" at the left margin indicate directions for you to
try using a command. For instance:

[Middle of page left blank for didactic purposes. Text continues below]

>> Now type C-v (View next screen) to scroll down in the tutorial.
(go ahead, do it by holding down the CONTROL key while typing v).
From now on, please do this whenever you reach the end of the screen.

--- TUTORIAL Top of 48k (1,0) (Fundamental EditorConfig) 4:37PM 0.60 Mail
```

A really good **builtin** resource

- The Emacs Tutorial
 - just hit C-h t
 - ie type **Ctrl** and **h**, then type **t**.
- Covers a lot of the basis
- Worth spending some time with
- And revisiting

Key Advantages

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text
- There are too many to enumerate but ...

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text
- There are too many to enumerate but ...
- ... (maybe my) favourite example

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text
- There are too many to enumerate but ...
- ... (maybe my) favourite example
 - C-space to mark a starting

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text
- There are too many to enumerate but ...
- ... (maybe my) favourite example
 - **C-space** to mark a starting
 - Navigate to end

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text
- There are too many to enumerate but ...
- ... (maybe my) favourite example
 - **C-space** to mark a starting
 - Navigate to end
 - **M-x comment-region** will uncomment the regions

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text
- There are too many to enumerate but ...
- ... (maybe my) favourite example
 - **C-space** to mark a starting
 - Navigate to end
 - **M-x comment-region** will uncomment the regions
 - In **any programming language** or **text format**

Key Advantages

- Particular uses *carry from one mode to another* for (essentially) all forms of text
- There are too many to enumerate but ...
- ... (maybe my) favourite example
 - **C-space** to mark a starting
 - Navigate to end
 - **M-x comment-region** will uncomment the regions
 - In **any programming language** or **text format**
- Also cool: Prefix the same with **C-u** (“undo”) to uncomment

More Key Advantages (via Somewhat Random Personal Selection)

More Key Advantages (via Somewhat Random Personal Selection)

- Indentation is always sensitive to the programming language

More Key Advantages (via Somewhat Random Personal Selection)

- Indentation is always sensitive to the programming language
- **M-q** formats (“flows”) indents a paragraph

More Key Advantages (via Somewhat Random Personal Selection)

- Indentation is always sensitive to the programming language
- **M-q** formats (“flows”) indents a paragraph
- **C-M-** indents a region in the current language

More Key Advantages (via Somewhat Random Personal Selection)

- Indentation is always sensitive to the programming language
- **M-q** formats (“flows”) indents a paragraph
- **C-M-** indents a region in the current language
- Very powerful ‘undo’ feature

More Key Advantages (via Somewhat Random Personal Selection)

- Indentation is always sensitive to the programming language
- **M-q** formats (“flows”) indents a paragraph
- **C-M-** indents a region in the current language
- Very powerful ‘undo’ feature
- Rectangular regions (could be a five-mi presentation in itself)

More Key Advantages (via Somewhat Random Personal Selection)

- Indentation is always sensitive to the programming language
- **M-q** formats (“flows”) indents a paragraph
- **C-M-** indents a region in the current language
- Very powerful ‘undo’ feature
- Rectangular regions (could be a five-mi presentation in itself)
- ‘Record’ key sequence to ‘replay’ for ad-hoc automation (ditto)

More Key Advantages (via Somewhat Random Personal Selection)

- Indentation is always sensitive to the programming language
- **M-q** formats (“flows”) indents a paragraph
- **C-M-** indents a region in the current language
- Very powerful ‘undo’ feature
- Rectangular regions (could be a five-mi presentation in itself)
- ‘Record’ key sequence to ‘replay’ for ad-hoc automation (ditto)
- Named Register to hold paste-able content or positions (ditto)

This is a semi-random collection

- Awesome Emacs <https://github.com/emacs-tw/awesome-emacs>

This is a semi-random collection

- Awesome Emacs <https://github.com/emacs-tw/awesome-emacs>
- Collection of resources (2011) <https://batsov.com/articles/2011/11/30/the-ultimate-collection-of-emacs-resources/>

This is a semi-random collection

- Awesome Emacs <https://github.com/emacs-tw/awesome-emacs>
- Collection of resources (2011) <https://batsov.com/articles/2011/11/30/the-ultimate-collection-of-emacs-resources/>
- Opinionated Emacs Guide <https://m00natic.github.io/emacs/emacs-wiki.html>

This is a semi-random collection

- Awesome Emacs <https://github.com/emacs-tw/awesome-emacs>
- Collection of resources (2011) <https://batsov.com/articles/2011/11/30/the-ultimate-collection-of-emacs-resources/>
- Opinionated Emacs Guide <https://m00natic.github.io/emacs/emacs-wiki.html>
- Batteries Included
<https://karthinks.com/software/batteries-included-with-emacs/>

This is a semi-random collection

- Awesome Emacs <https://github.com/emacs-tw/awesome-emacs>
- Collection of resources (2011) <https://batsov.com/articles/2011/11/30/the-ultimate-collection-of-emacs-resources/>
- Opinionated Emacs Guide <https://m00natic.github.io/emacs/emacs-wiki.html>
- Batteries Included
<https://karthinks.com/software/batteries-included-with-emacs/>
- More Batteries Included
<https://karthinks.com/software/more-batteries-included-with-emacs/>

This is a semi-random collection

- Awesome Emacs <https://github.com/emacs-tw/awesome-emacs>
- Collection of resources (2011) <https://batsov.com/articles/2011/11/30/the-ultimate-collection-of-emacs-resources/>
- Opinionated Emacs Guide <https://m00natic.github.io/emacs/emacs-wiki.html>
- Batteries Included
<https://karthinks.com/software/batteries-included-with-emacs/>
- More Batteries Included
<https://karthinks.com/software/more-batteries-included-with-emacs/>
- EmacsLife Video List <https://emacslife.com/videos.html>

Images and Logos

- ESS logo from the ESS Project site hosted by the R Project at <https://ess.r-project.org>

Images and Logos

- ESS logo from the ESS Project site hosted by the R Project at <https://ess.r-project.org>
- Emacs Organ image from <http://anagilemind.net/2015/07/31/a-few-more-agile-related-memes/ah-finally-got-my-emacs-setup-just-how-i-like-it-v2/>