

PART OF THE ESS-INTRO (AND T4) SERIES

Dirk Eddelbuettel and Vincent Arel-Bundock

This version is dated 22 May 2021

#### Motivation

- · A lot of love online for how editor XYZ supports multi-user mode
- But ...
- We have been able to do that with standard Unix tools for maybe two+ decades
- · As in Dirk's t4 series it is about combining existing (shell) tools for better use
- Here: tmux, or, if one wishes to, its byobu frontend

## Setup

- · Requirement is multiple accounts on the same machine
- · Back in the day this may have been the departmental or group unix server
- These days it may be a cheap cloud instance, and an AWS/GCS/Azure/DO/... box
- Each participant
  - · needs to be on the box and
  - have access to a shared (i.e. "joint") "named" tmux socket
- · We then "merely" invoke tmux (or byobu) with the named socket
- Everything running inside the tmux/byobu session can then be shared
- · Including Emacs (in terminal mode) or anything else working in terminal mode

Simplest Demo (as user edd with uid/gid 1000:1000 on Ubuntu)

```
$ mkdir /tmp/scratch  # new dir, not strictly needed
$ tmux -S /tmp/scratch/session new-session -t joint -s joint
# we are now in a tmux session
> chmod o+rw /tmp/scratch/session # so that other user can access
```

We created a *new session* under the identifiable handle 'joint' and gave rw rights. (In real settings you probably want both users under a common 'group' for the joint project and make the socket group rw.)

Simplest Demo (as user git with uid/gid 1001:1001 on Ubuntu)

```
$ sudo su git # currently only other 'user' on my box
(git) $ tmux -S /tmp/scratch/session attach-session -t joint
```

That. Is. All. The two sessions mirror each other.

So do emacs -nw or R or ... whatever command session you want to share.

Best of all: All the **byobu** (or **tmux**) goodness we talked about in t4 works the same way. Multiple concurrent sessions. Persistent sessions (*i.e.* start this, leave it running, re-connect tomorrow. Or next month.

## Alternate Demo (as user edd)

- If you prefer byobu (as I do) and have it use tmux (instead of screen)
- · Just do byobu -S /tmp/scratch/session new-session -t joint
- Followed by chmod o+rw .... or chgrp or ...

# **APPENDIX**

## **OPEN QUESTIONS**

- Detach (normal) versus exit (once ?)
- Security: When user 2 joins he/she is in your session. Keep that in mind. Sharing maybe best done in 'empty-ish' systems