

# Flint Water Settlement

## Generic Barcode Sheet



## **Flint Water Settlement Registration Form**

### **VERIFIED REGISTRATION FORM**

The instructions below explain the form and documents that you must submit to be eligible to later assert a claim for compensation from the Flint Water Cases Qualified Settlement Fund.

**PLEASE CAREFULLY READ ALL THE INSTRUCTIONS  
BEFORE SUBMITTING YOUR REGISTRATION**

#### **1. INSTRUCTIONS AND REGISTRATION CRITERIA**

You must submit this completed and signed Verified Registration Form and provide the supporting documentation mentioned in this form or its attachment ("Registration").

The **deadline to Register** is MARCH 29, 2021. For paper submissions, this deadline is determined by the date your return envelope is postmarked. You can also complete the Registration Form online: [officialflintwatersettlement.com](http://officialflintwatersettlement.com). You must complete all applicable blanks in this form.

- By signing this Registration Form, you attest that you as the "Registrant" (or if you are filling out this form for someone else, that they as the "Registrant") are claiming or could claim personal injury, property damage, business economic loss, unjust enrichment, breach of contract, or any other type of damage or relief due to, and fit into, at least one of the following descriptions (check all that apply to you):
  - ☒ Registrant owned or lived in a residence served by the Flint Water Treatment Plant ("FWTP") or was legally liable for the payment of bills for such water, during the period April 25, 2014 to November 16, 2020.
  - ☐ Registrant owned or operated a business served by the FWTP or was legally liable for the payment of bills for such water, during the period April 25, 2014 to November 16, 2020.
  - ☐ Registrant was exposed to water from the FWTP for at least 21 days during any 30-day period between April 25, 2014 and November 16, 2020.
  - ☐ During the period April 25, 2014 through December 31, 2018, Registrant was both exposed to water from the FWTP and diagnosed with Legionnaires' Disease.

After you submit this Registration Form, the Claims Administrator will send you a Claim Form if you are eligible to make a claim from the Settlement. That later Claim Form will explain the documents and other information that you will need to submit at that time. The Claim Form will allow you to pick one or more of 30 possible claim categories. To receive a payment, you will need to provide the supporting information for the claim category or categories you select. Your Registration alone does not guarantee that you will receive a payment. You can find more information on the supporting documents and information that will be required at that later stage for each of the 30 possible categories at [officialflintwatersettlement.com](http://officialflintwatersettlement.com).

## 2. REGISTRANT INFORMATION

In this section, fill in the information about the person who is registering for the Settlement. If you are submitting this form for yourself, then you are the "Registrant." Each person or entity must fill out his, her or its own Registration Form.

In this section, if you are submitting this form on behalf of a person who is deceased, legally incapacitated, or a minor, fill in the information about that deceased, legally incapacitated or minor person. That person is the "Registrant" for the purpose of this section. If you are filling out this form for a deceased, legally incapacitated, or minor person, then you must also fill out section 3 of this form and provide the information described there.

<b>Registrant Name</b>	Last <i>Turner</i>	First <i>Gerald</i>	Middle <i>Goodwin</i>
<b>Social Security Number of Registrant</b>	<div style="border: 1px solid black; padding: 2px;">376560277</div>	<b>Date of Birth of Registrant</b>  <u>3 / 1 / 1954</u> (Month/Day/Year)	
<b>Current Address of Registrant</b>	Street/P.O. Box <i>614 South Lynch street</i>		Apt./Suite
	City <i>Flint</i>	State <i>Michigan</i>	Zip <i>48503-2240</i>
	Dates resided at this address:	From <i>October 1, 1995</i>	To <i>Present</i>
<b>All Other Registrant Addresses Since April 25, 2014</b> (if not the same as current address)	Street/P.O. Box		Apt./Suite
	City	State	Zip
	Dates resided at this address:	From	To
<b>Addresses</b> (if more than one address during relevant time period). If you had additional addresses during this time period, please attach sheet with address information.	Street/P.O. Box		Apt./Suite
	City	State	Zip
	Dates resided at this address:	From	To
<b>Registrant's Contact Information.</b> If Registrant is a deceased, minor, or legally incapacitated person, do not fill in this contact information section. Instead, put your contact information in section 3 below.	Phone <i>8102385495</i>	<input type="checkbox"/> Work <input type="checkbox"/> Mobile <input checked="" type="checkbox"/> Home	
	Alt. Phone	<input type="checkbox"/> Work <input type="checkbox"/> Mobile <input type="checkbox"/> Home	
	Email <i>KoolKhan@sbcglobal.net</i>		

**3. NEXT FRIEND, PERSONAL REPRESENTATIVE, OR GUARDIAN INFORMATION**  
**(Fill out this section only if you are submitting this form on behalf of a minor, legally incapacitated, or deceased person)**

Is this registration being made by a Next Friend or court-appointed personal representative or guardian on behalf of a minor, legally incapacitated, or deceased person?

YES ☐ NO ☒

If Yes, complete this section 3.

**Relationship to Registrant**

Attach documents proving that you have the relationship to, or the legal appointment for, the Registrant in the box(es) you check. Please review the attached chart that shows the documents you will need to submit.

You must also provide notice to the Registrant's other relatives or court-appointed representatives listed that you are submitting this Registration for the Registrant. For example, if you are the Registrant's sibling, you must notify Registrant's other siblings, parents, aunts, uncles, spouse, children, grandparents, and court-appointed representatives (if any are applicable) that you are registering for the Registrant.

**Check all that apply:**

- ☐ Spouse ☐ Parent ☐ Stepparent  
☐ Adult Child ☐ Adult Sibling  
☐ Adult Aunt ☐ Adult Uncle  
☐ Grandparent  
☐ Legal Guardian or other court-appointed representative  
☐ Estate Administrator  
☐ Other (specify):

<b>Representative's Name</b>	Last	First	Middle
<b>Representative's Address</b>	Street/P.O. Box		Apt./Suite
	City	State	Zip
<b>Representative's Social Security Number</b>	<div style="border: 1px solid black; width: 100px; height: 20px; position: relative;"> <div style="position: absolute; left: 10%; width: 10%; height: 100%; background-color: black;"></div> <div style="position: absolute; left: 30%; width: 10%; height: 100%; background-color: black;"></div> </div>		
	<b>Representative's Date of Birth</b> ____ / ____ / ____ (Month/Day/Year)		
<b>Date of Death of Registrant (if applicable)</b>	____ / ____ / ____ (Month/Day/Year)		
<b>Representative's Contact Information</b>	Phone	<input type="checkbox"/> Work <input type="checkbox"/> Mobile <input type="checkbox"/> Home	
	Alt. Phone	<input type="checkbox"/> Work <input type="checkbox"/> Mobile <input type="checkbox"/> Home	
	Email		

**4. ATTORNEY INFORMATION**

Did you hire an attorney to represent or assist you?

YES ☐NO ☒

If Yes, complete this section 4.

<b>Attorney's Name</b>	Last	First	
<b>Firm Name</b>	Law Firm		
<b>Address</b>	Street		
	City	State	Zip
<b>Phone and Email</b>	Phone		Email


**5. DOCUMENT REQUIREMENTS**

To register, you must submit the following documents to ARCHER Systems, LLC either in the return envelope provided if you received this form in the mail, or complete the Registration Form and upload the supporting documents by going to the website and following the links at: [officialflintwatersettlement.com](http://officialflintwatersettlement.com):

<input type="checkbox"/>	This completed and signed Registration Form and attached Authorization to Disclose Blood Lead Level Test Result Data to MDHHS if Registrant intends to make a personal injury claim. MDHHS Authorization is optional for Registrant to sign. However, such Authorization is the only way that MDHHS can provide Registrant's blood lead level test results to the Settlement Claims Administrator to assist with Registrant's future claim.
<input checked="" type="checkbox"/>	Copy of identification document, such as your State-issued ID card, driver's license, birth certificate, tax return or similar document, unless counsel for Registrant/Next Friend signs and verifies this Registration Form with permission of such Registrant/Next Friend.
<input type="checkbox"/>	Any documents required if you filled out section 3 of this form for a minor, legally incapacitated or deceased person.

**6. VERIFICATION**

I certify and attest under penalty of perjury, pursuant to 28 U.S.C. Section 1746, that: I am 18 years of age or older; the Registrant meets the eligibility criteria above in section 1; all information submitted in support of this Registration, including the information contained within and submitted with this Registration Form, is true, correct, accurate, and complete to the best of my knowledge; and, if I completed section 3 above, I have notified all persons who have the identified relationship with the Registrant and who might qualify to act as a Next Friend for the Registrant, that I am submitting this Registration Form on behalf of the Registrant and none of those individuals have advised me of any objection. I understand that false statements or claims made in connection with this Registration Form may result in fines, imprisonment, and/or any other remedy available by law.

<b>Registrant's or Representative's Signature</b>		<b>DATE</b>	<u>1 / 28 / 2021</u> (month) (day) (year)
<b>Printed Name</b>	First <u>Gerald</u>	MI <u>G</u>	Last <u>Turner</u>

**Instructions to complete this form are attached.**

## AUTHORIZATION TO DISCLOSE BLOOD LEAD TEST RESULT DATA:

Michigan Department of Health and Human Services

*Directions: Type or Print all requested information, with exception of signatures on Page 2.*

Individual's Name (Beneficiary, Recipient, Patient, Consumer, etc.)			Individual's Gender
Street Address			Individual's Date of Birth / /
City	State	ZIP Code	Phone ( ) -

### I AUTHORIZE THE MICHIGAN DEPARTMENT OF HEALTH AND HUMAN SERVICES (MDHHS) TO SHARE MY HEALTH INFORMATION:

*The Court Appointed Claims Administrator will keep the test results confidential and will use the information only for purposes of administering the claim and copies of the test results provided will be destroyed when no longer needed by the Claims Administrator.*

### MDHHS MAY SHARE MY HEALTH INFORMATION WITH THE FOLLOWING PERSON OR ORGANIZATION:

ARCHER Systems, LLC

Name of Person/Organization

1775 Saint James Place, Suite 200

Street Address

Houston, TX 77056

City, State, ZIP Code

( 800 ) 493 - 1754

Phone Number

( )

Fax Number

### MDHHS WILL SHARE MY BLOOD LEAD TEST RESULTS FOR THE FOLLOWING REASON:

Blood lead test results will be shared with the Court Appointed Claims Administrator to provide proof of blood lead tests for the purpose of making a claim for compensation in the Flint Water Settlement.

**BY SIGNING THIS FORM, I UNDERSTAND THAT:**

- I do not have to sign this authorization.
- MDHHS Childhood Lead Poisoning Prevention Program will search the blood lead tables based off Name, Date of Birth and Gender provided with this release. The blood lead data tables contain the test result and patient information as reported by the testing facility, unless updated based off of additional resources.
- Other types of information shared under this authorization may be re-disclosed by the person or organization I identified above and may no longer be protected by federal or state law.
- I may change my mind and revoke (take back) this authorization at any time. To revoke this authorization, write to the MDHHS program that maintains your records and include a copy of the front of this form.
- Information that has already been shared based on this authorization cannot be taken back.
- I may request a copy of this signed authorization. If I have not previously revoked this authorization, it will expire on:  
(list a date, event or condition)

\_\_\_\_\_  
Date, Event or Condition

(Authorization will expire one year from the signature date if you leave this section blank.)

Signature of Individual or Legal Representative	Date  /   /
Name of Individual or Legal Representative	
Legal Representative's Relationship to Individual (i.e., Parent, Guardian, Patient Advocate, Authorized Representative, Power of Attorney. Documentation may be required.)	

**MDHHS USE  
ONLY**

This authorization was revoked:  /   /	
Signature	Date

COMPLETION:    Is voluntary but required if disclosure is requested.

Michigan Department of Health and Human Services (MDHHS) does not discriminate against any individual or group because of race, religion, age, national origin, color, height, weight, marital status, genetic information, sex, sexual orientation, gender identity or expression, political beliefs, or disability.

## MICHIGAN TEMPORARY OPERATOR LICENSE

MICHIGAN DRIVER LICENSE T 656 275 285 159 EXPIRES ON 04-26-2015  
 LICENSE TYPE 0 ENDORSEMENTS

GERALD GOODWIN TURNER  
 614 S LYNCH ST

MI 48503-2240

HEIGHT 6 4



OPERATOR LICENSE  
 T 656 275 285 159

EXPIRES 03-01-2019

GERALD GOODWIN TURNER  
 614 S LYNCH ST  
 FLINT, MI 48503-2240

Date of birth Sex Height Eyes Lic Type Endorsements  
 03-01-1954 M 604 BRO 0 NONE

Restrictions: Corrective Lens



See back for medical  
 information, anatomical gift

*Gerald Turner*

Z056195

any other state. I do not  
 own vehicle safely nor have I  
 and my signature may be  
 A FALSE STATEMENT

## YOUR TEMPORARY LICENSE

If you do not receive your license within 30 days, please contact your local branch office.

MICHIGAN MI USA  
 DRIVER LICENSE

ENDORSEMENTS



T 656 275 285 159  
 DOB 03-01-1954

ISS 02-25-2015

EXP 03-01-2019

GERALD GOODWIN TURNER  
 614 S LYNCH ST  
 FLINT, MI 48503-2240

Sex M

Lic Type 0

Hgt 604

End NONE

Restrictions Corrective Lens

Eyes BRO



*Gerald Turner*

DD10061475717195

Rev 01-21-2011

SIGNATURE X

SIGNATURE OF PARENT OR LEGAL GUARDIAN

I understand my signature may be retained and used for programs administered by the Department of State.

MICHIGAN MI USA  
 DRIVER LICENSE

NOT FOR FEDERAL IDENTIFICATION

T 656 275 285 159  
 DOB 03-01-1954

ISS 02-15-2019

EXP 03-01-2023

GERALD GOODWIN TURNER  
 614 S LYNCH ST  
 FLINT, MI 48503-2240

Sex M

Lic Type 0

Hgt 604

End NONE

Restrictions Corrective Lens

Eyes BRO



*Gerald Turner*

DD10085737995195

Rev 01-21-2011

APPROVAL OF PARENT OR LEGAL GUARDIAN



# CERTIFICATE OF LIVE BIRTH

236

MICHIGAN DEPARTMENT OF HEALTH  
Vital Records Section

BIRTH No. 121--

Local File No. 1485

<b>1. PLACE OF BIRTH</b> a. COUNTY <u>Genesee</u> b. CITY (If outside corporate limits, write RURAL, and give township) OR VILLAGE <u>Flint</u> c. FULL NAME OF HOSPITAL OR INSTITUTION <u>Hurley Hospital</u>			<b>2. USUAL RESIDENCE OF MOTHER (Where does mother live?)</b> a. STATE <u>Michigan</u> b. COUNTY <u>Genesee</u> c. TOWNSHIP, CITY OR VILLAGE (Name of) <u>Flint</u> d. Is Residence within limits of a city or incorporated village? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> e. MAILING ADDRESS <u>214 E. 7th St.</u> ZONE		
<b>3. CHILD'S NAME</b> (Type or Print) a. (First) <u>Gerald</u> b. (Middle) <u>Goodwin</u> c. (Last) <u>Turner</u>			<b>4. SEX</b> <u>Male</u>		
<b>5a. THIS BIRTH</b> Single <input checked="" type="checkbox"/> Twin <input type="checkbox"/> Triplet <input type="checkbox"/>			<b>5b. IF TWIN OR TRIPLET (This child born)</b> 1st <input type="checkbox"/> 2nd <input type="checkbox"/> 3rd <input type="checkbox"/>		
<b>6. DATE OF BIRTH</b> <u>March 1, 1954</u>			<b>7. FULL NAME</b> a. (First) <u>Jackson</u> b. (Middle) <u>Otis</u> c. (Last) <u>Turner</u> <b>8. COLOR OR RACE</b> <u>Negro</u>		
<b>9. AGE (At time of this birth)</b> <u>34</u> YEARS			<b>10. BIRTHPLACE (State or foreign country)</b> <u>Georgia</u>		
<b>11a. USUAL OCCUPATION</b> <u>Deputy, Genesee Co.</u>			<b>11b. KIND OF BUSINESS OR INDUSTRY</b> <u>Sheriff's Office</u>		
<b>12. FULL MAIDEN NAME</b> a. (First) <u>Clayta</u> b. (Middle) <u>LaRue</u> c. (Last) <u>Dent</u> <b>13. COLOR OR RACE</b> <u>Negro</u>			<b>14. AGE (At time of this birth)</b> <u>26</u> YEARS		
<b>15. BIRTHPLACE (State or foreign country)</b> <u>Michigan</u>			<b>16. CHILDREN PREVIOUSLY BORN TO THIS MOTHER (Do NOT include this child)</b> a. How many OTHER children are now living? <u>3</u> b. How many OTHER children were born alive but are now dead? <u>0</u> c. How many children were stillborn (born dead after 20 weeks pregnancy)? <u>0</u>		
<b>17. INFORMANT'S NAME</b> <u>Clayta Turner</u>			<b>18a. SIGNATURE</b> <u>Philip K. Stevens, M. D.</u> <b>18b. ADDRESS</b> <u>201 Michigan Theater, Flint</u>		
<b>18c. SIGNATURE</b> <u>Philip K. Stevens, M. D.</u> <b>18d. ADDRESS</b> <u>201 Michigan Theater, Flint</u>			<b>18e. ATTENDANT AT BIRTH</b> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> Midwife <input type="checkbox"/> Other (Specify) _____ <b>18f. DATE SIGNED</b> <u>3-2-54</u>		
<b>19. DATE RECEIVED BY LOCAL REGISTRAR</b> <u>3-10-54</u>			<b>20. REGISTRAR'S SIGNATURE</b> <u>M. Dickerson, R.N., Deputy</u>		
<b>FOR MEDICAL AND HEALTH USE ONLY</b> (This section MUST be filled out)					
<b>21a. LENGTH OF PREGNANCY</b> Weeks _____		<b>21b. WEIGHT AT BIRTH</b> Lbs. _____ Oas. _____		<b>22. LEGITIMATE</b> Yes <input type="checkbox"/> No <input type="checkbox"/>	
<b>23. HAVE EYES OF CHILD BEEN TREATED WITH ONE PERCENT SOLUTION OF SILVER NITRATE?</b> Yes <input type="checkbox"/> No <input type="checkbox"/>		<b>24a. WAS MOTHER'S BLOOD TESTED FOR SYPHILIS DURING THIS PREGNANCY?</b> Yes <input type="checkbox"/> No <input type="checkbox"/>		<b>24b. DATE OF TEST</b> _____	
<b>24c. IF BLOOD NOT TESTED, STATE REASON</b> _____		<b>25a. STATE ANY COMPLICATIONS OF PREGNANCY AND LABOR</b> _____		<b>25b. STATE ANY OPERATION FOR DELIVERY</b> _____	
<b>25c. DESCRIBE ANY BIRTH INJURY</b> _____		<b>25d. DESCRIBE ANY CONGENITAL MALFORMATIONS</b> _____			

N. B.—In case of more than one child at birth, a SEPARATE RETURN must be made for each and the number of each in order of birth stated.

MARGIN RESERVED FOR BINDING

TYPE OR PRINT (EXCEPT SIGNATURES) IN BLACK INK—THIS IS A PERMANENT RECORD

B-213

## 614 S. Lynch Street

Water Testing Laboratory	Date	Results	
		Lead	Copper
DEQ	1/27/2016	8 ppb	430 ppb
EPA	2/10/2016	range from 2.64 ppb to 616 ppb	range from 28.1 ppb to 2440 ppb
DEQ	2/24/2016	7 ppb	360 ppb
DEQ	3/23/2016	7 ppb	340 ppb
DEQ	4/21/2016	52 ppb	320 ppb
EPA	5/4/2016	range from 0.5 ppb to 8.38 ppb	range from 18.7 ppb to 297 ppb
DEQ	5/25/2016	3 ppb	120 ppb
DEQ	6/22/2016	2 ppb	100 ppb
EPA	7/19/2016	range from 0.5 ppb to 4.7 ppb	range from 24 ppb to 280 ppb
DEQ	8/22/2016	2 ppb	90 ppb
EPA	9/13/2016	range from 0.5 ppb to 4.39 ppb	range from 16.6 ppb to 148 ppb
DEQ	9/20/2016	2 ppb	70 ppb
Wayne State	10/24/2016	No Legionnaires Disease in the water	

DEQ - Michigan Department of Environmental Quality

EPA - United States Environmental Protection Agency

Wayne State - Wayne State University

ppb - parts per billion

ug/L - microgram per liter

(ug/L) microgram per liter = (ppb) parts per billion

## 614 S. Lynch Street

Water Testing Laboratory	Date	Results	
		Lead	Copper
EPA	10/25/2016	range from 0.5 ppb to 714 ppb	range from 14.2 ppb to 87.4 ppb
DEQ	11/4/2016	2 ppb	0 ppb
DEQ	1/27/2017	2 ppb	190 ppb
DEQ	6/1/2018	1 ppb	120 ppb

DEQ - Michigan Department of Environmental Quality

EPA - United States Environmental Protection Agency

Wayne State - Wayne State University

ppb - parts per billion

ug/L - microgram per liter

(ug/L) microgram per liter = (ppb) parts per billion

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
LG05198

Official Laboratory Report

Report To: GERALD TURNER  
614 SOUTH LYNCH ST  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 SOUTH LYNCH ST, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 01/26/2016  
Date Received: 01/27/2016

TESTING INFORMATION

Metal	Result In Parts Per Billion (ppb)
Copper	430
Lead	8

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**- No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Filtered or bottled water should be used for all drinking, cooking and washing of fruits and vegetables.
- Filtered or bottled water should also be used for children brushing their teeth and for watering pets.

**If your lead result is greater than 150 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)
- Use only bottled water for drinking if you are pregnant
- Use only bottled water for infants for drinking water and for making baby formula

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater)

Call your County Health Department at the number below if you have questions  
Genesee County Health Dept.  
630 South Saginaw  
Flint, MI 48502-1540  
810 257-3603



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 5  
77 West Jackson Blvd  
Chicago, IL 60604

DATE: March 22, 2016


SUBJECT: Results for Samples Taken at Your Home for the Lead Assessment Study

TO: Mr. Gerald Turner  
614 S. Lynch  
Flint, Michigan 48503

FROM: U.S. EPA Flint Water Team

On February 10, 2016, EPA collected a series of 15 water samples from your kitchen faucet. Lead concentrations in these samples ranged from 2.64 to 616 parts per billion. For reference, there is no safe level of lead in drinking water. Based on these results, lead in your tap water may be coming from pipes inside your home or from a lead service line connecting your home to the City water main.

The graph below shows the lead levels in the pipes leading from your faucet (left side of the diagram) to the water main under your street (right side). EPA's test can help determine where lead may be coming from in your plumbing. These sample results represent a snapshot in time. These results do not show lead level trends in your home over time. These results cannot be used to assess long-term health impacts from lead.



To keep yourself safe, we recommend that you continue to follow the "Drinking Water Advice to All Flint Residents" below.

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
LG17913

Official Laboratory Report

Report To: GERALD TURNER  
614 SOUTH LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 SOUTH LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 02/23/2016  
Date Received: 02/24/2016

TESTING INFORMATION

Metal	Result In Parts Per Billion (ppb)
Copper	360
Lead	7

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Filtered or bottled water should be used for all drinking, cooking and washing of fruits and vegetables.
- Filtered or bottled water should also be used for children brushing their teeth and for watering pets.

**Important: For children younger than 12 months of age, use *only* bottled water to make formula, or drinking water, and to make any other food product.**

**If your Lead result is greater than 150 ppb OR your Copper result is greater than 1,300 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)
- Use only bottled water for drinking, cooking and washing fruits and vegetables.

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

Everyone can use unfiltered tap water for washing your dishes and clothes, and for cleaning your house. You can also shower and give kids baths in unfiltered tap water, but keep kids from getting the bath water in their mouths. No amount of Lead is safe for kids.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
LG27425

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 03/22/2016  
Date Received: 03/23/2016

TESTING INFORMATION

Metal	Result In Parts Per Billion (ppb)
Copper	340
Lead	7

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Filtered or bottled water should be used for all drinking, cooking and washing of fruits and vegetables.
- Filtered or bottled water should also be used for children brushing their teeth and for watering pets.

**Important: For children younger than 12 months of age, use *only* bottled water to make formula, for drinking water, and to make any other food product.**

**If your Lead result is greater than 150 ppb OR your Copper result is greater than 1,300 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)
- Use only bottled water for *drinking*, cooking and washing fruits and vegetables.

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

Everyone can use unfiltered tap water for washing your dishes and clothes, and for cleaning your house. You can also shower and give kids baths in unfiltered tap water, but keep kids from getting the bath water in their mouths. No amount of Lead is safe for kids.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-652-9278

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
**LG38226**

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 04/21/2016  
Date Received: 04/22/2016

TESTING INFORMATION

Metal	Result In Parts Per Billion (ppb)
Copper	320
Lead	52

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Filtered or bottled water should be used for all drinking, cooking and washing of fruits and vegetables.
- Filtered or bottled water should also be used for children brushing their teeth and for watering pets.

**Important: For children younger than 12 months of age, use *only* bottled water to make formula, or drinking water, and to make any other food product.**

**If your Lead result is greater than 150 ppb OR your Copper result is greater than 1,300 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)
- Use only bottled water for drinking, cooking and washing fruits and vegetables.

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

Everyone can use unfiltered tap water for washing your dishes and clothes, and for cleaning your house. You can also shower and give kids baths in unfiltered tap water, but keep kids from getting the bath water in their mouths. No amount of Lead is safe for kids.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 5

77 West Jackson Blvd

Chicago, IL 60604

DATE: June 14, 2016

SUBJECT: Results for Samples Taken at Your Home for the Lead Assessment Study


TO: Gerald Turner  
614 South Lynch  
Flint, Michigan 48503

FROM: U.S. EPA Flint Water Team

On 5/4/2016, EPA collected a series of 18 Unfiltered water samples from your kitchen faucet. Lead concentrations in these samples ranged from Not Detected to 8.38 parts per billion. For reference, there is no safe level of lead in drinking water. Based on these results, lead in your tap water maybe coming from pipes inside your home

The graph below shows the lead levels in the pipes leading from your faucet (left side of the diagram) to the water main under your street (right side). EPA's test can help determine where lead may be coming from in your plumbing. These sample results represent a snapshot in time. These results do not show lead level trends in your home over time. These results cannot be used to assess long-term health impacts from lead.

614 S LYNCH AVE--1st Floor Kitchen Sink Faucet, 5/4/2016



MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
LG49286

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 05/25/2016  
Date Received: 06/02/2016

TESTING INFORMATION

Metal	Result In Parts Per Billion (ppb)
Copper	120
Lead	3

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Filtered or bottled water should be used for all drinking, cooking and washing of fruits and vegetables.
- Filtered or bottled water should also be used for children brushing their teeth and for watering pets.

**Important: For children younger than 12 months of age, use *only* bottled water to make formula, for drinking water, and to make any other food product.**

**If your Lead result is greater than 150 ppb OR your Copper result is greater than 1,300 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)
- Use only bottled water for drinking, cooking and washing fruits and vegetables.

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

Everyone can use unfiltered tap water for washing your dishes and clothes, and for cleaning your house. You can also shower and give kids baths in unfiltered tap water, but keep kids from getting the bath water in their mouths. No amount of Lead is safe for kids.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
LG56030

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 06/22/2016  
Date Received: 06/28/2016

TESTING INFORMATION

Metal	Result In Parts Per Billion (ppb)
Copper	100
Lead	2

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Filtered or bottled water should be used for all drinking, cooking and washing of fruits and vegetables.
- Filtered or bottled water should also be used for children brushing their teeth and for watering pets.

**Important: For children younger than 12 months of age, use *only* bottled water to make formula, or drinking water, and to make any other food product.**

**If your Lead result is greater than 150 ppb OR your Copper result is greater than 1,300 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)
- Use only bottled water for drinking, cooking and washing fruits and vegetables.

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

Everyone can use unfiltered tap water for washing your dishes and clothes, and for cleaning your house. You can also shower and give kids baths in unfiltered tap water, but keep kids from getting the bath water in their mouths. No amount of Lead is safe for kids.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 5

77 West Jackson Blvd  
Chicago, IL 60604

DATE: August 22, 2016

SUBJECT: Results for Samples Taken at Your Home for the July 2016 Sequential Sampling Round of the Lead Assessment Study


TO: Gerald Turner  
614 S LYNCH AVE  
Flint, MI 48503

FROM: U.S. EPA Flint Water Team

On 7/19/2016, EPA collected a series of 14 unfiltered water samples from your kitchen faucet. Lead concentrations in these samples ranged from Not Detected to 4.7 parts per billion. Thank you very much for your support in EPA's continued sampling effort.

The graph below shows the lead levels in the pipes leading from your faucet (left side of the diagram) to the water main under your street (right side). EPA's test can help determine where lead may be coming from in your plumbing. These sample results represent a snapshot in time. These results do not show lead level trends in your home over time. These results cannot be used to assess long-term health impacts from lead.

614 S LYNCH AVE--1st Floor Kitchen Sink Faucet, 7/19/2016



MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
**LG69514**

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 08/15/2016  
Date Received: 08/25/2016

TESTING INFORMATION	
Metal	Result In Parts Per Billion (ppb)
Copper	90
Lead	2

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Use only filtered or bottled water for drinking, cooking, washing fruits and vegetables, making baby formula and food, and brushing teeth.
- Filtered or bottled water should also be used for watering pets

**If your Lead result is greater than 150 ppb OR your Copper result is greater than 1,300 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

Everyone can use unfiltered tap water for washing your dishes and clothes, and for cleaning your house. You can also shower and give kids baths in unfiltered tap water, but keep kids from getting the bath water in their mouths. No amount of Lead is safe for kids.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 5

77 West Jackson Blvd

Chicago, IL 60604

DATE: October 14, 2016

SUBJECT: Results for Samples Taken at Your Home for the September 2016 Sequential Sampling Round of the Lead Assessment Study


TO: Gerald Turner  
614 S LYNCH AVE  
Flint, MI 48503

FROM: U.S. EPA Flint Water Team

On 9/13/2016, EPA collected a series of 14 unfiltered water samples from your kitchen faucet. Lead concentrations in these samples ranged from not detected to 4.39 parts per billion. Thank you very much for your support in EPA's continued sampling effort. Your participation is helping us evaluate the recovery of the Flint water system.

The graph below shows the lead levels in the pipes leading from your faucet (left side of the diagram) to the water main under your street (right side) for this sampling period. EPA's test can help determine where lead may be coming from in your plumbing. These sample results represent a snapshot in time. These results do not show lead level trends in your home over time. These results cannot be used to assess long-term health impacts from lead.

614 S LYNCH AVE--1st Floor Kitchen Sink Faucet, 9/13/2016



MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
**LG76229**

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 09/20/2016  
Date Received: 09/22/2016

TESTING INFORMATION	
Metal	Result In Parts Per Billion (ppb)
Copper	70
Lead	2

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

- Use only filtered or bottled water for drinking, cooking, washing fruits and vegetables, making baby formula and food, and brushing teeth.
- Filtered or bottled water should also be used for watering pets

**If your Lead result is greater than 150 ppb OR your Copper result is greater than 1,300 ppb:**

- Contact the Genesee County Health Department at (810) 257-3603 (if you have not already been contacted)

Please note, other faucets in your home may have higher levels of lead, even if this sample was low. Do not drink or cook with water from other faucets unless they have been tested and have a filter.

Everyone can use unfiltered tap water for washing your dishes and clothes, and for cleaning your house. You can also shower and give kids baths in unfiltered tap water, but keep kids from getting the bath water in their mouths. No amount of Lead is safe for kids.

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278

WAYNE STATE  
UNIVERSITY  
COLLEGE OF ENGINEERING

November 15, 2016

Dear FACHEP participant:

On 10/21/2016, members of the Flint Area Community Health and Environment Partnership (FACHEP) collected water samples from your home and a swab of biofilm from your shower fixture to test for *Legionella* bacteria. Those samples were assigned a number so that we could easily track them. The water samples collected from your house were assigned the sample ID number of **80005**.

*Legionella* is a waterborne bacterium that can cause Legionnaires' disease. Legionnaires' disease is contracted by breathing in water vapor that contains *Legionella* bacteria. While *Legionella* bacteria can be a source of concern, the bacteria reside in natural bodies of water and are often found in low levels in water systems considered to be operating properly. For more information about Legionnaires' disease, please see the attached Frequently Asked Questions document.

*Legionella* bacteria was not found in your water samples. This does not mean that the samples were free of *Legionella*. Rather, the results indicate that the number of *Legionella* in your samples were below the amount that we are able to detect with our tests.

The presence of free chlorine in public water distribution systems is intended to reduce the likelihood that *Legionella* and other bacteria will grow within your home water system. The concentration of free chlorine in the water entering your kitchen was found to be **1.06** ppm after 5 minutes of flushing.

Additional information regarding what these results mean can be found attached. We thank you for participating in our study of Flint drinking water quality. Our research will continue, and we may contact you again in the future. If you have any questions, please do not hesitate to contact the FACHEP team (844-35-FLINT; flintpartnership@wayne.edu).

Sincerely,



Shawn P. McElmurry, PhD, PE  
Principal Investigator FACHEP

Enclosure.

---

DEPARTMENT OF CIVIL AND ENVIRONMENTAL ENGINEERING

---

5050 ANTHONY WAYNE DRIVE. DETROIT, MICHIGAN. PHONE: (313) 577-3789. FAX (313) 577-3881





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 5

77 West Jackson Blvd

Chicago, IL 60604

DATE: December 14, 2016

SUBJECT: Results for Samples Taken at Your Home for the November 2016 Sequential Sampling Round of the Lead Assessment Study


TO: Resident  
614 S LYNCH AVE  
Flint, MI 48503

FROM: U.S. EPA Flint Water Team

On 10/26/2016 EPA collected a series of 14 unfiltered water samples from your faucet. Lead concentrations in these samples ranged from not detected to 714 parts per billion. Thank you very much for your support in EPA's continued sampling effort. Your participation is helping us evaluate the recovery of the Flint water system.

The graph below shows the lead levels in the pipes leading from your faucet (left side of the diagram) to the water main under your street (right side) for this sampling period. EPA's test can help determine where lead may be coming from in your plumbing. These sample results represent a snapshot in time. These results do not show lead level trends in your home over time. These results cannot be used to assess long-term health impacts from lead.

614 S. Lynch Ave.--1st Floor Kitched Sink Faucet, 10/26/16



MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
**LG86543**

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 11/04/2016  
Date Received: 11/10/2016

TESTING INFORMATION	
Metal	Result In Parts Per Billion (ppb)
Copper 250 mL Sample	Not detected
Copper 750 mL Sample	Not detected
Copper Calculated to 1L	Not detected
Lead 250 mL Sample	3
Lead 750 mL Sample	1
Lead Calculated to 1L	2

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**If you used the new two bottle kit you will see three sets of results:**

- You will have a lead and copper result for the 250 ml sample (Bottle #1)
- You will have a lead and copper result for the 750 ml sample (Bottle #2)
- You will also have a calculated result. This number shows what the result would have been if you had used a one liter sample bottle. This is useful so that you can compare this report to previous samples that you have submitted.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
**LG97413**

Official Laboratory Report

Report To: GERALD TURNER  
614 S LYNCH STREET  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 S LYNCH STREET, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 01/30/2017  
Date Received: 02/02/2017

TESTING INFORMATION

Metal	Result In Parts Per Billion (ppb)
Copper 250 mL Sample	190
Copper 750 mL Sample	120
Copper Calculated to 1L	140
Lead 250 mL Sample	2
Lead 750 mL Sample	1
Lead Calculated to 1L	1

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**If you used the new two bottle kit you will see three sets of results:**

- You will have a lead and copper result for the 250 ml sample (Bottle #1)
- You will have a lead and copper result for the 750 ml sample (Bottle #2)
- You will also have a calculated result. This number shows what the result would have been if you had used a one liter sample bottle. This is useful so that you can compare this report to previous samples that you have submitted.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
DRINKING WATER LABORATORY



P.O. Box 30270  
Lansing, MI 48909  
TEL: (517) 335-8184

Sample Number  
LH83367

Official Laboratory Report

Report To: GERALD TURNER  
614 SOUTH LYNCH  
FLINT, MI  
48503

System Name/Owner: GERALD TURNER  
Collection Address: 614 SOUTH LYNCH, FLINT 48503  
Collected By: GERALD TURNER  
County: Genesee  
Sample Point: KITCHEN

Date Collected: 06/01/2018  
Date Received: 06/04/2018

TESTING INFORMATION	
Metal	Result In Parts Per Billion (ppb)
Copper 250 mL Sample	140
Copper 750 mL Sample	110
Copper Calculated to 1L	120
Lead 250 mL Sample	1
Lead 750 mL Sample	Not detected
Lead Calculated to 1L	Not detected

**What the Results Mean:** The result tells you how much lead and copper is in the water

- If the result for Copper is "Not Detected", that means the amount of copper in the water was less than 50 ppb.
- If the result for Lead is "Not Detected", that means the amount of lead in the water was less than 1 ppb.

**If you used the new two bottle kit you will see three sets of results:**

- You will have a lead and copper result for the 250 ml sample (Bottle #1)
- You will have a lead and copper result for the 750 ml sample (Bottle #2)
- You will also have a calculated result. This number shows what the result would have been if you had used a one liter sample bottle. This is useful so that you can compare this report to previous samples that you have submitted.

**No matter what your lead result is, you should continue to use an NSF certified filter until the Public Health Emergency Declaration has been lifted.**

For more information go to: [www.mi.gov/flintwater](http://www.mi.gov/flintwater) or call 800-662-9278



UNITED STATES  
POSTAL SERVICE.

*Retail*

**F**

US POSTAGE PAID

**\$5.00**

Origin: 48502  
01/29/21  
2532900503-03

**FIRST-CLASS PKG SVC - RTL™**

0 Lb 5.00 Oz

**1025**

**C049**

SHIP  
TO:

1775 SAINT JAMES PL  
STE 200  
Houston TX 77056-3415

**USPS TRACKING® NUMBER**



**9500 1109 5429 1029 3212 76**

Gerald Turner  
614 S. Lynch St.  
Flint, MI 48503

Archer Systems, LLC  
1775 Saint James Place, Suite 200  
Houston, Texas 77056