Manuscript Title

This manuscript (permalink) was automatically generated from essink/manubot_test@6cbdee2 on May 15, 2020.

Authors

- **John Doe**
  XXXX-XXXX-XXXX-XXXX · johndoe · johndoe
  Department of Something, University of Whatever · Funded by Grant XXXXXXXX

- **Jane Roe**
  XXXX-XXXX-XXXX-XXXX · janeroe
  Department of Something, University of Whatever; Department of Whatever, University of Something

Abstract

This manuscript is a template (aka “rootstock”) for Manubot, a tool for writing scholarly manuscripts. Use this template as a starting point for your manuscript.

The rest of this document is a full list of formatting elements/features supported by Manubot. Compare the input (`.md` files in the `/content` directory) to the output you see below.

Basic formatting

Bold text

Semi-bold text

Centered text

Right-aligned text

Italic text

Combined *italics and* ***bold***

~~Strikethrough~~

1. Ordered list item
2. Ordered list item
    a. Sub-item
    b. Sub-item
        i. Sub-sub-item
3. Ordered list item
    a. Sub-item

- List item
- List item
- List item

subscript: H_2O is a liquid

superscript: 2^{10} is 1024.

unicode superscripts⁰¹²³⁴⁵⁶⁷⁸⁹

unicode subscripts₀₁₂₃₄₅₆₇₈₉

A long paragraph of text. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Putting each sentence on its own line has numerous benefits with regard to editing and version control.

Line break without starting a new paragraph by putting
two spaces at end of line.

Document organization

Document section headings:

Heading 1

Heading 2

Heading 3

Heading 4

A heading centered on its own printed page

Horizontal rule:

`Heading 1`'s are recommended to be reserved for the title of the manuscript.

`Heading 2`'s are recommended for broad sections such as *Abstract*, *Methods*, *Conclusion*, etc.

`Heading 3`'s and `Heading 4`'s are recommended for sub-sections.

Links

Bare URL link: https://manubot.org

Long link with lots of words and stuff and junk and bleep and blah and stuff and other stuff and more stuff yeah

Link with text

Link with hover text

Link by reference

Citations

Citation by DOI [1].

Citation by PubMed Central ID [2].

Citation by PubMed ID [3].

Citation by Wikidata ID [4].

Citation by ISBN [5].

Citation by URL [6].

Citation by tag [7].

Multiple citations can be put inside the same set of brackets [1,5,7]. Manubot plugins provide easier, more convenient visualization of and navigation between citations [2,3,7,8].

Citation tags (i.e. aliases) can be defined in their own paragraphs using Markdown's reference link syntax:

Referencing figures, tables, equations

Figure 1

Figure 2

Figure 3

Figure 4

Table 1

Equation 1

Equation 2

Quotes and code

> Quoted text

> Quoted block of text
>
> Two roads diverged in a wood, and I—
> I took the one less traveled by,
> And that has made all the difference.

Code `in the middle` of normal text, aka `inline code`.

Code block with Python syntax highlighting:

```
from manubot.cite.doi import expand_short_doi

def test_expand_short_doi():
    doi = expand_short_doi("10/c3bp")
    # a string too long to fit within page:
    assert doi == "10.25313/2524-2695-2018-3-vliyanie-enhansera-copia-i-
        insulyatora-gypsy-na-sintez-ernk-modifikatsii-hromatina-i-
        svyazyvanie-insulyatornyh-belkov-vtransfetsirovannyh-geneticheskih-
        konstruktsiyah"
```

Code block with no syntax highlighting:

```
Exporting HTML manuscript
Exporting DOCX manuscript
Exporting PDF manuscript
```

Figures



Figure 1: A square image at actual size and with a bottom caption. Loaded from the latest version of image on GitHub.



Figure 2: An image too wide to fit within page at full size. Loaded from a specific (hashed) version of the image on GitHub.

Figure 3: A tall image with a specified height. Loaded from a specific (hashed) version of the image on GitHub.

Figure 4: A vector `.svg` image loaded from GitHub. The parameter `sanitize=true` is necessary to properly load SVGs hosted via GitHub URLs. White background specified to serve as a backdrop for transparent sections of the image.

Tables

Table 1: A table with a top caption and specified relative column widths.

Bowling Scores	**Jane**	**John**	**Alice**	**Bob**
Game 1	150	187	210	105
Game 2	98	202	197	102
Game 3	123	180	238	134

Table 2: A table too wide to fit within page.

	Digits 1-33	**Digits 34-66**	**Digits 67-99**	**Ref.**
pi	3.14159265358979323 846264338327950	28841971693993751 0582097494459230	78164062862089986 2803482534211706	`piday.org`
e	2.71828182845904523 536028747135266	24977572470936999 5957496696762772	40766303535475945 7138217852516642	`nasa.gov`

Table 3: A table with merged cells using the `attributes` plugin.

	Colors	
Size	**Text Color**	**Background Color**
big	blue	orange
small	black	white

Equations

A LaTeX equation:

$$\int_0^\infty e^{-x^2} dx = \frac{\sqrt{\pi}}{2} \tag{1}$$

An equation too long to fit within page:

$$x = a + b + c + d + e + f + g + h + i + j + k + l + m + n + o + p + q + r + s + t + u + v + w + x + y + z + 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 \tag{2}$$

Special

⚠ **WARNING** *The following features are only supported and intended for* `.html` *and* `.pdf` *exports. Journals are not likely to support them, and they may not display correctly when converted to other formats such as* `.docx`*.*

LINK STYLED AS A BUTTON

Adding arbitrary HTML attributes to an element using Pandoc's attribute syntax:

> Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot. Manubot Manubot Manubot. Manubot Manubot. Manubot.

Adding arbitrary HTML attributes to an element with the Manubot `attributes` plugin (more flexible than Pandoc's method in terms of which elements you can add attributes to):

> Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot. Manubot Manubot Manubot. Manubot Manubot. Manubot.

Available background colors for text, images, code, banners, etc:

`white` `lightgrey` `grey` `darkgrey` `black` `lightred` `lightyellow` `lightgreen` `lightblue` `lightpurple` `red` `orange` `yellow` `green` `blue` `purple`

Using the Font Awesome icon set:

✔ ? ★ 🔔 ⊗ •••

Light Grey Banner
useful for *general information* - manubot.org

Blue Banner
useful for *important information* - manubot.org

Light Red Banner
useful for *warnings* - manubot.org

Additional Content

This section just serves as a test.

$$\alpha = 42$$

To get github-pages working, I just had to unselect and then reselect to use the branch gh-pages in the settings. This fortunately triggered the build of the webpage.

This sentence has been contributed by a collaborator.

Nature article on collaborative writing

Article by TU Hamburg doing the same with gitlab

PyMotW - Manubot

[PLOS CB Paper]

[Manubot Website]

[Manubot Github]

Aims

- disperse teams of collaborators
    - > 10 authors

- version control
  - transparency
  - better attribution of credit
- automatization
  - build
  - bibliography
  - deploying as webpage

Motivation

- > traditionally publishing manuscripts based on

  - poprietary software (e.g. `.docx`)[1]
  - offline tools (e.g. `Latex`)

Origin of Manubot

- open review 7
  - many authors bringing different expertise
  - hosted on Github
  - Creative Commons Attribution License (CC BY 4.0)
  - to support workflow → **manubot python package**

Comparison to other writing platforms

Comparison in Table 1

- thoughts
  - proposing changes really not possible in Overleaf?
  - characterlevel provenance really not possible in Overleaf?
- main competitor for manubot in our case: OVERLEAF

Workflow

Illustration of Workflow

Features

manubot python packages

- > Process manuscript content to create outputs for Pandoc consumption.

  - I think it just moves things around and merges `.md` files
- citations see USAGE.md
  - pandoc-manubot-cite
  - cite-by-ID Table with examples

pandoc filters

- e.g. pandoc-xnos for referencing tables, equations (sections)

Pandoc Markdown

- citations
- table
- captions
- equations

html webpage

- themes → modify aesthetics
- interactive plots or mybinder
- html plugins
  - hypothes.is - annotations/comments
- hosted on github pages

Continuous Publication / Integration

- CI of your choice
- default Travis
- Self-Hosted Github Actions Examples

Timestamping

Limitations

- require *computational* background
- they advise having guidelines on contributions/authorship
  - e.g. 5 commits need to get the co-authorship
- primary output is html
  1. `.md` → `.html`

2. `.html` → `.pdf`

- no Latex support yet!
  - of course formulae etc. work via MathJax, but no use of fancy packages (e.g. braket)
  - Issue on Latex output
  - working on `.md` → `.tex` via pandoc
    - issue is how to do this properly in CI

How to set it up?

- Manubot rootstock

Personal Setup - Manubot

- manubot
  - Github Actions CI with self-hosted runner
    - use local conda environment
    - sync final `.pdf` to remarkable :P
- zotero
  - BibORB - brain.bib imported
  - collection for manubot manuscript
  - BetterBibtex for Zotero
    - automatized export of collection to `csl json` with correct key (`raw:<key>`) that is recognized by manubot
- Atom
  - packages
    - `markdown-preview-enhanced` for live preview
    - `language-pfm` for syntax highlighting (Pandoc Flavored Markdown)
    - `zotero-citation`
  - nice github integration
  - can use local builds
    - either `bash build/build.sh`
    - or `bash build/autobuild.sh` which triggers a run whenever a saved file shows changes $\rightarrow$ view complete document live in browser
- mathpix
  - snapshot formulae from photo/handwriting/papers and convert to latex
- whenever I start working with this great setup I end up improving the workflow and don't get anything done ...



The sad truth...

HOW LONG CAN YOU WORK ON MAKING A ROUTINE TASK MORE EFFICIENT BEFORE YOU'RE SPENDING MORE TIME THAN YOU SAVE?
(ACROSS FIVE YEARS)

HOW MUCH TIME YOU SHAVE OFF	HOW OFTEN YOU DO THE TASK: 50/DAY	5/DAY	DAILY	WEEKLY	MONTHLY	YEARLY
1 SECOND	1 DAY	2 HOURS	30 MINUTES	4 MINUTES	1 MINUTE	5 SECONDS
5 SECONDS	5 DAYS	12 HOURS	2 HOURS	21 MINUTES	5 MINUTES	25 SECONDS
30 SECONDS	4 WEEKS	3 DAYS	12 HOURS	2 HOURS	30 MINUTES	2 MINUTES
1 MINUTE	8 WEEKS	6 DAYS	1 DAY	4 HOURS	1 HOUR	5 MINUTES
5 MINUTES	9 MONTHS	4 WEEKS	6 DAYS	21 HOURS	5 HOURS	25 MINUTES
30 MINUTES		6 MONTHS	5 WEEKS	5 DAYS	1 DAY	2 HOURS
1 HOUR		10 MONTHS	2 MONTHS	10 DAYS	2 DAYS	5 HOURS
6 HOURS				2 MONTHS	2 WEEKS	1 DAY
1 DAY					8 WEEKS	5 DAYS



I definitely solved it...

References

1. **Sci-Hub provides access to nearly all scholarly literature**
   Daniel S Himmelstein, Ariel Rodriguez Romero, Jacob G Levernier, Thomas Anthony Munro, Stephen Reid McLaughlin, Bastian Greshake Tzovaras, Casey S Greene
   eLife (2018-03-01) https://doi.org/ckcj
   DOI: 10.7554/elife.32822 · PMID: 29424689 · PMCID: PMC5832410

2. **Reproducibility of computational workflows is automated using continuous analysis**
   Brett K Beaulieu-Jones, Casey S Greene
   Nature biotechnology (2017-04) https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6103790/
   DOI: 10.1038/nbt.3780 · PMID: 28288103 · PMCID: PMC6103790

3. **Bitcoin for the biological literature.**
   Douglas Heaven
   Nature (2019-02) https://www.ncbi.nlm.nih.gov/pubmed/30718888
   DOI: 10.1038/d41586-019-00447-9 · PMID: 30718888

4. **Plan S: Accelerating the transition to full and immediate Open Access to scientific publications**
   cOAlition S
   (2018-09-04) https://www.wikidata.org/wiki/Q56458321

5. **Open access**
   Peter Suber
   MIT Press (2012)
   ISBN: 9780262517638

6. **Open collaborative writing with Manubot**
   Daniel S. Himmelstein, Vincent Rubinetti, David R. Slochower, Dongbo Hu, Venkat S. Malladi, Casey S. Greene, Anthony Gitter
   Manubot (2020-01-14) https://greenelab.github.io/meta-review/

7. **Opportunities and obstacles for deep learning in biology and medicine**
   Travers Ching, Daniel S. Himmelstein, Brett K. Beaulieu-Jones, Alexandr A. Kalinin, Brian T. Do, Gregory P. Way, Enrico Ferrero, Paul-Michael Agapow, Michael Zietz, Michael M. Hoffman, … Casey S. Greene
   Journal of The Royal Society Interface (2018-04-04) https://doi.org/gddkhn
   DOI: 10.1098/rsif.2017.0387 · PMID: 29618526 · PMCID: PMC5938574

8. **Open collaborative writing with Manubot**
   Daniel S. Himmelstein, Vincent Rubinetti, David R. Slochower, Dongbo Hu, Venkat S. Malladi, Casey S. Greene, Anthony Gitter
   PLOS Computational Biology (2019-06-24) https://doi.org/c7np
   DOI: 10.1371/journal.pcbi.1007128 · PMID: 31233491 · PMCID: PMC6611653

---

1. At least in the biology community ↩